

## Nenufar Musa

REFERENCE AP1403/5



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FO | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

**Height** 52cm / 20in

**Depth** 17cm / 7in

**Length** 48cm / 19in

**Weight** 6kg / 13lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.64cm x 0.86cm x 0.64cm  
=0.35CBM

**(in)Package 1/2** 0.25in x 0.34in x 0.25in  
=12.44US GAL

### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 200W

**Light Sources**  
5 x G9 Max 40W

#### Included Sources

**Light Sources**  
5 x G9 LED 2W

**Lumens** 1150lm

**Kelvin** 3000

**CRI** 80

#### Optional Sources

**Light Sources**  
5 x G9 LED 3W

**Lumens** 1500lm

**Kelvin** 3000

**CRI** 80

#### **110-120V 50Hz-60Hz**

**Max Power Consumption** 125W

**Light Sources**  
5 x G9 Max. 25W

### ENERGY RATING

This luminaire allows light sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

# SERIP

---

## Nenufar Blooming Medium

REFERENCE CT3377/12

---



### DESCRIPTION

T

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FO/PB | Glass 06

### **Designed and produced by hand in Portugal.**

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### **Hand-finished, some variations may occur.**

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

---

# SERIP

## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

#### FIXTURE SIZE & WEIGHT

**Width** 50cm / 20in

**Height** 65cm / 26in

**Length** 135cm / 53in

**OAH Overall Height Min** 70cm / 28in

**OAH Overall Height Max** 350cm / 138in

**Weight** 27kg / 60lb

#### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.85cm x 0.94cm x 1.63cm

=1.30CBM

**(in)Package 1/2** 0.33in x 0.37in x 0.64in

=45.99US GAL

### ELECTRIC FEATURE

**Installation** Ceiling

**IP degree** IP 20

**220-240V 50Hz-60Hz**

**Max Power Consumption** 480W

**Light Sources**

12 x G9 Max 40W

#### Included Sources

**Light Sources**

12 x G9 LED 2W

**Lumens** 2760lm

**Kelvin** 3000

**CRI** 80

#### Optional Sources

**Light Sources**

12 x G9 LED 3W

**Lumens** 3600lm

**Kelvin** 3000

**CRI** 80

**110-120V 50Hz-60Hz**

**Max Power Consumption** 480W

**Light Sources**

12 x G9 Max. 40W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

SERIP

## Nenufar Bowl

REFERENCE AP1402/2

---



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal CO | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Depth** 20cm / 8in  
**Weight** 4kg / 9lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.64cm x 0.46cm x 0.64cm  
=0.19CBM  
**(in)Package 1/2** 0.25in x 0.18in x 0.25in  
=6.65US GAL

### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 80W  
**Light Sources**  
2 x G9 Max 40W

### Included Sources

**Light Sources**  
2 x G9 LED 2W  
**Lumens** 460lm  
**Kelvin** 3000  
**CRI** 80


### Optional Sources

**Light Sources**  
2 x G9 LED 3W  
**Lumens** 600lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 50W  
**Light Sources**  
2 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP



## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Nymphaea Small

REFERENCE AP1475/4



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.


#### **Designed and produced by hand in Portugal.**

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

#### **Hand-finished, some variations may occur.**

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

**Height** 82cm / 32in  
**Depth** 30cm / 12in  
**Length** 60cm / 24in  
**Weight** 10kg / 22lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.95cm x 0.50cm x 0.95cm  
=0.45CBM  
**(in)Package 1/2** 0.37in x 0.20in x 0.37in  
=15.93US GAL

### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 160W  
**Light Sources**  
4 x G9 Max 40W

#### Included Sources

**Light Sources**  
4 x G9 LED 2W  
**Lumens** 920lm  
**Kelvin** 3000  
**CRI** 80


#### Optional Sources

**Light Sources**  
4 x G9 LED 3W  
**Lumens** 1200lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 100W  
**Light Sources**  
4 x G9 Max. 25W

### ENERGY RATING

This luminaire allows light sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Nymphaea Medium

REFERENCE AP1475/6



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.


#### **Designed and produced by hand in Portugal.**

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

#### **Hand-finished, some variations may occur.**

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

**Height** 110cm / 43in

**Depth** 30cm / 12in

**Length** 72cm / 28in

**Weight** 25kg / 55lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.20cm x 0.90cm x 1.20cm  
=1.30CBM

**(in)Package 1/2** 0.47in x 0.35in x 0.47in  
=45.76US GAL

### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 240W

**Light Sources**  
6 x G9 Max 40W

#### Included Sources

**Light Sources**  
6 x G9 LED 2W

**Lumens** 1380lm

**Kelvin** 3000

**CRI** 80

#### Optional Sources

**Light Sources**

6 x G9 LED 3W

**Lumens** 1800lm

**Kelvin** 3000

**CRI** 80

#### **110-120V 50Hz-60Hz**

**Max Power Consumption** 150W

**Light Sources**

6 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Nymphaea Large

REFERENCE AP1475/21



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal CH | Glass 10


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING





## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

**Height** 250cm / 98in  
**Depth** 60cm / 24in  
**Length** 110cm / 43in  
**Weight** 41kg / 90lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.20cm x 0.65cm x 2.60cm  
=2.03CBM  
**(in)Package 1/2** 0.47in x 0.26in x 1.02in  
=71.61US GAL

### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 840W  
**Light Sources**  
21 x G9 Max 40W

#### Included Sources

**Light Sources**  
21 x G9 LED 2W  
**Lumens** 4830lm  
**Kelvin** 3000  
**CRI** 80


#### Optional Sources

**Light Sources**  
21 x G9 LED 3W  
**Lumens** 6300lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 525W  
**Light Sources**  
21 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Bonsai Small

REFERENCE CT3384/18



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal RO | Glass 37


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 186cm / 73in

**Weight** 51kg / 112lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.10cm x 1.17cm x 2.10cm  
=2.70CBM

**(in)Package 1/2** 0.43in x 0.46in x 0.83in  
=95.43US GAL

### ELECTRIC FEATURE

**Installation** Ceiling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 720W

**Light Sources**  
18 x G9 Max 40W

### Included Sources

**Light Sources**  
18 x G9 LED 2W  
**Lumens** 4140lm  
**Kelvin** 3000  
**CRI** 80

### Optional Sources


**Light Sources**  
18 x G9 LED 3W  
**Lumens** 5400lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 450W

**Light Sources**  
18 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Bonsai Large

REFERENCE CT3384/35

---



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.


#### **Designed and produced by hand in Portugal.**

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

#### **Hand-finished, some variations may occur.**

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 300cm / 118in

**Weight** 82kg / 181lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.25cm x 1.35cm x 3.20cm  
=5.40CBM

**(in)Package 1/2** 0.49in x 0.53in x 1.26in  
=190.67US GAL

### ELECTRIC FEATURE

**Installation** Ceilling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 1400W  
**Light Sources**  
35 x G9 Max 40W

### Included Sources

**Light Sources**  
35 x G9 LED 2W  
**Lumens** 8050lm  
**Kelvin** 3000  
**CRI** 80


### Optional Sources

**Light Sources**  
35 x G9 LED 3W  
**Lumens** 10500lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 875W  
**Light Sources**  
35 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)


# SERIP



## Nenufar Aura Small

REFERENCE AP1457

---



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal PR | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Depth** 8cm / 3in  
**Weight** 1kg / 2lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.64cm x 0.46cm x 0.64cm  
=0.19CBM  
**(in)Package 1/2** 0.25in x 0.18in x 0.25in  
=6.65US GAL

### CERTIFICATIONS



### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 6W  
**Light Sources**  
6 x LED STRIP

### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



---

SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

**Note** The canopy has only the base finish colour. The metal finish is without patina or texture of another tone. Except for Talha and Black finishes.

# SERIP

## Nenufar Aura Medium

REFERENCE AP1456



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FO | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Depth** 8cm / 3in  
**Weight** 2kg / 4lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.64cm x 0.46cm x 0.64cm  
=0.19CBM  
**(in)Package 1/2** 0.25in x 0.18in x 0.25in  
=6.65US GAL

### CERTIFICATIONS



### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 8W  
**Light Sources**  
8 x LED STRIP

### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



---

SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

**Note** The canopy has only the base finish colour. The metal finish is without patina or texture of another tone. Except for Talha and Black finishes.

# SERIP

## Nenufar Aura Large

REFERENCE AP1455

---



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FO | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Depth** 10cm / 4in  
**Weight** 3kg / 7lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.64cm x 0.46cm x 0.64cm  
=0.19CBM  
**(in)Package 1/2** 0.25in x 0.18in x 0.25in  
=6.65US GAL

### CERTIFICATIONS



### ELECTRIC FEATURE

**Installation** Wall  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 11W  
**Light Sources**  
11 x LED STRIP

### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



---

# SERIP



## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

**Note** The canopy has only the base finish colour. The metal finish is without patina or texture of another tone. Except for Talha and Black finishes.

# SERIP

## Nenufar Seed

REFERENCE PL318/10



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FO | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 25cm / 10in

**Weight** 14kg / 31lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.95cm x 0.56cm x 0.95cm  
=0.51CBM

**(in)Package 1/2** 0.37in x 0.22in x 0.37in  
=17.85US GAL

### ELECTRIC FEATURE

**Installation** Ceilling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 400W

**Light Sources**  
10 x G9 Max 40W

### Included Sources

**Light Sources**  
10 x G9 LED 2W

**Lumens** 2300lm

**Kelvin** 3000

**CRI** 80

### Optional Sources

**Light Sources**  
10 x G9 LED 3W

**Lumens** 3000lm

**Kelvin** 3000

**CRI** 80

### 110-120V 50Hz-60Hz

**Max Power Consumption** 250W

**Light Sources**  
10 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

SERIP

## Nenufar Water Lily Small

REFERENCE CT3229/43



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FP | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 240cm / 94in

**Weight** 77kg / 170lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.86cm x 0.90cm x 2.55cm  
=1.97CBM

**(in)Package 1/2** 0.34in x 0.35in x 1.00in  
=69.69US GAL

### ELECTRIC FEATURE

**Installation** Ceilling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 1720W  
**Light Sources**  
43 x G9 Max 40W

### Included Sources

**Light Sources**  
43 x G9 LED 2W  
**Lumens** 9890lm  
**Kelvin** 3000  
**CRI** 80


### Optional Sources

**Light Sources**  
43 x G9 LED 3W  
**Lumens** 12900lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 1075W  
**Light Sources**  
43 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Water Lily Medium

REFERENCE CT3229/48



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FP | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING





## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 300cm / 118in

**Weight** 81kg / 179lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.86cm x 0.90cm x 3.10cm  
=2.40CBM

**(in)Package 1/2** 0.34in x 0.35in x 1.22in  
=84.72US GAL

### ELECTRIC FEATURE

**Installation** Ceilling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 1920W  
**Light Sources**  
48 x G9 Max 40W

### Included Sources

**Light Sources**  
48 x G9 LED 2W  
**Lumens** 11040lm  
**Kelvin** 3000  
**CRI** 80


### Optional Sources

**Light Sources**  
48 x G9 LED 3W  
**Lumens** 14400lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 1200W  
**Light Sources**  
48 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP

## Nenufar Water Lily Large

REFERENCE CT3229/53



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal FP | Glass 37


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 340cm / 134in

**Weight** 116kg / 256lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.86cm x 0.90cm x 3.60cm  
=2.79CBM

**(in)Package 1/2** 0.34in x 0.35in x 1.42in  
=98.39US GAL

### ELECTRIC FEATURE

**Installation** Ceilling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 2120W  
**Light Sources**  
53 x G9 Max 40W

### Included Sources

**Light Sources**  
53 x G9 LED 2W  
**Lumens** 12190lm  
**Kelvin** 3000  
**CRI** 80


### Optional Sources

**Light Sources**  
53 x G9 LED 3W  
**Lumens** 15900lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 1325W  
**Light Sources**  
53 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

SERIP

## Nenufar Victoria Round

REFERENCE PL380/28



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 30cm / 12in  
**Weight** 59kg / 130lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.40cm x 0.80cm x 1.40cm  
=1.57CBM  
**(in)Package 1/2** 0.55in x 0.31in x 0.55in  
=55.37US GAL

### ELECTRIC FEATURE

**Installation** Ceiling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 1120W  
**Light Sources**  
28 x G9 Max 40W

### Included Sources

**Light Sources**  
28 x G9 LED 2W  
**Lumens** 6440lm  
**Kelvin** 3000  
**CRI** 80


### Optional Sources

**Light Sources**  
28 x G9 LED 3W  
**Lumens** 8400lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 700W  
**Light Sources**  
28 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)



Talha (TA)

# SERIP



# SERIP

## Nenufar Victoria Oval


REFERENCE PL368/36



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

### TECHNICAL DRAWING



### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

SERIP

## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

#### FIXTURE SIZE & WEIGHT

**Width** 120cm / 47in  
**Height** 30cm / 12in  
**Length** 235cm / 93in  
**Weight** 80kg / 176lb

#### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.25cm x 0.86cm x 2.50cm  
=2.69CBM  
**(in)Package 1/2** 0.49in x 0.34in x 0.98in  
=94.90US GAL

### ELECTRIC FEATURE

**Installation** Ceiling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 1440W  
**Light Sources**  
36 x G9 Max 40W


**Included Sources**  
**Light Sources**  
36 x G9 LED 2W  
**Lumens** 8280lm  
**Kelvin** 3000  
**CRI** 80

**Optional Sources**  
**Light Sources**  
36 x G9 LED 3W  
**Lumens** 10800lm  
**Kelvin** 3000  
**CRI** 80

**110-120V 50Hz-60Hz**  
**Max Power Consumption** 900W  
**Light Sources**  
36 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White  
Patina (FP/PB)



Lead (CH)



Palladium (PL)



Black (PR)



Gold/White  
Patina (FO/PB)



Gold (FO)




Talha (TA)

# SERIP

## Nenufar Lutea

REFERENCE CT3235/16

---



### DESCRIPTION

Ethereal and whimsical, the Nenufar Collection stands closely connected to its direct inspiration, the aqueous nature. Beyond its particular dense structure and closed shape in some designs, it seeks an uncanny levitating sense, allowing multiple perspectives through the carefully crafted Murano glass pieces. Through the glass specifications, the Nenufar achieves diffuse lighting providing an alluring romantic sense, reminiscent of the natural beauty of nature. Ideal for delicate interiors of vertical architecture.

**Finish shown here** Metal RO | Glass 06


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

**Height** 62cm / 24in

**Weight** 24kg / 53lb

### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 0.95cm x 0.90cm x 0.95cm  
=0.81CBM

**(in)Package 1/2** 0.37in x 0.35in x 0.37in  
=28.68US GAL

### ELECTRIC FEATURE

**Installation** Ceilling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 640W

**Light Sources**  
16 x G9 Max 40W

### Included Sources

**Light Sources**  
16 x G9 LED 2W

**Lumens** 3680lm

**Kelvin** 3000

**CRI** 80

### Optional Sources

**Light Sources**  
16 x G9 LED 3W

**Lumens** 4800lm

**Kelvin** 3000

**CRI** 80

### 110-120V 50Hz-60Hz

**Max Power Consumption** 400W

**Light Sources**

16 x G9 Max. 25W

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

---

# SERIP

## OPTIONAL FINISHES

### GLASS FINISHES



White (37)

Clear (10)

Bright Gold  
(06)

### METAL FINISHES



Talha (TA)



Black (PR)



Palladium (PL)



Silver/White  
Patina (FP/PB)



Silver (FP)



Gold/White  
Patina (FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

SERIP