

# FREEDOM

Massimiliano Raggi



FREEDOM



Freedom riproduce la forma di una gabbietta. "Freedom" in inglese significa libertà e il suo segno di riconoscimento è costituito da un uccellino metallico posto grazie ad una calamita al di fuori della gabbietta stessa, proprio ad indicare la libertà da ogni costrizione. Lampada da esterno IP65, è disponibile nella versione cablata o a batteria. Completa l'offerta una serie di accessori laccati neri che ampliano le possibilità di utilizzo della lampada Freedom.

*Freedom reproduces the shape of a cage. Its sign of recognition consists of a metallic bird placed outside the cage with a magnet, in order to symbolize freedom from any constraint. An IP65 outdoor lamp, it is available in the wired or battery version. The offer is completed by a series of black lacquered accessories which expand the possibilities of using the lamp.*

SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

p2

FREEDOM OUTDOOR

p4

FREEDOM OUTDOOR BATTERY

p5

PIASTRA DA TERRA / GROUND PLATE

p6

GANCIO PER PIANTANA / HOOK FOR FLOOR

p7

GANCIO DA PARETE / HOOK FOR WALL

p8

**STRUTTURA / FRAME**

Gabbia in metallo verniciato bronzo  
Cage in bronze painted metal



Base in legno marino marrone scuro  
con trattamento cataforesi  
Dark brown marine wood with  
waterproof treatment for the base

**DIFFUSORE / DIFFUSER**


Vetroresina crema  
Cream-coloured fiberglass

**ACCESSORI / ACCESSORY**


Piastra da terra  
Ground plate



Gancio per piantana  
Hook for floor



Gancio da parete  
Hook for wall

**NOTE:**

1. VERSIONE CABLATA: fornita solo con connettore IP68. In caso di collegamento con spina, il grado di protezione passa da IP65 a IP44.
2. VERSIONE BATTERIA: la luce lampeggiante all'interno della lampada indica che la lampada è completamente scarica. Per terminare il lampeggiamento tenere premuto qualche secondo il pulsante di accensione, la lampada si accenderà brevemente, dopodiché si spegnerà. Mettere la lampada su una superficie piana, come mostrato, e collegare la spina all'impianto elettrico per caricare la lampada. Controllare che lo spinotto sia inserito correttamente nella presa. Lasciare in carica per circa 4 ore (12 ore al primo utilizzo) con la lampada spenta. Assicurarsi che il tappo in gomma sia chiuso prima dell'uso.

**NOTES:**

1. WIRED VERSION: supplied only with IP68 connector. In case of connection with a plug, the degree of protection changes from IP65 to IP44.
2. BATTERY version: Flickering light inside the bulb indicates that the lamp is completely out of power. To stop the flickering keep the on-button pressed for a few seconds, the lamp will switch on for a short time and then switch off. Place the lamp on a flat surface, as shown, and connect the cable to the main power to charge the lamp. Make sure that the plug is correctly inserted into the socket. Let the lamp charge for approximately 4 hours (12 hours at the first use) with the lamp Off. Verify that the rubber cap is closed before use.

**CAVO / CABLE**

Cavo nero  
Connettore IP68 per esterni

*Black cable  
IP68 outdoor connector*

L: 200 cm  
L: 78.7"

**FONTE LUMINOSA / LIGHT SOURCE**

Versione CABLATA  
*WIRED version*



E27 T8 Tubular LED  
IP65  
Utilizzabili lampadine LED fino  
alla massima potenza disponibile  
sul mercato

*You can use LED light bulbs of  
the highest available wattage*

H max. 14,5 cm / 5.7"



**FREEDOM**  
1 X E27 T8  
Lampadina Tubular LED  
*Tubular LED bulb*

Versione BATTERIA  
*BATTERY version*



Custom LED  
IP65  
Autonomia: 6/8 ore  
Cicli di vita: 600  
Tempi di ricarica: 4 ore  
Fornita con caricabatterie

*Autonomy: 6/8 hours  
Lifestyle cycles: 600  
Charging time: about 4 hours  
Supplied with battery charger*



**FREEDOM BATTERY**  
1 X 3W  
Lumen: 400  
2.700 K; CRI: >90



Freedom Outdoor

**USA / SOURCE LIGHT**

*WIRED version*



E27 T8 Tubular LED  
IP65  
You can use LED light bulbs of  
the highest available wattage

H max. 14,5 cm / 5.7"



**FREEDOM**  
1 X E26 T8  
Tubular LED bulb



*BATTERY version*



Custom LED  
IP65  
Autonomy: 6/8 hours  
Lifestyle cycles: 600  
Charging time: about 4 hours  
Supplied with battery charger



**FREEDOM BATTERY**  
1 X 3W  
Lumen: 400  
2.700 K; CRI: >90




PRODOTTO / PRODUCT

PESO / WEIGHT  
4 kg / 8.8 lbs

BOX 1

L: 40 cm / 15.8"  
W: 40 cm / 15.8"  
H: 60 cm / 23.6"

PESO / WEIGHT  
5 kg / 11 lbs




PRODOTTO / PRODUCT

PESO / WEIGHT  
4 kg / 8.8 lbs

BOX 1

L: 40 cm / 15.8"  
W: 40 cm / 15.8"  
H: 60 cm / 23.6"

PESO / WEIGHT  
5 kg / 11 lbs




PRODOTTO / PRODUCT

PESO / WEIGHT  
1 kg / 2.2 lbs

BOX 1

L: 27 cm / 10.6"  
W: 27 cm / 10.6"  
H: 29 cm / 11.4"

PESO / WEIGHT  
1,5 kg / 3.3 lbs



**PRODOTTO / PRODUCT**

PESO / WEIGHT  
14 kg / 30.8 lbs

**BOX 1**




L: 44 cm / 17.3"  
W: 23 cm / 9"  
H: 165 cm / 64.9"

PESO / WEIGHT  
6 kg / 13.2 lbs

**BOX 2**

L: 43 cm / 16.9"  
W: 43 cm / 16.9"  
H: 17 cm / 6.7"

PESO / WEIGHT  
11 kg / 24.2 lbs



PRODOTTO / PRODUCT

PESO / WEIGHT  
2 kg / 4.4 lbs

BOX 1

L: 23 cm / 9"  
W: 37 cm / 14.5"  
H: 23 cm / 9"

PESO / WEIGHT  
3 kg / 6.6 lbs





Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

**WARNING:** The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

---

**CONTARDI LIGHTING Srl**

ITALY HEADQUARTERS

[www.contardi-italia.com](http://www.contardi-italia.com) / [sales@contardi-italia.it](mailto:sales@contardi-italia.it)

**CONTARDI USA Inc**

USA BRANCH

[www.contardi-usa.com](http://www.contardi-usa.com) / [sales@contardi-usa.com](mailto:sales@contardi-usa.com)

