

Fabric book  
AZ

F



mdf italia



Anilina leather is intended for true connoisseurs, to those who can fully grasp the charm of genuine leather. Dyed in barrel without any kind of finishing, it is the closest to the concept of leather as nature has created it. The not forced drying, simply in the air, as it was done once, further embellishes its softness. All the natural characteristics, such as wrinkles, chiaroscuro effects and imperfections enhance its genuine beauty, making each hide a unique piece.

The inner side of the shell is covered with leather. The outer side of the shell is covered with micro-perforated leather.

*The shell of Flow collection covered with Anilina leather is fully covered with leather, micro-perforated on the outer side. The seams are always in contrast colour.*

|                 |  |
|-----------------|--|
| typology        | <b>Leather</b>   |
| composition     | <b>European bovine</b>   |
| tanning         | <b>Mineral</b>   |
| grain           | <b>Printed</b>   |
| dyeing          | <b>Penetrating</b>   |
| finishing       | <b>Pure aniline</b>  |
| surface         | <b>Full grain</b>  |
| thickness       | <b>1,1/1,3 mm</b>  |
| average size    | <b>≥ 5 mq</b>  |
| dry friction    | <b>≥ 100 cycles</b>  |
| damp friction   | <b>≥ 25 cycles</b>   |
| flexing         | <b>≥ 10.000 cycles</b>   |
| light fastness  | <b>≥ 3 blue scale, dark colours</b>  |
| heat ageing     | <b>≥ 3 gray scale</b>  |
| fire resistance | <b>ISO 1021:1-2, BS 5852 source 0-1, IMO FTP8 A652, california TB 117-2013</b> |

#### washing information

Avoid cleaning with aggressive products. Keep away from direct sunlight and from direct heat. Avoid contact between light and dark colours even be. Regularly dust with a soft and dry cloth.

## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Anilina

Variants



**R706** col.4307

**R704** col.4305

**R707** col.4311




**R702** col.4302

**R703** col.4303



**R705** col.4306

**R701** col.4301



Piece-dyed with a rich palette, ANIMA blends ultra-microfiber and matte chenille in a refined jacquard texture with a strong sense of identity. With a finishing treatment that adds a subtly faded look to the fabric's surface, there is a natural beauty to ANIMA that is elegant and captivating.

|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>C</b>  |
| composition     | <b>85%PES 15%CO</b>   |
| height          | <b>cm 140</b>   |
| weight          | <b>742 gr/ml</b>  |
| martindale      | <b>100.000</b>  |
| pilling         | <b>4/5</b>  |
| light fastness  | <b>5/6</b>  |
| fire resistance | <b>BS5852 SOURCE 0, EN 1021 PART 1: 2006, NFPA 260:2013, CAL TB-117: 2013</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |
|  | Wet-cleaning.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Anima

Variants

CAT.C



**R632** col.05

**R633** col.10


**R634** col.12



**R638** col.33

**R637** col.30

**R639** col.35



**R640** col.45

**R641** col.47

**R642** col.53



**R636** col.22


**R644** col.60

**R645** col.71



**R635** col.19

**R643** col.54



|                  |  |
|------------------|--|
| typology         | <b>Cord</b>                                    |
| tensile strength | <b>Warp: 125 dan/5 cm - weft: 120 dan/5 cm</b> |
| tear strength    | <b>Warp: 2.5 dan - weft: 2,5 dan/5 cm</b>      |
| light resistance | <b>Level 6/8</b>                               |
| heat resistance  | <b>+70°C</b>                                   |
| cold resistance  | <b>-30°C</b>                                   |
| column of water  | <b>Approx 1.000 mm</b>                         |


## Use and maintenance

For correct washing, use a delicate neutral soap and water, and rinse thoroughly after washing, using only water. After cleaning, allow the fabric to dry correctly before folding it and putting it away, to avoid it getting mouldy.


## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |


|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |



**Matt ecru col.23**




**Matt anthracite grey col.03**



**Glossy silver grey col.04**



**Glossy English green col.17**



**Glossy orange col.11**

CAT.G



Hand-woven from an irregular yarn, this raw silk is a triumph of shimmering colour and luminosity, making it soft and vibrant.



**R397** col.140

**R820** col.111

**R821** col.153















typology  
category  
composition  
height

**Fabric**  
**G**  
**100%SE**  
**cm 135**

washing information




## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool



CAT.D

















|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>D</b>  |
| composition     | <b>50%CO 33%VI 17%LI</b>  |
| height          | <b>cm 140</b>   |
| weight          | <b>960 gr/mtl</b>   |
| martindale      | <b>35.000</b>   |
| pilling         | <b>4/5</b>  |
| light fastness  | <b>5</b>  |
| fire resistance | <b>BS 5852 source 0, cigarette test, california TB 117-2013</b> |

washing information



## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Dune

Variants

CAT.D



**R364** col.428.103

**R361** col.428.039

**R359** col.428.034



**R363** col.428.050

**R357** col.428.000

**R358** col.428.010




**R360** col.428.035



**R362** col.428.043

CAT.B



|                |                   |
|----------------|-------------------|
| typology       | <b>Fabric</b>     |
| category       | <b>B</b>          |
| composition    | <b>100%PL</b>     |
| height         | <b>cm 140</b>     |
| weight         | <b>525 gr/mtl</b> |
| martindale     | <b>100.000</b>    |
| pilling        | <b>5</b>          |
| light fastness | <b>5/6</b>        |

**100%PL - 100% recycled polyester**

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |
|  | Wet-cleaning.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Etis

Variants


CAT.B



**R629** col.36

**R621** col.16


**R631** col.40



**R622** col.17

**R630** col.39

**R626** col.27



**R625** col.22

**R624** col.21

**R623** col.19



**R616** col.6

**R614** col.1

**R615** col.2



**R617** col.7

**R619** col.9

**R618** col.8



**R620** col.11

**R628** col.32

**R627** col.31

CAT.D



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                           |
| category        | <b>D</b>                                |
| composition     | <b>52%CO 23%VI 12%LI 10%PC 3%WO</b>     |
| height          | <b>cm 140</b>                           |
| weight          | <b>915 gr/mtl</b>                       |
| martindale      | <b>28.000</b>                           |
| pilling         | <b>3/4</b>                              |
| light fastness  | <b>4/5</b>                              |
| fire resistance | <b>BS 5852 source 0, cigarette test</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Fall

Variants

CAT.D



**R479** col.502.180

**R478** col.502.160


**R477** col.502.000



**R480** col.502.200


**R481** col.502.220

**R482** col.502.221



**R483** col.502.240

CAT.C

















|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>C</b>  |
| composition     | <b>52%CO 20%VI 18%WO 10%LI</b>                                  |
| height          | <b>cm 140</b>   |
| weight          | <b>650 gr/mtl</b>   |
| martindale      | <b>30.000</b>   |
| pilling         | <b>3/4</b>  |
| light fastness  | <b>4/5</b>  |
| fire resistance | <b>BS 5852 source 0, cigarette test, california TB 117-2013</b> |

washing information



Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Frank

Variants


CAT.C



**R354** col.419.011

**R353** col.419.010


**R356** col.419.041



**R352** col.419.003

**R355** col.419.020





|                                      |   |
|--------------------------------------|---|
| typology                             | <b>Fabric</b>                                   |
| category                             | <b>C</b>  |
| composition                          | <b>100%CO</b>                                   |
| height                               | <b>cm 140</b>                                   |
| weight                               | <b>830 gr/mtl</b>                               |
| martindale                           | <b>30.000</b>                                   |
| pilling                              | <b>3/4</b>                                      |
| light fastness - light colours       | <b>4/5</b>                                      |
| light fastness - dark/medium colours | <b>5</b>  |
| fire resistance                      | <b>UNI EN 1021-2:2014, BS 5852 1 match test</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

CAT.C



**R534** col.070

**R533** col.046

**R539** col.424

**R537** col.191



**R536** col.116

**R535** col.111

**R540** col.436

**R538** col.416

# Grid

CAT.G

Informations



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                           |
| category        | <b>G</b>                                |
| composition     | <b>56%PL 44%CO</b>                      |
| height          | <b>cm 143</b>                           |
| weight          | <b>670 gr/mtl</b>                       |
| martindale      | <b>50.000</b>                           |
| pilling         | <b>3/4</b>                              |
| light fastness  | <b>4/6</b>                              |
| fire resistance | <b>BS 5852 source 0, cigarette test</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Grid

Variants

CAT.G



**R503** col.05

**R504** col.08

**R505** col.09



**R506** col.10

**R507** col.11

**R508** col.12



**R511** col.16

**R510** col.15

**R509** col.13



**R512** col.17

**R514** col.20

**R513** col.19



0,5 M

1 M

Fully drawing.  
Due to the big pattern on the fabric, the drawing will be positioned randomly on each different model.

Scale 1:10

CAT.G



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>G</b>  |
| composition     | <b>96%WO 4%NY</b>   |
| height          | <b>cm 140</b>   |
| weight          | <b>580 gr/mtl</b>   |
| martindale      | <b>45.000</b>   |
| pilling         | <b>3/4</b>  |
| light fastness  | <b>6</b>  |
| fire resistance | <b>BS 5852 part 1 (source 0 &amp; 1), EN 1021-parts 1&amp;2, IMO FTP code 2010 part 8, NF D 60 013, SN 198 898 5.3 with treatment, UNI 9175 1IM, US cal. bull. 117-2013, AS/NZS 3837, class 2</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Hero

Variants

CAT.G



**R577** col.441



**R578** col.511

**R579** col.541

**R587** col.481



**R580** col.931


**R586** col.991



**R576** col.191

**R583** col.181

**R582** col.141




**R588** col.791

**R584** col.231

**R585** col.211

**R581** col.101



Top-grain leather, aniline dyed, natural grain, finished with light pigmented polymers, soft touch. Color proposals vary up to 17 color variations.

|                   |  |
|-------------------|--|
| typology          | <b>Full grain</b>  |
| composition       | <b>Hides of european bovines</b>   |
| height            | <b>4.5/5 sqm</b>   |
| thickness         | <b>1.3/1.5 mm</b>  |
| light fastness    | <b>&gt; 6</b>  |
| fire resistance   | <b>UNI EN 1021-1/2, california TB 117-2013</b>   |
| other information | Chemicals used for tanning, dyeing and finishing the leather do not contain substances which are hazardous for human health and the environment. |

#### washing information

For standard cleaning, dust with a soft dry cloth. Stains can be removed with a cloth and delicate cleaning products, such as neutral soap or cleansing milk. Dry immediately after cleaning, without rubbing the surface. Do not use solvents or stain removers.

## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Leather

Variants



**R804** col.white

**R814** col.sand


**R803** col.beige

**R817** col.green



**R802** col.ivory

**R808** col.yellow



**R801** col. apricot

**R813** col.rust

**R815** col.tabacco

**R816** col.Testa di Moro



**R812** col.red

**R807** col.bordeaux



**R809** col.grey

**R810** col.black




**R806** col.cornflower blue

**R805** col.blue



CAT.F



|                 |   |
|-----------------|---|
| typology        | <b>Technical fabric</b>                                       |
| category        | <b>F</b>  |
| composition     | <b>100%PU BACKING 100%PL</b>                                  |
| height          | <b>cm 137</b>   |
| weight          | <b>620 gr/mtl</b>   |
| martindale      | <b>&gt; 200.000</b>   |
| light fastness  | <b>5/6</b>  |
| fire resistance | <b>NFPA 260 cover fabric/NFPA 101, california TB 117-2013</b> |

washing information



Clean with a dry or damp cloth.

## Legenda


|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Londra

Variants


CAT.F



**R058** col.01

**R304** col.05

**R060** col.06



**R063** col.09

**R062** col.08

**R061** col.07



**R307** col.015


**R308** col.016



**R312** col.023


**R311** col.021

**R310** col.020



**R306** col.012

CAT.B



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                           |
| category        | <b>B</b>                                |
| composition     | <b>36%CO 26%LI 18%BAMBOO 17%PP 3%PA</b> |
| height          | <b>cm 140</b>                           |
| weight          | <b>800 gr/mtl</b>                       |
| martindale      | <b>30.000</b>                           |
| pilling         | <b>4</b>                                |
| light fastness  | <b>4/5</b>                              |
| shrinkage %     | <b>warp -4, weft -2</b>                 |
| fire resistance | <b>BS 5852 source 0, cigarette test</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Maia

Variants

CAT.B



**R217** col.01

**R220** col.2/2


**R218** col.08



**R221** col.9/1

**R219** col.10

CAT.D



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>D</b>  |
| composition     | <b>50%CO 17%LI 33%VI</b>  |
| height          | <b>cm 140</b>   |
| weight          | <b>950 gr/mtl</b>   |
| martindale      | <b>35.000</b>   |
| pilling         | <b>3/4</b>  |
| light fastness  | <b>4/5</b>  |
| fire resistance | <b>BS 5852 source 0, cigarette test, California TB 117-2013</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchloroethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                           |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Monaco

Variants

CAT.D



**R313** col.443.000

**R314** col.443.001



**R318** col.443.014

**R319** col.443.040

**R320** col.443.60



**R317** col.443.011

**R316** col.443.010

**R315** col.443.007

# Monometry

Informations

CAT.C



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>C</b>  |
| composition     | <b>34%CO 26%WO 24%PL 16%PA</b>                                  |
| height          | <b>cm 140</b>   |
| weight          | <b>600 gr/mtl</b>   |
| martindale      | <b>35.000</b>   |
| pilling         | <b>4</b>  |
| light fastness  | <b>5</b>  |
| fire resistance | <b>BS 5852 source 0, cigarette test, California TB 117-2013</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Monometry

Variants

CAT.C



**R515** col.101


**R516** col.111



**R518** col.601



**R517** col.308



1 M

Fully drawing.  
Due to the big pattern on the fabric, the drawing will be positioned randomly on each different model.

Scale 1:10


1 M



# Moss

CAT.G

Informations


















|                 |  |
|-----------------|--|
| typology        | <b>Fabric</b>  |
| category        | <b>G</b>   |
| composition     | <b>52%CO 22%VI 14%PAN 6%LI 3%PL 3%NY</b>   |
| height          | <b>cm 138</b>  |
| weight          | <b>920 g/lin.m</b>   |
| martindale      | <b>50.000</b>  |
| pilling         | <b>4/5</b>   |
| light fastness  | <b>5/7</b>   |
| fire resistance | <b>BS 5852 CRIB 5 WITH TREATMENT • BS 5852 PART 1 • EN 1021-1/2<br/>US CAL. 117-2013 WITH CAL. 117 COMPLIANT INTERLINER • IMO FTP<br/>CODE 2010 PART 8</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |
|  | Wet-cleaning.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Moss

Variants

CAT.G



**R648 col.04**

**R654 col.13**

**R653 col.12**



**R656 col.19**

**R657 col.21**

**R658 col.22**



**R652 col.11**

**R647 col.02**

**R646 col.01**




**R649 col.06**

**R655 col.15**

**R650 col.08**



**R651 col.10**



Leather is natural and its particular nature is underscored by wrinkles and scars that characterise the quality and origin. Leathers from the best breeders are carefully selected and only a small percentage are considered for purchase. The natural characteristics of leather do not allow us to guarantee the perfect correspondence between sample colours and the colours of available leathers.

|                 |  |
|-----------------|--|
| typology        | <b>Leather</b>   |
| composition     | <b>European bovines</b>                                |
| height          | <b>&gt; 5 MQ</b>                                       |
| light fastness  | <b>3</b>   |
| thickness       | <b>1,1/1,3 mm</b>                                      |
| fire resistance | <b>UNI EN 1021-1/2, BS 5852-0/1, IMO MED FTP8 A652</b> |

other information      Chemicals used for tanning, dyeing and finishing the leather do not contain substances which are hazardous for human health and the environment.

washing information      Nabuck and suede should be brushed periodically and cleaned with a vacuum cleaner. Spilt liquids should be soaked up immediately with a clean light-coloured cloth. A brush with soft bristles will help to restore the normal appearance of suede leather. Avoid exposure to direct sunlight. Avoid exposure to direct heat sources. Do not use aggressive cleaning products. Avoid contact between light and dark colours and also between different types of materials. Dust regularly with a soft, dry cloth.


## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |


# Nabuk

Variants



**R823** col.3405

**R825** col.3416



**R824** col.3414

**R822** col.3401



**R826** col.3417

**R827** col.3431

CAT.D



**R443 col.005**

**R440 col.001**

**R442 col.004**















**R441 col.002**

|                |  |
|----------------|--|
| typology       | <b>Fabric</b>                            |
| category       | <b>D</b>                                 |
| composition    | <b>5%CO 30%LI 5%PA 30%PC 10%PL 20%VI</b> |
| height         | <b>cm 140</b>                            |
| weight         | <b>1.100 gr/mtl</b>                      |
| martindale     | <b>30.000</b>                            |
| pilling        | <b>4</b>                                 |
| light fastness | <b>5</b>                                 |

washing information



Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool



The excellent quality of nuvola® leather comes from a careful selection of European cattle. nuvola® has a smooth and soft grain. The hides are dyed with a passing-through process, in the same dye as the finish. The colour card includes an extraordinary series of colours, obtained from a single quality of leather. The wide range of fashionable colours characterises nuvola® leather for its excellent range of use, tied to the most demanding design-proposals.

Inner side of the shell covered with micro-perforated leather.  
Outer side of the shell covered with leather.

*The shell of the Flow collection covered with Nuvola leather is fully covered with leather, micro-perforated in the inner side. The seams are always in the same color.*

|                   |  |
|-------------------|--|
| typology          | <b>Leather</b>   |
| composition       | <b>European bovine</b>   |
| Tanning           | <b>Mineral</b>   |
| Grain             | <b>Printed</b>   |
| Dyeing            | <b>Penetrating</b>   |
| Finishing         | <b>Polyurethane</b>  |
| Covering          | <b>Pigmented</b>   |
| Corrected         | <b>Grain</b>   |
| Thickness         | <b>1,0 / 1,2 mm</b>  |
| height            | <b>≥ 5 mq</b>  |
| Dry friction      | <b>≥ 1.000 cycles</b>  |
| Damp friction     | <b>≥ 250 cycles</b>  |
| Finishing locking | <b>≥ 3,0 n/cm2</b>   |
| Flexing           | <b>≥ 50000 cycles</b>  |
| Light fastness    | <b>≥ 4 blue scale</b>  |
| Heat ageing       | <b>≥ 4 gray scale</b>  |
| Fire resistance   | <b>ISO 1021:1-2, BS 5852 source 0-1, IMO FTP8 A652, california TB 117-2013</b> |


#### washing information

Avoid cleaning with aggressive products. Keep away from direct sunlight and from direct heat. Avoid contact between light and dark colours even between different materials. Regularly dust with soft and dry cloth.

#### Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |




**R718** col.269

**R716** col.203

**R711** col.141

**R708** col.101



**R709** col.117

**R715** col.199

**R717** col.207

**R713** col.147




**R714** col.151

**R710** col.131



**R712** col.143

CAT.E



|                                      |  |
|--------------------------------------|--|
| typology                             | <b>Fabric</b>  |
| category                             | <b>E</b>   |
| composition                          | <b>13%CO 30%WO 25%PC 30%PL 2%PA</b>  |
| height                               | <b>cm 137</b>  |
| weight                               | <b>760 gr/mtl</b>  |
| martindale                           | <b>35.000</b>  |
| pilling                              | <b>4</b>   |
| light fastness - light colours       | <b>4/5</b>   |
| light fastness - dark/medium colours | <b>5</b>   |
| fire resistance                      | <b>BS 5852 source 0, cigarette test, california TB 117-2013 match test</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |



# Paradise

Variants

CAT.E



**R542** col.060

**R541** col.042

**R546** col.140

**R545** col.124



**R549** col.320


**R547** col.141

**R544** col.121



**R548** col.220

**R543** col.120

















Nature at its best. The grainy feel and organic look of the crepe fabric are the perfect “translation” of the tactile values of nature. In two or three colours, Parigi shows both subtle and intense hues, with a high volume structure, while the special woven binding lends it an air of sophistication.

|                 |  |
|-----------------|--|
| typology        | <b>Fabric</b>  |
| category        | <b>F</b>   |
| composition     | <b>94%WV 6%PA</b>  |
| height          | <b>cm 140</b>  |
| weight          | <b>910 gr/mtl</b>  |
| martindale      | <b>122.000 DIN EN ISO 12947-2</b>  |
| pilling         | <b>4/5</b>   |
| light fastness  | <b>5/8</b>   |
| fire resistance | <b>BS 5852:2006 source 0 cigarette, source 1 match, california TB 117-2013</b> |

washing information



## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Parigi

Variants

CAT.F




**R429** col.001

**R430** col.002

**R432** col.004


**R433** col.005



**R437** col.009

**R434** col.006

**R436** col.008




**R435** col.007

**R439** col.011

**R438** col.010

**R431** col.003

CAT.D

















|                 |  |
|-----------------|--|
| typology        | <b>Fabric</b>  |
| category        | <b>D</b>   |
| composition     | <b>100%WV</b>  |
| height          | <b>cm 140</b>  |
| weight          | <b>540 gr/mtl</b>  |
| martindale      | <b>&gt;30.000</b>  |
| pilling         | <b>3</b>   |
| light fastness  | <b>4/5</b>   |
| fire resistance | <b>BS 5852, source 0 cigarette test, source 1 match test, california TB 117-2013</b> |

washing information



## Legenda


-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Perth


Variants

CAT.D



**R385** col.01

**R386** col.04



**R395** col.30

**R396** col.31



**R387** col.07

**R388** col.08

**R389** col.09



**R463** col.06

**R390** col.13

**R464** col.11




**R393** col.24

**R394** col.25

**R392** col.20

**R391** col.19

CAT.E



Portofino is linen used mainly for upholstery and upholstery, offered in 16 different variants.

Thanks to the pumice stone treatment the surface of the fabric presents light veiled effect. Ideal for vintage upholstery. Furthermore, the stain-resistant treatment makes the Portofino ideal for the creation of finished products that must last over time while maintaining their characteristics unchanged.

|                       |   |
|-----------------------|---|
| typology              | <b>Fabric</b>                           |
| category              | <b>E</b>                                |
| composition           | <b>100%LI</b>                           |
| height                | <b>cm 140</b>                           |
| weight                | <b>630 gr/mtl</b>                       |
| martindale            | <b>&gt; 33.500</b>                      |
| pilling               | <b>4</b>                                |
| light fastness        | <b>4/5</b>                              |
| dimensional stability | <b>3%</b>                               |
| fire resistance       | <b>BS 5852 source 0, cigarette test</b> |

washing information



## Legenda

- Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
- Dry clean only. Do not wash in water. Treat with care when damp.
- Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
- Do not dry clean.
- Dry clean with hydrocarbons and trifluoro-trichloroethane.
- Do not tumble dry.
- Warm iron (max 110° C)
- Warm iron (max 150° C)
- Do not iron.
- Do not use chlorine bleach.
- Iron on the reverse side.
- Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
- Machine wash up to 40°.
- Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Portofino

Variants

CAT.E



**R866** col.016

**R868** col.100

**R871** col.108

**R857** col.001



**R867** col.019

**R870** col.106

**R858** col.002



**R864** col.012

**R865** col.014



**R860** col.007

**R861** col.008

**R862** col.010

**R863** col.011



**R869** col.103


**R859** col.006

**R872** col.109

# Ramiro

CAT.E

Informations



Fabric made entirely of polypropylene yarn, Ten Stars Yarn, exclusive patented, dyed in mass with an air flow texturization able to give the fabric a look and a softness comparable to natural fibers.

It is used for the production of outdoor furniture and it is 100% recyclable and made in Italy.

Its composition guarantees permeability and breathability and make Ramiro fabric suitable for a prolonged use in outdoor environments without compromising its appearance, hand and color.

|   |   |
|---|---|
| typology                                      | <b>Outdoor fabric</b>   |
| category                                      | <b>E</b>  |
| composition                                   | <b>100% POLYPROPYLENE - TEN STARS YARN, exclusive patented yarn</b> |
| height  | <b>cm 138</b>   |
| weight  | <b>880 gr/mtl</b>   |
| martindale                                    | <b>50.000</b>   |
| pilling                                       | <b>5</b>  |
| light fastness                                | <b>7</b>  |
| shrinkage %                                   | <b>-3</b>   |
| resistance to machine washing                 | <b>5</b>  |
| resistance to hand washing                    | <b>5</b>  |
| resistance to sea water                       | <b>5</b>  |
| resistance to chlorinated/swimming pool water | <b>4/5</b>  |
| fire resistance                               | <b>BS 5852 part 1:1979 cigarette test</b>                           |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |



# Ramiro

Variants

CAT.E




**R550** col.ecrù

**matt anthracite grey** - Arpa cord wave 100% polyester



**R551** col.titanium

**matt anthracite grey** - Arpa cord wave 100% polyester




**R552** col.pewter grey

**matt ecrù grey** - Arpa cord wave 100% polyester



**R553** col.dark orange

**matt ecrù grey** - Arpa cord wave 100% polyester



|                 |   |
|-----------------|---|
| typology        | <b>Vegetable tanned bovine saddle-hide</b>  |
| thickness       | <b>2.4/2.6 mm</b>   |
| height          | <b>750 gr/mtl</b>   |
| weight          | <b>~2.000 gr/sqm</b>  |
| fire resistance | <b>1IM, UNI 8456 (1987), UNI 9174 (1987), UNI 9174/A1 (1996), UNI 9177 (1987)</b> |

washing information      The upholstery is in totally natural, prime quality full grain saddle-hide. It is very sensitive: be careful of liquids or other substances that could alter the colour of the leather, and also of metallic or sharp parts that could leave marks on the surface.

cleaning and maintenance      Only use specific leather cleaners. / Avoid direct exposure to sunlight and sources of heat. / Avoid contact between light and dark colours, and between different materials. / Dust with a soft dry cloth.

## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |


# Saddle-hide

Variants



**R906** col.29

**R904** col.26




**R903** col.03

**R900** col.02

# Spring


CAT.D

Informations



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                           |
| category        | <b>D</b>                                |
| composition     | <b>72%CO 8%LI 15%VI 5%PA</b>            |
| height          | <b>cm 140</b>                           |
| weight          | <b>845 gr/mtl</b>                       |
| martindale      | <b>25.000</b>                           |
| pilling         | <b>3/4</b>                              |
| light fastness  | <b>4/5</b>                              |
| fire resistance | <b>BS 5852 source 0, cigarette test</b> |

washing information



## Legenda

|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Spring

Variants

CAT.D



**R489** col.458.040

**R490** col.458.060



**R487** col.458.011


**R484** col.458.002

**R488** col.458.012




**R486** col.458.010

**R485** col.458.009

















|                                |   |
|--------------------------------|---|
| typology                       | <b>Fabric</b>   |
| category                       | <b>G</b>  |
| composition                    | <b>100%PL</b>   |
| height                         | <b>cm 140</b>   |
| weight                         | <b>553 gr/mtl</b>   |
| martindale                     | <b>&gt;100.000</b>  |
| light fastness - light colours | <b>5/6</b>  |
| light fastness - dark colours  | <b>&gt;6</b>  |
| fire resistance                | <b>BS 5852 part 1 source 0, source 1, fire reaction class 1, TECH.B.117:2013, 1IM</b> |

washing information



## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Sunday

Variants

CAT.G



**R569** col.015

**R568** col.014

**R571** col.006


**R570** col.011



**R610** col.032

**R573** col.009

**R572** col.008



**R575** col.027

**R606** col.004

**R605** col.002



**R607** col.022

**R608** col.023


**R609** col.030



**R611** col.034

**R574** col.038

CAT.F

















|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>   |
| category        | <b>F</b>  |
| composition     | <b>34%PL 31%WV 26%PC 4%CO 3%NY 2%LI</b>   |
| height          | <b>cm 140</b>   |
| weight          | <b>680 gr/mtl</b>   |
| martindale      | <b>45.000</b>   |
| pilling         | <b>3</b>  |
| light fastness  | <b>6/7</b>  |
| fire resistance | <b>EN 1021-1/2, US CAL. BULL. 117-2013, NF D 60 013 with treatment, SN 198 898 5.3 with treatment, upon request BS 5852 crib 5 with treatment e BS 5852 part 1 with treatment</b> |

washing information



## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool



# Savanna

Variants

CAT.F



**R589 col.122**



**R590 col.152**




**R592 col.442**



**R593 col.622**



**R591 col.262**

















|                |  |
|----------------|--|
| typology       | <b>Fabric</b>  |
| category       | <b>C</b>   |
| composition    | <b>68%PC 16%PL 16%CO</b>                                     |
| width          | <b>cm 138/140</b>  |
| weight         | <b>693 gr/mtl</b>  |
| martindale     | <b>35.000</b>  |
| pilling        | <b>4</b>   |
| light fastness | <b>5</b>   |
| fire rsistence | <b>TB117-2013, cigarette EN1021-1, cigarette BS5852-1979</b> |

washing information



## Legenda


-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# Taiga

CAT.C

Variants



**R599** col.01/1

**R600** col.02/1

**R604** col.90/1



**R601** col.19/1


**R603** col.71/1

**R602** col.19/2

# Time TL15

Informations

CAT.B



|                |  |
|----------------|--|
| typology       | <b>Fabric</b>  |
| category       | <b>B</b>   |
| composition    | <b>71%PVC 6%PU 14%CO 9%PES</b>   |
| width          | <b>cm 140</b>  |
| weight         | <b>660 gr/m<sup>2</sup></b>  |
| martindale     | <b>100.000</b>   |
| thickness      | <b>1</b>   |
| light fastness | <b>6/7</b>   |
| fire rsistence | <b>1IM; IMO-FTP; california TB 117; BS7176/EN1021, upon request: CRIB 5 treatment.</b> |

## washing information

Ordinary dirt stains such as coffee, soft drinks, milk, beer, etc. can be removed by using a clean cloth or soft sponge and dabbing the stain with soapy water. Remove the soap solution by wiping the area with a cloth and clean water. Do not use chlorine, alcohol, or solvents.  
Warning: non-colourfast fabrics (such as jeans or similar items) can leave stubborn stains or spots on light coloured eco leather.



## Legenda


|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Time TL15

Variants

CAT.B



**R885** col.17500

**R886** col.16

**R887** col.01

**R879** col.6747




**R880** col.6776

**R881** col.5800

**R882** col.5992

**R883** col.10645



**R884** col.11022

**R888** col.6777

**R889** col.6791


**R890** col.6792



**R891** col.13800

**R892** col.12410


**R893** col.7390



**R894** col.11990

**R895** col.16086

**R896** col.16280



**R897** col.15008

**R898** col.15120

**R899** col.15660

# Time TL15

Other colors available. +5% from the list price

CAT.B



col.1-0003

col.10023

col.10120

col.10180




col.5991

col.10125

col.10232

col.6783



col.12070

col.12300

col.5796



col.12750

col.5804



col.13610

col.13650

col.15301




col.13400

col.13010

# Time TL15

Other colors available. +5% from the list price

CAT.B



col.15103


col.16030

col.15137



col.17500

col.5799




col.10810

col.6259



col.10800

















|                 |  |
|-----------------|--|
| typology        | <b>Fabric</b>  |
| category        | <b>D</b>   |
| composition     | <b>53%CO 37%WO 10%PA</b>   |
| height          | <b>cm 140</b>  |
| weight          | <b>525 gr/mtl</b>  |
| martindale      | <b>40.000</b>  |
| pilling         | <b>3/4</b>   |
| light fastness  | <b>4/5</b>   |
| fire resistance | <b>BS 5852 source 0, cigarette test, source 1 match test, california TB 117-2013</b> |

washing information



## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool



# Timpi

Variants

CAT.D



**R527** col.000

**R529** col.002




**R531** col.008

**R532** col.009




**R528** col.001



Fully drawing.  
Due to the big pattern on the fabric, the drawing will be positioned randomly on each different model.


Scale 1:20

CAT.B

















|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                           |
| category        | <b>B</b>                                |
| composition     | <b>67%VI 33%LI</b>                      |
| height          | <b>cm 138/140</b>                       |
| weight          | <b>810 gr/mtl</b>                       |
| martindale      | <b>&gt; 20.000</b>                      |
| pilling         | <b>4</b>                                |
| light fastness  | <b>4/5</b>                              |
| fire resistance | <b>BS 5852 source 0, cigarette test</b> |

washing information




## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

CAT.B



**R851 col.13**

**R856 col.21**

**R855 col.19**



**R849 col.10**

**R848 col.09**

**R847 col.08**



**R850 col.11**

**R853 col.17**


**R854 col.18**



**R846 col.07**

**R852 col.15**

CAT.D

















|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                           |
| category        | <b>D</b>                                |
| composition     | <b>56%CO 30%VI 14%LI</b>                |
| height          | <b>cm 140</b>                           |
| weight          | <b>900 gr/mtl</b>                       |
| martindale      | <b>36.000</b>                           |
| pilling         | <b>3/4</b>                              |
| light fastness  | <b>4/5</b>                              |
| fire resistance | <b>BS 5852 source 0, cigarette test</b> |

washing information



## Legenda

-  Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
-  Dry clean only. Do not wash in water. Treat with care when damp.
-  Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
-  Do not dry clean.
-  Dry clean with hydrocarbons and trifluoro-trichloroethane.
-  Do not tumble dry.
-  Warm iron (max 110° C)
-  Warm iron (max 150° C)
-  Do not iron.
-  Do not use chlorine bleach.
-  Iron on the reverse side.
-  Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).
-  Machine wash up to 40°.
-  Tumble dry.

- CO** cotton
- LI** linen
- PA** polyamide
- PC** acrylic
- PES** Polyethersulfone
- PL** polyester
- PP** polypropylene
- PU** polyurethane
- RA** rami
- SE** silk
- VI** viscose
- WO** wool
- WS** cashmere
- WV** virgin wool

# William

Variants

CAT.D




**R375** col.423.080

**R374** col.423.072



**R376** col.423.091


**R372** col.423.005



**R373** col.423.051




**R371** col.423.004



|                 |   |
|-----------------|---|
| typology        | <b>Fabric</b>                                   |
| category        | <b>G</b>  |
| composition     | <b>65%CO 20%PAN 15%PL</b>                       |
| height          | <b>cm 140</b>                                   |
| weight          | <b>750 gr/mtl</b>                               |
| martindale      | <b>70.000</b>                                   |
| pilling         | <b>5</b>  |
| light fastness  | <b>5/6</b>                                      |
| fire resistance | <b>BS 5852 CRIB 5 with treatment, EN 1021-1</b> |

## washing information



## Legenda


|  |   |
|--|---|
|  | Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.   |
|  | Dry clean only. Do not wash in water. Treat with care when damp.  |
|  | Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities. |
|  | Do not dry clean.   |
|  | Dry clean with hydrocarbons and trifluoro-trichloroethane.  |
|  | Do not tumble dry.  |
|  | Warm iron (max 110° C)  |
|  | Warm iron (max 150° C)  |
|  | Do not iron.  |
|  | Do not use chlorine bleach.   |
|  | Iron on the reverse side.   |
|  | Dry cleaning with perchlorethylene, chlorinated solvents and mineral essences (perchlorethylene solvents, hydrocarbons, R113 and R11). The garment is washable with normal procedures but without the use of trichlorethylene (or trichlorethylene).                            |
|  | Machine wash up to 40°.   |
|  | Tumble dry.   |

|            |                  |
|------------|------------------|
| <b>CO</b>  | cotton           |
| <b>LI</b>  | linen            |
| <b>PA</b>  | polyamide        |
| <b>PC</b>  | acrylic          |
| <b>PES</b> | Polyethersulfone |
| <b>PL</b>  | polyester        |
| <b>PP</b>  | polypropylene    |
| <b>PU</b>  | polyurethane     |
| <b>RA</b>  | rami             |
| <b>SE</b>  | silk             |
| <b>VI</b>  | viscose          |
| <b>WO</b>  | wool             |
| <b>WS</b>  | cashmere         |
| <b>WV</b>  | virgin wool      |

# Zero

Variants

CAT.G




**R594** col.001

**R598** col.011



**R595** col.004

**R597** col.010



**R596** col.008