



## Annett

Cross-Reference (Fabric) 

## Magis Net



F-763  
nero  
black


**Composition**  
100% polyester  
**Lightfastness**  
6 (ISO 1-8)

**Abrasion**  
100 000 Martindale



## Brut Sofà

## Kvadrat Vidar



**Composition**  
6% polyamide  
94% new wool

**Pilling**  
Note 4, EN ISO 12945

**Flame resistance**  
BS 5852 ignition source 2-3  
Crib 5 when flame protected  
DIN 4102 B2, NF D 60 013  
EN 1021-1/2  
UNI 9175 11M  
US Cal. Tech. Bull. 117 IMO


**Abrasion**  
100 000 Martindale

**Lightfastness**  
Note 5-7, ISO 105-802



## Chair\_One (cushion)

## Kvadrat Steelcut Trio



**Composition**  
10% nylon  
90% new wool

**Pilling**  
3-4, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-3  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
IMO A.652 (16)  
Italian Class 11M  
NF D 60 013  
US Cal. Tech. Bull. 117 Sec.E

**Abrasion**  
100 000 Martindale

**Lightfastness**  
5-7 (ISO 105-802)

## Magis Spring




L-0110  
naturale  
natural

L-0120  
nero  
black

**Leather**  
European bovine  
**Tanning**  
Chrome

**Finishing**  
Water based pigment  
**Dyeing**  
Plain colour

## Polyurethane (seat)



**Cyborg Lord****Kvadrat Divina****F-095** (613)  
rosa  
pink  
Divina MD**F-224** (813)  
celeste  
sky blue  
Divina MD**F-267** (203)  
beige  
beige  
Divina MD**F-356** (943)  
verde  
green  
Divina MD**F-512** (180)  
grigio scuro  
dark grey  
Divina Mélange**Composition**

100% new wool

**Pilling**

3, EN ISO 12945

**Flame resistance**BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)**Abrasion**

45 000 Martindale

**Lightfastness**

5-7 (ISO 105-B02)

**Magis Winter****L-0795**  
nero  
black**Leather**

European bovine

**Tanning**

Chrome

**Flame resistance**BS 5852 1990 sez.4-NI-0  
BS 5852 1990 sez.4-NI-1**Finishing**

Water based pigment

**Dyeing**

Passing

**Cyborg Lady****Kvadrat Remix****F-770** (143)  
grigio  
grey**F-771** (612)  
rosa  
pink**F-772** (933)  
verde  
green**F-773** (433)  
ocra  
ocher**Composition**10% nylon  
90% wool**Pilling**

Note 4, EN ISO 12945

**Flame resistance**AS/NZS 1530.3 - ÖNORM B1/Q1  
BS 5852 crib 5  
EN 1021-1/2  
IMO FTP Code 2010; Part 8  
NF D 60 013 - UNI 9175, 11M  
NFPA 260  
US Cal. Tech. Bull. 117 IMO**Abrasion**

100 000 Martindale

**Lightfastness**

Note 5-7, ISO 105-B02

**Magis Winter****L-0795**  
nero  
black**Leather**

European bovine

**Tanning**

Chrome

**Flame resistance**BS 5852 1990 sez.4-NI-0  
BS 5852 1990 sez.4-NI-1**Finishing**

Water based pigment

**Dyeing**

Passing

**First (Dressed)****Kvadrat Divina****F-127** (584)  
rosso scuro  
dark red  
Divina 3**F-490** (696)  
viola  
purple  
Divina 3**F-352** (931)  
verde  
green  
Divina Mélange**F-506** (120)  
grigio chiaro  
light grey  
Divina Mélange**F-509** (170)  
grigio scuro  
dark grey  
Divina Mélange**F-518** (260)  
marrone  
brown  
Divina Mélange**Composition**

100% new wool

**Pilling**

3, EN ISO 12945

**Flame resistance**BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)**Abrasion**

45 000 Martindale

**Lightfastness**

5-7 (ISO 105-B02)



## Flower

## Kvadrat Star

F-455 (237)  
beige  
beigeF-486 (777)  
viola  
purpleF-197 (197)  
nero  
black**Composition**  
100% Trevira CS**Abrasion**  
80 000 Martindale  
**Lightfastness**  
MIN. 5 (ISO 105-B02)**Flame resistance**  
BS 5852, ig. s. 5  
DIN 4102 B1 - ÖNORM B1/Q1  
EN 1021-1  
FAR.25.853 - IMO A.471 (x4)  
NF P 92.507 M1  
UNI 9177, cl.1  
US Cal. Tech. Bull. 117

## Magis Outdoor

F-082  
arancio  
orangeF-125  
rosso  
redF-150  
fucsia  
fuchsiaF-355  
verde  
greenF-502  
grigio antracite  
anthracite greyF-735  
bianco  
white**Composition**  
2% PU  
98% PP polyolefinic**Abrasion**  
40 000 Martindale**Flame resistance**  
EN 121-2:2006  
UNI 9175, 11M**Lightfastness**  
7 (ISO 1-8)

## Magis Winter

L-0700  
bianco  
whiteL-0795  
nero  
black**Leather**  
European bovine**Tanning**  
Chrome**Finishing**  
Water based pigment  
**Dyeing**  
Passing**Flame resistance**  
BS 5852 1990 sez.4-NI-0  
BS 5852 1990 sez.4-NI-1

## Paso Doble

## Magis Sunset

F-736  
bianco  
whiteF-754  
nero  
black**Composition**  
30% PES  
70% PVC**Abrasion**  
100 000 Martindale**Lightfastness**  
8 (ISO 1-8)

## Magis Sunrise

F-484  
viola  
purpleF-558  
verde  
greenF-659  
arancio  
orangeF-754  
nero  
blackF-762  
bianco-nero  
white-black  
mélange**Composition**  
10% cotton  
37% PES  
59% PVC  
**Pilling**  
EN ISO 12945-2:2000 (4)

## Magis Summer

L-0062  
nero  
black**Leather**  
European bovine  
**Tanning**  
Chrome salts / wet  
white / vegetable**Flame resistance**  
EN 1021-1-2/94  
FAR 25853B**Finishing**  
Water based pigment  
**Dyeing**  
Passing

## Pila

## Kvadrat Divina

F-775 (106)  
bianco  
white  
Divina 3F-774 (552)  
arancio  
orange  
Divina 3F-780 (984)  
verde  
green  
Divina 3F-778 (393)  
marrone  
brown  
Divina 3F-779 (191)  
nero  
black  
Divina 3F-777 (713)  
grigio  
grey  
Divina MDF-095 (613)  
rosa  
pink  
Divina MDF-776 (783)  
blu  
blue  
Divina MD**Composition**  
100% new wool**Pilling**  
3, EN ISO 12945**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)**Abrasion**  
45 000 Martindale**Lightfastness**  
5-7 (ISO 105-B02)



## Piña

## Kvadrat Star



**F-702** (117) bianco white  
**F-766** (197) nero black




**Composition**  
100% Trevira CS

**Abrasion**  
80 000 Martindale  
**Lightfastness**  
MIN. 5 (ISO 105-B02)

**Flame resistance**  
BS 5852, ig. s. 5  
DIN 4102 B1 - ÖNORM B1/Q1  
EN 1021-1  
FAR.25.853 - IMO A.471 (x4)  
NF P 92.507 M1  
UNI 9177, cl.1  
US Cal. Tech. Bull. 117

## Kvadrat Steelcut



**F-089** (550) rosso corallo coral red  
**F-256** (775) blu blue  
**F-351** (935) verde green  
**F-503** (140) grigio grey  
**F-730** (110) bianco white  
**F-767** (190) nero black



**Composition**  
10% nylon  
90% new wool

**Abrasion**  
80 000 Martindale

**Pilling**  
3-4, EN ISO 12945

**Lightfastness**  
5-7 (ISO 105-B02)

**Flame resistance**  
AS/NZS 3837 - IMO A.652 (16)  
BS 5852, part.1, ig. s. 2  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117

## Polyhedra



**F-519** grigio grey  
**F-531** marrone-blu brown-blue  
mélange



**Composition**  
3% PU  
97% PP

**Abrasion**  
40 000 Martindale

**Pilling**  
4-5 (ISO 12945-2)

**Lightfastness**  
7 (ISO 1-8)

## Magis Winter



**L-0700** bianco white  
**L-0795** nero black

**Leather**  
European bovine

**Finishing**  
Water based pigment

**Tanning**  
Chrome


**Dyeing**  
Passing

**Flame resistance**  
BS 5852 1990 sez.4-NI-0  
BS 5852 1990 sez.4-NI-1



## Milà

## Fidivi King L



**F-359** (7036) verde green  
**F-198** (8033) nero black

**Composition**  
100% Polyester Trevira CS


**Abrasion**  
70 000 Martindale

**Pilling**  
5, EN ISO 12945

**Lightfastness**  
6 (ISO 105-B02)

**Flame resistance**  
BS 7176 Class Medium Hazard  
DIN 4102 Class B1  
EN 1021-1&2 - BS Crib 5  
EN 13773 Class 1  
IMO A.652 (16) Part 8 Upholstery  
NF 92501-7 Class M1  
NF D 60013 Class AM18  
UNI 9174 - 8456 Class C1  
UNI 9175, 11M  
USA NFPA 701 / 260

## Fidivi King L Kat



**F-739** (1012) bianco white  
**F-459** (1025) beige beige  
**F-579** (3005) giallo yellow  
**F-130** (4021) rosso red

**Composition**  
100% Polyester Trevira CS

**Abrasion**  
80 000 Martindale

**Pilling**  
5, EN ISO 12945

**Lightfastness**  
6 (ISO 105-B02)

**Flame resistance**  
BS 7176 Class Medium Hazard  
DIN 4102 Class B1  
EN 1021-1&2 - BS Crib 5  
EN 13773 Class 1  
IMO A.652 (16) Part 8 Upholstery  
NF 92501-7 Class M1  
NF D 60013 Class AM18  
UNI 9174 - 8456 Class C1  
UNI 9175, 11M  
USA NFPA 701 / 260



## Nimrod

## Kvadrat Divina



**F-083** (542) arancio orange  
Divina 3  
**F-346** (936) verde green  
Divina 3  
**F-488** (666) viola purple  
Divina 3  
**F-576** (426) giallo yellow  
Divina 3



**Composition**  
100% new wool

**Abrasion**  
45 000 Martindale

**Pilling**  
3, EN ISO 12945

**Lightfastness**  
5-7 (ISO 105-B02)

**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652 (16)



**Officina****Kvadrat Divina**

**F-506 (120)**  
grigio chiaro  
light grey  
Divina Mélange



**A2 (193)**  
grigio scuro  
dark grey  
Divina MD



**Composition**  
100% new wool

**Pilling**  
3, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)

**Abrasion**  
45 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

**Magis Leather**

**L-0059**  
nero  
black



**L-0090**  
naturale  
natural

**Officina (Sofà)****Kvadrat Divina**

**F-506 (120)**  
grigio chiaro  
light grey  
Divina Mélange



**Composition**  
100% new wool

**Pilling**  
3, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)

**Abrasion**  
45 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

**Glamour Azimut**

**BC1 (400)**  
ocra  
ocher

**Torri Lana Rico**

**AT1 (989.070)**  
grigio antracite  
anthracite grey

**Composition**  
14% Linen  
30% Viscose  
56% Cotton

**Pilling**  
BS EN ISO 12945-2:2002 (3/4)

**Abrasion**  
36 000 Martindale

**Lightfastness**  
BS EN ISO 105-B02 (4-5 / 5)

**Stanley****THINNY\_NEW YORK**

**F-738 (07)**  
bianco  
white



**F-458 (02)**  
beige  
beige



**F-758 (00)**  
nero  
black

**Composition**  
20% Polyester (PES)  
80% Polivinyl (PVC)

**Weight**  
590 gr/m2

**Thickness**  
1 mm

**Breaking Load**  
Warp 170 Kg/5cm  
Weft 275 Kg/5cm

**Steelwood****Kvadrat Divina**

**A1 (193)**  
grigio scuro  
dark grey  
Divina MD



**Composition**  
100% new wool

**Pilling**  
3, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)

**Abrasion**  
45 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)



## Substance

### Kvadrat Sunniva



F-096 (236)  
rosa  
pink



F-358 (132)  
verde chiaro  
light green



F-456 (717)  
beige  
beige



F-511 (1079)  
grigio scuro  
dark grey



**Composition**  
25% Viscose  
4% Polyester  
5% Nylon  
58% New wool  
8% Linen

**Pilling**  
3, EN ISO 12945

**Flame resistance**  
AS/NZS 3837  
BS 5852 part 1, ig.s. 0  
DIN 4102 B2  
EN 1021-1/2  
IMO FTP Code 2010 part 8 med f  
US Cal. Bull. 117-2013

**Abrasion**  
50 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

### Magis Leather



L-0059  
nero  
black



L-0090  
naturale  
natural



## Tibu

### Kvadrat Steelcut



F-089 (550)  
rosso corallo  
coral red



F-094 (605)  
rosa  
pink



F-128 (615)  
rosso bordeaux  
bordeaux



F-351 (935)  
verde chiaro  
light green



F-353 (985)  
verde oliva  
olive green



F-577 (435)  
verde lime  
lime green



F-742 (240)  
beige  
beige



F-767 (190)  
nero  
black



**Composition**  
10% nylon  
90% new wool

**Pilling**  
3-4, EN ISO 12945

**Flame resistance**  
AS/NZS 3837 - IMO A.652 (16)  
BS 5852, part. 1, ig. s. 2  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60.013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117

**Abrasion**  
80 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)



## Traffic family

### Kvadrat Steelcut Trio



F-088 (533)  
arancio  
orange



F-222 (983)  
azzurra  
light blue



F-266 (205)  
beige  
beige



F-354 (953)  
verde  
green



F-521 (383)  
marrone scuro  
dark brown



F-578 (453)  
giallo  
yellow



F-741 (133)  
grigio chiaro  
light grey



**Composition**  
10% nylon  
90% new wool

**Pilling**  
3-4, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-3  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
IMO A.652 (16)  
Italian Class 11M  
NF D 60.013  
US Cal. Tech. Bull. 117 Sec.E

**Abrasion**  
100 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

### Polyhedra



F-227  
turchese  
turquoise



F-257  
blu  
blue



F-737  
bianco  
white



F-769  
nero  
black



**Composition**  
3% PU  
97% PP

**Pilling**  
4-5 (ISO 12945-2)

**Abrasion**  
40 000 Martindale

**Lightfastness**  
7 (ISO 1-B)

### Dani Florida



L-0065 (2002)  
grigio antracite  
anthracite grey



L-0112 (2068)  
marrone  
brown

**Leather**  
European bovine

**Tanning**  
Chrome salts

**Lightfastness**  
6, ISO 105-B02

**Flame resistance**  
California TB 117 Section E  
EN 1021-1-2  
IMO A.652 (16)  
NFPA 260/UFAC

**Finishing**  
Aniline

**Dyeing**  
Aniline

**Tear resistance**  
20 N, EN ISO 3377-1

**Fastness to Rubbing**  
4, Alkaline perspiration rub  
4, Dry rub fastness - 1000 cycles,  
ISO 11640  
4, Wet rub fastness - 250 cycles,  
ISO 11640  
Fastness - 80 cycles, ISO 11640



## Troy Fully Covered

### Kvadrat Divina



**F-126 (531)**  
rosso  
red  
Divina Mélange



**F-251 (773)**  
blu  
blue  
Divina MD



**F-492 (581)**  
viola  
purple  
Divina Mélange



**F-506 (120)**  
grigio chiaro  
light grey  
Divina Mélange



**F-509 (170)**  
grigio  
grey  
Divina Mélange



**F-512 (180)**  
grigio scuro  
dark grey  
Divina Mélange



**Composition**  
100% new wool

**Pilling**  
3, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)

**Abrasion**  
45 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)



## Troy Front Cover

### Kvadrat Divina



**F-095 (613)**  
rosa  
pink  
Divina MD



**F-224 (813)**  
celeste  
sky blue  
Divina MD



**F-356 (943)**  
verde  
green  
Divina MD



**F-512 (180)**  
grigio scuro  
dark grey  
Divina Mélange



**Composition**  
100% new wool

**Pilling**  
3, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-5  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117 - A.652  
(16)

**Abrasion**  
45 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

### Kvadrat Steelcut Trio



**F-088 (533)**  
arancio  
orange



**F-255 (733)**  
azzurro  
light blue



**F-357 (933)**  
verde  
green



**F-578 (453)**  
giallo  
yellow



**Composition**  
10% nylon  
90% new wool

**Pilling**  
3-4, EN ISO 12945

**Flame resistance**  
BS 5852, ig. s. 2-3  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
IMO A.652 (16)  
Italian Class 11M  
NF D 60 013  
US Cal. Tech. Bull. 117 Sec.E

**Abrasion**  
100 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

### Kvadrat Steelcut



**F-767 (190)**  
nero  
black



**Composition**  
10% nylon  
90% new wool

**Pilling**  
3-4, EN ISO 12945

**Flame resistance**  
AS/NZS 3837 - IMO A.652 (16)  
BS 5852, part.1, ig. s. 2  
DIN 4102 B2 - ÖNORM B1/Q1  
EN 1021-1/2  
NF D 60 013 - UNI 9175, 11M  
US Cal. Tech. Bull. 117

**Abrasion**  
80 000 Martindale

**Lightfastness**  
5-7 (ISO 105-B02)

### Magis Winter



**L-0795**  
nero  
black

**Leather**  
European bovine

**Tanning**  
Chrome

**Flame resistance**  
BS 5852 1990 sez.4-NI-0  
BS 5852 1990 sez.4-NI-1

**Finishing**  
Water based pigment

**Dyeing**  
Passing


**Vanity**
**Glamour Azimut**

**BC1 (500)** verde green  
**BC2 (600)** azzurro light blue  
**BC3 (700)** rosa pink

**Kvadrat Field**

**F-080 (542)** arancio orange  
**F-120 (662)** rosso red  
**F-265 (232)** beige beige  
**F-505 (142)** bianco-nero white-black mélange  
**F-520 (252)** grigio-marrone grey-brown mélange  
**F-768 (192)** nero black

**Magis Winter**

**L-0700** bianco white  
**L-0751** marrone scuro dark brown  
**L-0795** nero black



**Composition**  
100% Trevira CS

**Abrasion**  
100 000 Martindale  
**Lightfastness**  
5-7 (ISO 105-802)

**Flame resistance**  
BS 5852, ig. s. 5  
DIN 4102 B1 - ÖNORM B1/Q1  
EN 1021-1/2  
FAR.25.853  
NF P 92 507 M1  
UNI 9177, cl.1  
US Cal. Tech. Bull. 117

**Leather**  
European bovine

**Finishing**  
Water based pigment

**Tanning**  
Chrome

**Dyeing**  
Passing

**Flame resistance**  
BS 5852 1990 sez.4-NI-0  
BS 5852 1990 sez.4-NI-1


**Venice**
**Rubber (back)**

**R-081** arancio orange  
PANTONE 021 C  
**R-151** fucsia fuchsia  
PANTONE PURPLE C  
**R-256** azzurro light blue  
PANTONE PROCESS BLUE C  
**R-351** verde green  
PANTONE 375 C  
**R-503** grigio grey  
PANTONE COOL GREY 7 C  
**R-756** nero black  
PANTONE BLACK C

**Kvadrat Scuba**

**F-085 (021)** rosso mattone brick red  
**F-255 (016)** blu blue  
**F-347 (013)** verde scuro dark green  
**F-483 (018)** viola scuro dark purple  
**F-501 (009)** grigio scuro dark grey  
**F-755 (007)** nero black

**Magis Autumn**

**L-0073** nero black  
**L-0092** naturale natural



**Composition**  
100% Polyuretane

**Abrasion**  
100 000 Martindale  
**Lightfastness**  
5-6 (ISO 105-802)

**Pilling**  
5 EN ISO 12945  
**Flame resistance**  
BS 5852, ig. s. 5  
DIN 4102 B1 - ÖNORM B1/Q1  
EN 1021-1  
EN 1021-1/2  
US Cal. Tech. Bull. 117  
with FR treatment:

**Leather**  
European bovine

**Finishing**  
Water based pigment

**Tanning**  
Chrome salts / wet white / vegetable

**Dyeing**  
Passing

**Flame resistance**  
EN 1021-1-2/94  
FAR 25853B



Magis cross\_referenze  
(Plastic)

16/3/2018



360° (Chair + Stool)

Matt

**1764 C** RAL 9004  
nero  
black



360° (Container)

Glossy

**1120 CL** RAL 3020  
rosso  
red

**1658 CL** RAL 2010  
arancio  
orange

**1673 CL** RAL 9010  
bianco  
white

**1707 CL** RAL 7032  
grigio chiaro  
light grey

**1764 CL** RAL 9004  
nero  
black



Air-Family (Air-Chair)

Matt

**1086 C** PANTONE 485 M  
arancio  
orange

**1320 C** PANTONE 7489 M  
verde  
green

**1450 C** PANTONE 7529 M  
beige  
beige

**1690 C** RAL 9016  
bianco puro  
pure white

**1730 C** PANTONE COOL GREY 1 M  
bianco  
white

**1751 C** PANTONE PROCESS BLACK M  
nero  
black



Air-Family (Air-Armchair)

Matt

**1086 C** PANTONE 485 M  
arancio  
orange

**1320 C** PANTONE 7489 M  
verde  
green

**1418 C** RAL 7015  
grigio antracite  
grey anthracite

**1450 C** PANTONE 7529 M  
beige  
beige

**1690 C** RAL 9016  
bianco puro  
pure white

**1730 C** PANTONE COOL GREY 1 M  
bianco  
white



Air-Family (Folding Air-Chair)

Matt

**1086 C** PANTONE 485 M  
arancio  
orange

**1320 C** PANTONE 7489 M  
verde  
green

**1730 C** PANTONE COOL GREY 1 M  
bianco  
white



Air-Family (Air-Table)

Matt

**1450 C** PANTONE 7529 M  
beige  
beige

**1730 C** PANTONE COOL GREY 1 M  
bianco  
white



Annett

Matt

**1763 C** RAL 9017  
nero  
black



Bombo

Matt

**1125 C** PANTONE 200 M  
rosso  
red

**1400 C** PANTONE 7531 M  
marrone  
brown

**1420 C** RAL 7016  
grigio antracite  
grey anthracite

**1690 C** RAL 9016  
bianco  
white

Glossy

**1673 CL** RAL 9010  
bianco  
white

**1763 CL** RAL 9017  
nero  
black



Boogie woogie

Glossy

**1127 CL** RAL 3018  
rosso  
red

**1673 CL** RAL 9010  
bianco  
white

**1763 CL** RAL 9017  
nero  
black



Bottle

Matt

**1680 C** RAL 9003  
bianco  
white

Trasparent

**2080 TR**  
trasparente neutro  
transparent



Cu-Clock

Matt

**1086 C** PANTONE 485 M  
arancio  
orange

**1342 C** PANTONE 376 M  
verde  
green

**1735 C** RAL 9010  
bianco  
white



Cyborg

Glossy

**1736 CL** RAL 9003  
bianco  
white

**1763 CL** RAL 9017  
nero  
black

Trasparent

**2507 TR**  
trasparente fumè  
transparent fumè

**2540 TR**  
trasparente neutro  
transparent



Dish Doctor

Glossy

**1090 CL** RAL 2009  
arancio  
orange

**1290 CL** PANTONE 361 M  
verde  
green

**1690 CL** RAL 9016  
bianco  
white

Trasparent

**2080 TR**  
traslucido neutro  
translucent



### First family

<b>Matt</b>	<b>1450 C</b>	PANTONE 7529 M
	beige	beige
	<b>1664 C</b>	PANTONE 7498 M
	verde oliva	olive green
	<b>1735 C</b>	RAL 9010
	bianco	white
	<b>1763 C</b>	RAL 9017
	nero	black



### La Valise

<b>Glossy</b>	<b>1285 CL</b>	PANTONE 370 M
	verde	green
	<b>1355 CL</b>	PANTONE 397 M
	verde chiaro	light green
	<b>1395 CL</b>	PANTONE COOL GREY 3 M
	grigio	grey
	<b>1735 CL</b>	RAL 9010
	bianco	white



### My Storage

<b>Matt</b>	<b>1138 C</b>	PANTONE 1788 M
	rosso	red
	<b>1673 C</b>	RAL 9010
	bianco	white



### Milà

<b>Matt</b>	<b>1484 C</b>	NCS S 3560 R
	rosso	red
	<b>1556 C</b>	NCS S 7020 G10Y
	verde scuro	dark green
	<b>1666 C</b>	NCS S 2060 Y10R
	giallo	yellow
	<b>1733 C</b>	NCS S 4005 Y20R
	beige	beige
	<b>1738 C</b>	RAL 9010
	bianco	white
	<b>1769 C</b>	RAL 9011
	nero	black



### Flò

<b>Glossy</b>	<b>1420 CL</b>	RAL 7016
	grigio antracite	grey anthracite
	<b>1660 CL</b>	PANTONE 166 M
	arancio	orange



### Magis Proust

<b>Matt</b>	<b>C</b>	multicolor
	<b>1087 C</b>	RAL 2003
	arancio	orange
	<b>1114 C</b>	PANTONE 186 M
	rosso	red
	<b>1192 C</b>	PANTONE 289 M
	blu	blue
	<b>1735 C</b>	RAL 9010
	bianco	white
	<b>1763 C</b>	RAL 9017
	nero	black



### Flower

<b>Trasparent</b>	<b>2540 TR</b>	trasparente neutro
		transparent



### Nimrod

<b>Matt</b>	<b>1736 C</b>	RAL 9003
	bianco	white



### Folly

<b>Matt</b>	<b>1069 C</b>	RAL 8017
	marrone corten	brown corten



### Magò

<b>Matt</b>	<b>1140 C</b>	PANTONE 7425 M
	fucsia	fuchsia
	<b>1430 C</b>	RAL 9004
	grigio antracite	grey anthracite
	<b>1660 C</b>	PANTONE 166 M
	arancio	orange
	<b>1700 C</b>	RAL 9002
	bianco	white



### Nuovastep

<b>Glossy</b>	<b>1734 CL</b>	RAL 9016
	bianco	white
	<b>1750 CL</b>	RAL 8022
	nero	black



### Globo

<b>Matt</b>	<b>1360 C</b>	PANTONE 375 M
	verde	green
	<b>1385 C</b>	PANTONE 114 M
	giallo chiaro	light yellow
	<b>1405 C</b>	RAL 7003
	grigio	grey
	<b>1635 C</b>	PANTONE 306 M
	azzurro	sky blue
	<b>1660 C</b>	PANTONE 166 M
	arancio	orange
	<b>1700 C</b>	RAL 9002
	bianco	white



### Mariolina

<b>Matt</b>	<b>1085 C</b>	PANTONE 7417 M
	arancio	orange
	<b>1420 C</b>	RAL 7016
	grigio antracite	grey anthracite
	<b>1700 C</b>	RAL 9002
	bianco	white



### Officina (Chair + Stool)

<b>Matt</b>	<b>1555 C</b>	RAL 6008
	verde scuro	dark green
	<b>1761 C</b>	RAL 9007
	grigio metallizzato	metallic grey
	<b>1763 C</b>	RAL 9017
	nero	black





### Officina (Coat Stand)

<b>Matt</b>			
	<b>1770 C</b>	RAL 9017	nero black
	<b>1771 C</b>	RAL 9007	grigio grey
	<b>1772 C</b>	RAL 6021	verde green



### Pebbles

<b>Glossy</b>			
	<b>1127 CL</b>	RAL 3018	rosso red
	<b>1763 CL</b>	RAL 9017	nero black



### Pizza Table

<b>Glossy</b>			
	<b>1077 CL</b>	RAL 8019	marrone scuro dark brown
	<b>1736 CL</b>	RAL 9003	bianco white



### Plus Unit

<b>Glossy</b>			
	<b>1120 CL</b>	RAL 3020	rosso red
	<b>1735 CL</b>	RAL 9003	bianco white



### Poppins

<b>Glossy</b>			
	<b>1088 CL</b>	RAL 3028	arancio orange
	<b>1673 CL</b>	RAL 9010	bianco white
	<b>1764 CL</b>	RAL 9004	nero black



### Raviolo

<b>Matt</b>			
	<b>1001 C</b>	PANTONE ORANGE 021 M	arancio orange
	<b>1004 C</b>	RAL 3028	rosso red
	<b>1069 C</b>	RAL 8017	marrone corten brown corten
	<b>1156 C</b>	PANTONE 2612 M	viola purple
	<b>1346 C</b>	PANTONE 583 M	verde pistacchio green pistachio
	<b>1517 C</b>	RAL 6003	verde oliva olive green
	<b>1665 C</b>	RAL 1023	giallo yellow
	<b>1735 C</b>	RAL 9010	bianco white



### Sam Son

<b>Matt</b>			
	<b>1004 C</b>	RAL 3028	rosso red
	<b>1014 C</b>	RAL 1027	giallo curry curry yellow
	<b>1429 C</b>	PANTONE 419 U	grigio antracite grey anthracite
	<b>1735 C</b>	RAL 9010	bianco white



### Spun

<b>Matt</b>			
	<b>1004 C</b>	RAL 3028	rosso red
	<b>1133 C</b>	RAL 3007	viola scuro dark purple
	<b>1428 C</b>	RAL 7021	grigio antracite grey anthracite
	<b>1735 C</b>	RAL 9010	bianco white



### Stanley

<b>Matt</b>			
	<b>1733 C</b>	NCS S 4005-Y20R	beige beige
	<b>1735 C</b>	RAL 9010	bianco white
	<b>1765 C</b>	NCS S 8500-N	nero black



### Substance

<b>Matt</b>			
	<b>1015 C</b>	PANTONE 103 C	giallo curry curry yellow
	<b>1452 C</b>	RAL 7006	grigio beige beige grey
	<b>1735 C</b>	RAL 9010	bianco white
	<b>1768 C</b>	RAL 9017	nero black



### Tempo

<b>Matt</b>			
	<b>1086 C</b>	PANTONE 485 M	arancio orange
	<b>1735 C</b>	RAL 9010	bianco white
	<b>1737 C</b>	RAL 9001	grigio grey
	<b>1750 C</b>	RAL 8022	nero black

### The wild bunch

<b>Matt</b>			
	<b>1735 C</b>	RAL 9010	bianco white
	<b>1754 C</b>	RAL 9004	nero black
	<b>1780 C</b>	PANTONE ORANGE 021	arancio orange
	<b>1781 C</b>	PANTONE PROCESS BLUE	azzurro sky blue
	<b>1782 C</b>	RAL 3020	rosso red
	<b>1783 C</b>	PANTONE 347	verde green
	<b>1784 C</b>	PANTONE YELLOW 012	giallo yellow



### Tibu

<b>Matt</b>			
	<b>1712 C</b>	RAL 1013	beige beige
	<b>1764 C</b>	RAL 9004	nero black



### Tide

#### Glossy

	<b>1127 CL</b> RAL 3018
	rosso red
	<b>1673 CL</b> RAL 9010
	bianco white
	<b>1763 CL</b> RAL 9017
	nero black



### Tosca

#### Trasparent

	<b>2540 TR</b>
	trasparente neutro transparent



### Transit

#### Matt

	<b>1690 C</b> RAL 9016
	bianco white



### Trash

#### Matt

	<b>1450 C</b> PANTONE 7529 M
	beige beige
	<b>1730 C</b> PANTONE COOL GREY 1 M
	bianco white
	<b>1750 C</b> RAL 8022
	nero black



### Trattoria

#### Trasparent

	<b>2480 TR</b>
	trasparente verde transparent green
	<b>2495 TR</b>
	trasparente giallo transparent yellow
	<b>2503 TR</b>
	trasparente marrone transparent brown
	<b>2513 TR</b>
	trasparente rosso transparent red
	<b>2531 TR</b>
	trasparente azzurro transparent sky blue



### Troy Family

#### Matt

	<b>1000 C</b> PANTONE PROCESS YELLOW M
	giallo yellow
	<b>1157 C</b> PANTONE 2603 M
	viola purple
	<b>1354 C</b> PANTONE 382 M
	verde green
	<b>1479 C</b> NCS S 3050-Y40R
	marrone brown
	<b>1483 C</b> PANTONE RED 032 M
	rosso red
	<b>1490 C</b> NCS S 0580-Y80R
	rosso corallo coral red
	<b>1557 C</b> NCS S 6030-G70Y
	verde scuro dark green
	<b>1629 C</b> NCS S 2020-Y80R
	rosa pink
	<b>1733 C</b> NCS S 4005-Y20R
	beige beige
	<b>1735 C</b> RAL 9010
	bianco white
	<b>1763 C</b> RAL 9017
	nero black



### Tubby

#### Matt

	<b>1736 C</b> RAL 9003
	bianco white



### Vanity

#### Trasparent

	<b>2540 TR</b>
	trasparente neutro transparent



### Vigna

#### Matt

	<b>1015 C</b> PANTONE 103 M
	giallo curry curry yellow
	<b>1129 C</b> RAL 3016
	rosso red
	<b>1288 C</b> PANTONE 377 M
	verde green
	<b>1417 C</b> RAL 7042
	grigio grey
	<b>1419 C</b> PANTONE 435 M
	grigio caldo warm grey
	<b>1423 C</b> RAL 7026
	grigio granito granite grey
	<b>1487 C</b> PANTONE 5185 M
	viola porpora purple violet
	<b>1673 C</b> RAL 9010
	bianco white



### Voids

#### Matt

	<b>1069 C</b> RAL 8017
	marrone corten brown corten
	<b>1110 C</b> RAL 2002
	arancio orange
	<b>1395 C</b> PANTONE COOL GREY 3 M
	grigio chiaro light grey
	<b>1736 C</b> RAL 9003
	bianco white

#### Glossy

	<b>1763 CL</b> RAL 9017
	nero black



### Yuyu

#### Matt

	<b>1086 C</b> PANTONE 485 M
	arancio orange
	<b>1450 C</b> PANTONE 7529 M
	beige beige
	<b>1666 C</b> NCS S 2060 Y10R
	giallo yellow



### Zartan

#### Matt

	<b>1054 C</b> RAL 1017
	arancio orange
	<b>1327 C</b> PANTONE 5655 M
	verde chiaro light green
	<b>1426 C</b> RAL 7012
	grigio scuro dark grey
	<b>1567 C</b> PANTONE 393 M
	giallo chiaro light yellow
	<b>1709 C</b> RAL 7047
	grigio chiaro light grey
	<b>1735 C</b> RAL 9010
	bianco white
	<b>1768 C</b> RAL 9017
	nero black



Magis cross\_referenze (Plastic)

16/3/2018

**Alma**

<b>Matt</b>	<b>1037 C</b>	RAL 1034
	giallo yellow	
	<b>1342 C</b>	PANTONE 376 M
	verde green	
	<b>1478 C</b>	RAL 8012
	marrone brown	
	<b>1690 C</b>	RAL 9016
	bianco white	

**Bunky**

<b>Matt</b>	<b>1218 C</b>	PANTONE 2985 C
	blu chiaro light blue	
	<b>1226 C</b>	
	blu blue	
	<b>1232 C</b>	PANTONE PROCEDURAL BLUE C
	blu scuro dark blue	
	<b>1652 C</b>	PANTONE 714 C
	arancio chiaro light orange	
	<b>1654 C</b>	
	arancio orange	
	<b>1656 C</b>	PANTONE 717 C
	arancio scuro dark orange	
	<b>1736 C</b>	RAL 9003
	bianco white	

**Dodo**

<b>Matt</b>	<b>1004 C</b>	RAL 3028
	rosso red	
	<b>1025 C</b>	RAL 1007
	giallo yellow	
	<b>1252 C</b>	PANTONE 300 M
	blu blue	
	<b>1735 C</b>	RAL 9010
	bianco white	

**Downtown**

<b>Matt</b>	<b>1736 C</b>	RAL 9003
	bianco white	

**El Baul**

<b>Matt</b>	<b>1700 C</b>	RAL 9002
	bianco white	

**Eur**

<b>Matt</b>	<b>1092 C</b>	PANTONE 167 M
	terracotta terracotta	
	<b>1606 C</b>	PANTONE 653 M
	blu blue	

**Happy Bird**

<b>Matt</b>	<b>1085 C</b>	PANTONE 7417 M
	arancio orange	
	<b>1665 C</b>	RAL 1023
	giallo yellow	
	<b>1735 C</b>	RAL 9010
	bianco white	

**Julian**

<b>Matt</b>	<b>1122 C</b>	RAL 3031
	rosso red	
	<b>1290 C</b>	PANTONE 361 M
	verde green	
	<b>1665 C</b>	RAL 1023
	giallo yellow	
	<b>1735 C</b>	RAL 9010
	bianco white	

**Ladrillos**

<b>Matt</b>	<b>1006 C</b>	RAL 4010
	fucsia fucsia	
	<b>1025 C</b>	RAL 1007
	giallo yellow	
	<b>1085 C</b>	PANTONE 7417 M
	arancio orange	
	<b>1220 C</b>	PANTONE 292 M
	azzurro sky blue	
	<b>1252 C</b>	PANTONE 300 M
	blu blue	
	<b>1281 C</b>	RAL 6000
	verde scuro dark green	
	<b>1360 C</b>	PANTONE 375 M
	verde green	
	<b>1623 C</b>	PANTONE 688 M
	rosa pink	

**Le Chien Savant**

<b>Matt</b>	<b>1315 C</b>	NCS 0560 G50Y
	verde green	
	<b>1569 C</b>	NCS 0540 G80Y
	giallo yellow	
	<b>1628 C</b>	NCS 0510 Y80R
	rosa pink	
	<b>1647 C</b>	NCS 0560 Y60R
	arancio orange	
	<b>1735 C</b>	NCS S 0300 N
	bianco white	

**Linus**

<b>Matt</b>	<b>1690 C</b>	RAL 9016
	bianco white	

**Little Big**

<b>Matt</b>	<b>1086 C</b>	PANTONE 485 M
	arancio orange	
	<b>1256 C</b>	PANTONE 7460 M
	azzurro sky blue	
	<b>1735 C</b>	RAL 9010
	bianco white	

**Nido**

<b>Matt</b>	<b>1025 C</b>	RAL 1037
	giallo yellow	
	<b>1290 C</b>	PANTONE 361 M
	verde green	
	<b>1420 C</b>	RAL 7016
	grigio antracite grey anthracite	

**Flying Carpet**

<b>Matt</b>	<b>1700 C</b>	RAL 9002
	bianco white	

**Seggiolina Pop**

<b>Matt</b>	<b>1082 C</b>	PANTONE 1645 M
	arancio orange	
	<b>1606 C</b>	PANTONE 653 M
	blu blue	
	<b>1638 C</b>	PANTONE 7488 M
	verde green	

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.



### Paradise Tree

Matt

	<b>1001 C</b> arancio orange	RAL 2004
	<b>1004 C</b> rosso red	RAL 3028
	<b>1220 C</b> blu chiaro light blue	PANTONE 292 M
	<b>1360 C</b> verde green	PANTONE 375 M
	<b>1665 C</b> giallo yellow	RAL 1023
	<b>1735 C</b> bianco white	RAL 9010



### Piedras

Matt

	<b>1407 C</b> grigio antracite grey anthracite	RAL 7016
--	--	----------



### Pingy

Matt

	<b>1735 C</b> bianco white	RAL 9010
	<b>1763 C</b> nero black	RAL 9017



### Puppy

Matt

	<b>C</b> dalmata dalmatian	
	<b>1001 C</b> arancio orange	PANTONE ORANGE 021 M
	<b>1360 C</b> verde green	PANTONE 375 M
	<b>1700 C</b> bianco avorio ivory white	RAL 9002



### Rocky

Matt

	<b>1069 C</b> marrone brown	RAL 8017
	<b>1736 C</b> bianco white	RAL 9003
	<b>1763 C</b> nero black	RAL 9017



### Trioli

Matt

	<b>1004 C</b> rosso red	RAL 3028
	<b>1252 C</b> blu blue	PANTONE 300 M
	<b>1665 C</b> giallo yellow	RAL 1023
	<b>1700 C</b> bianco white	RAL 9002



### Trotter

Matt

	<b>1089 C</b> arancio orange	RAL 2004
	<b>1283 C</b> verde green	RAL 6002



Magis cross\_referenze (Metal)

16/3/2018

**360° (Chair + Stool)**

Painted	5124 M	RAL 7032
	grigio chiaro	light grey
	5141 M	RAL 9004
	nero	black

**Annett**

Coated	5200 M	
	cromato	chromed
Painted	5140 M	RAL 9017
	nero	black

**Big Will**

Painted	5110 M	RAL 9010
	bianco	white
	5140 M	RAL 9017
	nero	black
Polished	5230 M	
	lucido	polished

**Bombo**

Coated	5200 M	
	cromato	chromed

**Burearama**

Painted	5119 M	RAL 7040
	grigio	grey
	5140 M	RAL 9017
	nero	black
	5266 M	
	arancio fluo	orange fluo
	5267 M	RAL 5005
	blu	blue
	5268 M	RAL 1016
	giallo	yellow

**Brut**

Painted	5126 M	RAL 6033
	verde	green
	5142 M	RAL 7015
	grigio antracite	anthracite grey
	5143 M	RAL 3016
	rosso	rosso

**Bottle**

Satinated	5245 M	
	satinato	satinated

**Chair\_One**

Anodized	5215 M	
	anodizzato	anodised
	5220 M	
	anodizzato nero	anodised black
Coated	5085 M	RAL 3020
	rosso	red
	5110 M	RAL 9010
	bianco	white
	5122 M	PANTONE COOL GREY 11 C
	grigio antracite metallizzato	grey anthracite metallised
	5130 M	RAL 9005
	nero	black
	5253 M	RAL 9003
	bianco	white
	5254 M	PANTONE 401 U
	grigio	grey
	5255 M	RAL D2 2404020
	blu	blue
	5256 M	NCS S 5010-G30Y
	grigio-verde	grey-blue
Polished	5230 M	
	lucido	polished



Stool\_One

Coated	5085 M	RAL 3020
	rosso	red
	5110 M	RAL 9010
	bianco	white
	5130 M	RAL 9005
	nero	black
	5253 M	RAL 9003
	bianco	white
	5254 M	PANTONE 401 U
	grigio	grey
	5255 M	RAL D2 2404020
	blu	blue
	5256 M	NCS S 5010-G30Y
	grigio-verde	grey-blue
Polished	5230 M	
	lucido	polished



Cyborg

Painted	5251 M	
	beige	beige
	5252 M	
	grigio scuro	dark grey



Deja-vu

Painted	5140 M	RAL 9017
	nero	black
Polished	5230 M	
	lucido	polished



Flux

Coated	5033 M	PANTONE PROCESS YELLOW C
	giallo	yellow
	5055 M	RAL 5015
	azzurro	sky blue
	5087 M	PANTONE RED 032 C
	rosso	red



Mariolina

Coated	5200 M	
	cromato	chromed



Milà

Painted	5263 M	RAL 9010
	bianco	white
	5264 M	RAL 9011
	nero	black
	5265 M	NCS S 7020 G10Y
	verde scuro	dark green



Officina

Galvanized	5250 M	
	zincato a caldo	galvanized
Painted	5142 M	RAL 7015
	grigio antracite	anthracite grey



Piña

Painted	5038 M	NCS S 3010 - G40Y
	verde chiaro	light green
	5054 M	RAL 5003
	blu	blue
	5084 M	NCS S 0580 - Y80R
	rosso corallo	coral red
	5108 M	RAL 9003
	bianco	white
	5119 M	RAL 7040
	grigio	grey
	5140 M	RAL 9017
	nero	black



Piña (outdoor)

Painted	5070 M	RAL 8019
	marrone	brown
	5108 M	RAL 9003
	bianco	white



Pipe

Painted	5031 M	NCS S 3060 - Y
	giallo senape	yellow
	5107 M	RAL 9002
	bianco	white
	5130 M	RAL 9005
	nero	black
Polished	5230 M	
	lucido	polished



Pizza Table

Painted	5070 M	RAL 8019
	marrone scuro	marrone scuro
	5108 M	RAL 9003
	bianco	white





**Sequoia**

Painted	5257 M	RAL 1015
	avorio	ivory
	5258 M	RAL 9005
	nero	black
	5259 M	NCS S 0580-Y80R
	rosso corallo	coral red
	5260 M	NCS S 7020-G10Y
	verde scuro	dark green
	5261 M	RAL 7048
	grigio metallizzato	grey metallised
	5262 M	RAL 8001
	marrone oca	ocher brown



**Steelwood**

Painted	5083 M	RAL 3020
	rosso	red
	5108 M	RAL 9003
	bianco	white
	5119 M	RAL 7040
	grigio	grey
	5140 M	RAL 9017
	nero	black
	5142 M	RAL 7015
	grigio antracite	anthracite grey



**Substance**

Anodized	5215 M	
	anodizzato	anodised
	5220 M	
	anodizzato nero	anodised black
Coated	5200 M	
	cromato	chromed
Painted	5110 M	RAL 9010
	bianco	white
	5140 M	RAL 9017
	nero	black



**Tibu**

Painted	5029 M	NCS S 2060 G90Y
	lime	lime
	5039 M	NCS S 6030 Y
	verde oliva	olive green
	5041 M	NCS S 3010 G40Y
	verde chiaro	light green
	5046 M	NCS S 3560 R
	rosso bordeaux	bordeaux
	5084 M	NCS S 0580 Y80R
	rosso corallo	coral red
	5089 M	NCS S 3020 Y70R
	rosa	pink
	5123 M	NCS S 2005 Y30R
	beige	beige
	5130 M	RAL 9005
	nero	black



**Traffic**

Painted	5011 M	NCS S 1500 N
	bianco	white
	5013 M	RAL 9004
	nero	black



**Transit**

Polished	5230 M	
	lucido	polished



**Troy Family**

Coated	5200 M	
	cromato	chromed
Painted	5110 M	RAL 9010
	bianco	white
	5140 M	RAL 9017
	nero	black



**Troy Family (wireframe)**

Coated	5205 M	
	oro	gold
	5210 M	
	rame	copper
Painted	5110 M	RAL 9010
	bianco	white
	5140 M	RAL 9017
	nero	black



**Venice**

Painted	5110 M	RAL 9010
	bianco	white
	5130 M	RAL 9005
	nero	black
Polished	5230 M	
	lucido	polished



**Vigna**

Painted	5047 M	PANTONE 5185 M
	viola porpora	purple violet
	5072 M	RAL 7026
	grigio granito	granite grey
	5110 M	RAL 9010
	bianco	white
	5117 M	PANTONE 435 M
	grigio caldo	warm grey

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.



Magis cross\_referenze (Wood)

16/3/2018

**Aviva**

Faggio (Beech)

7011 W  
naturale  
natural7140 W  
nero  
black7141 W  
rosso corallo  
coral red

NCS S 0580-Y80R

7142 W  
rosa  
pink

NCS S 3020-Y70R

7143 W  
verde chiaro  
light green

NCS S 3010-G40Y

**Big Will**

Noce canaletto (American walnut)

7100 W  
naturale  
natural**Brut**

Iroko

7400 W  
naturale  
natural

Rovere (Oak)

7310 W  
naturale  
natural**Baguette**

Noce canaletto (American walnut)

7100 W  
naturale  
natural**Cyborg Stick**

Frassino (Ash)

7018 W  
naturale  
natural7065 W  
nero  
black**Cyborg Ply**

Frassino (Ash)

7018 W  
naturale  
natural7065 W  
nero  
black**Cyborg Club**

Midolino (Wicker)

7200 W  
naturale  
natural7210 W  
nero  
black**Cyborg Elegant**


Midolino (Wicker)

7210 W  
nero  
black**Cyborg Vienna**

Paglia di Vienna

7020 W  
bianco - naturale  
white - natural7065 W  
nero - naturale  
black - natural**Officina**


Frassino termotrattato (Thermo-treated ash)

7110 W  
naturale  
natural

Noce canaletto (American walnut)

7100 W  
naturale  
natural**Pina**

Frassino (Ash)

7018 W  
naturale  
natural7020 W  
bianco  
white7030 W  
blu  
blue7050 W  
grigio  
grey7065 W  
nero  
black7070 W  
rosso corallo  
coral red7080 W  
verde chiaro  
light green

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.




**Pila**


Frassino (Ash)



7018 W  
naturale  
natural




7051 W RAL DESIGN 000 75 00  
grigio  
grey



7052 W RAL 8019  
marrone scuro  
dark brown



7053 W RAL DESIGN 040 30 40  
rosso mattone  
brick red



7065 W  
nero  
black



7090 W  
verde  
green



**Steelwood (Chair + Stool)**

Faggio (Beech)



7011 W  
naturale  
natural



7012 W  
naturale scuro  
dark natural



7108 W  
bianco  
white



7119 W RAL 7040  
grigio  
grey



7120 W RAL 7015  
grigio antracite  
anthracite grey



7140 W  
nero  
black



7183 W  
rosso  
red

Noce canaletto (American walnut)



7100 W  
naturale  
natural

Rovere (Oak)



7310 W  
naturale  
natural



7311 W  
naturale scuro  
dark natural



**Steelwood (Shelving System)**

Faggio (Beech)



7011 W  
naturale  
natural



7108 W  
bianco  
white



7140 W  
nero  
black



**Steelwood (Coat-Stand)**

Faggio (Beech)



7011 W  
naturale  
natural



7108 W  
bianco  
white



7140 W  
nero  
black

Noce canaletto (American walnut)



7100 W  
naturale  
natural




**Pipe**

Faggio (Beech)



7009 W  
naturale chiaro  
light beech



7055 W  
naturale scuro  
dark beech



**Steelwood (Table)**

Faggio (Beech)



7011 W  
naturale  
natural



7108 W  
bianco  
white



7140 W  
nero  
black

The printing ink and the screen visualization cannot exactly reproduce the colours. For higher accuracy we suggest inspecting the colour samples.