## Miele

#### TED265WP 8kg

T1 heat-pump dryer:

with A++ and Miele@home for intelligent laundry care.



- Miele@home clever networking opens up new possibilities\*
- Savings for the life of your tumble dryer EcoDry technology
- Fragrant laundry just the way you like it FragranceDos
- Precision drying of all fabrics PerfectDry
- Easy fingertip operation DirectSensor

Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.



EAN: 4002516488514 / Material number: 11871740 / Old Material Number: 12ED2652GB

| Construction type   |                                  |
|---|----------------------------------|
| Suitable for stacking   | •                                |
| Side-by-side  | •                                |
| Slot-in   | •                                |
| Can be built-under  | •                                |
| Door hinge  | left                             |
| Model   |                                  |
| Product brand   | T1 Chrome Edition                |
| Heat pump dryer   | •                                |
| Design  |                                  |
| Appliance colour  | Lotus white                      |
| Control panel colour  | Lotus white                      |
| Door design   | Graphite grey PearlFinish        |
| Rotary selector colour  | Lotus White                      |
| Control panel version   | Straight                         |
| Control type  | Rotary selector                  |
| Display   | DirectSensor white,<br>7 segment |
| Drying results  |                                  |
| PerfectDry precision drying   | •                                |
| FragranceDos fragrance system   | •                                |
| Intelligent drum reversal   | •                                |
| Gentle laundry care   |                                  |
| Honeycomb drum  | •                                |
| Load in kg  | 8.0                              |
| User convenience  |                                  |
| Networking with Miele@home  | •                                |
| Wash2Dry  | •                                |
| Delay start up to 24 hours  | •                                |
| Time left display   | •                                |
| Programme sequence indicator  | No                               |
| Drum lighting   | LED                              |
| Condensate container  | •                                |
| Integrated condensed water drainage   | •                                |
| AddLoad   | •                                |
| Efficiency and sustainability   |                                  |
| Energy efficiency class (A+++ - D)  | A++                              |
| Annual energy consumption in kWh  | 192                              |
| Duration in minutes in the standard programme   | 165                              |
| Noise in the Cottons programme with full load in db(A) re 1 pW                          | 66                               |
| Condensation efficiency class   | A                                |
| Energy consumption in kWh in the Cottons Normal dry standard programme with a full load | 1.55                             |
| EcoDry technology   | •                                |
| Maintenance-free heat exchanger   | •                                |
| ProfiEco motor  | •                                |
| Drying programmes   |                                  |
| Cottons (coloureds)   | •                                |
| Minimum iron  | •                                |
| Delicates   | •                                |

# **M**íele

### TED265WP 8kg

T1 heat-pump dryer:

with A++ and Miele@home for intelligent laundry care.



EAN: 4002516488514 / Material number: 11871740 / Old Material Number: 12ED2652GB


| Shirts                                 | •                |
|--|------------------|
| Woollens handcare                      | •                |
|  | •                |
| Express                                | •                |
| Proofing  Bed linen                    | •                |
|  | ·                |
| Warm air/DryFresh                      | •                |
| Extras                                 |                  |
| Anti-crease                            |                  |
| Gentle tumble                          | •                |
| Quality                                |                  |
| Soft ribs                              | •                |
| Safety                                 |                  |
| PIN-Code                               | •                |
| Empty out container indicator          | •                |
| Clean filter indication                | •                |
| Optical interface                      | •                |
| Technical data                         |                  |
| Dimensions in mm (width)               | 596              |
| Dimensions in mm (height)              | 850              |
| Dimensions in mm (depth)               | 636              |
| Appliance depth in mm with opened door | 1054             |
| Weight in kg                           | 53               |
| Total rated load in kW                 | 1.10             |
| Voltage in V                           | 220-240          |
| Fuse rating in A                       | _13              |
| Frequency in Hz                        | 50               |
| Length of supply lead in m             | 2.0              |
| Hermetically sealed                    | •                |
| Type of coolant                        | R290             |
| Refrigerant quantity in kg             | 0.11             |
| Refrigerant global warming potential   | 3                |
| Appliance global warming potential     | 0.33             |
| Replacing lamps                        | Customer Service |
| Accessories supplied                   |                  |
| Fragrance flacon                       | •                |

# Míele


### TED265WP 8kg

### T1 heat-pump dryer:


with A++ and Miele@home for intelligent laundry care.




T1 installation drawing, slanted facia, straight facia, measures in mm



T1 drawing, slanted facia, straight facia, measures in mm



T1 drawing, slanted facia, straight facia, with porthole, measures in mm



T1 drawing, slanted facia, straight facia, measures in mm