

SERIP

Lines Quaver

REFERENCE AP1436/2



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 35cm / 14in
Height 60cm / 24in
Depth 22cm / 9in
Weight 3kg / 7lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM
(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE


Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E14 Max 40W

110-120V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E12 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)




Talha (TA)

SERIP

SERIP

Lines Bemolle Small

REFERENCE CT3282/1



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

Height 45cm / 18in

OAH Overall Height Min 50cm / 20in

OAH Overall Height Max 350cm / 138in

Weight 14kg / 31lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.86cm x 0.64cm
=0.35CBM

(in)Package 1/2 0.25in x 0.34in x 0.25in
=12.44US GAL

ELECTRIC FEATURE

Installation Ceiling

IP degree IP 20

220-240V 50Hz-60Hz

Max Power Consumption 100W

Light Sources

1 x E27 Max 100W

110-120V 50Hz-60Hz

Max Power Consumption 100W

Light Sources

1 x E26 Max 100W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

SERIP

Lines Bemolle Medium

REFERENCE CT3287/11



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FO | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

Height 65cm / 26in

OAH Overall Height Min 85cm / 33in

OAH Overall Height Max 330cm / 130in

Weight 25kg / 55lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.94cm x 0.90cm x 0.93cm
=0.79CBM

(in)Package 1/2 0.37in x 0.35in x 0.37in
=27.78US GAL

ELECTRIC FEATURE

Installation Ceilling

IP degree IP 20

220-240V 50Hz-60Hz

Max Power Consumption 440W

Light Sources

11 x G9 Max 40W

Included Sources

Light Sources

11 x G9 LED 2W

Lumens 2530lm

Kelvin 3000

CRI 80

Optional Sources

Light Sources

11 x G9 LED 4W

Lumens 3520lm

Kelvin 3000

CRI 80

110-120V 50Hz-60Hz

Max Power Consumption 440W

Light Sources

11 x G9 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

SERIP

Lines Double Sharp

REFERENCE AP1430/2



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 35cm / 14in
Height 55cm / 22in
Depth 22cm / 9in
Weight 4kg / 9lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM
(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE


Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E14 Max 40W

110-120V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E12 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

SERIP

Lines Clef Alto Left

REFERENCE AP1448/2



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 55cm / 22in
Height 90cm / 35in
Depth 22cm / 9in
Weight 7kg / 15lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM
(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE


Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E14 Max 40W

110-120V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E12 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)




Talha (TA)

SERIP

SERIP

Lines Clef Treble Left

REFERENCE AP1431/2



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 35cm / 14in
Height 72cm / 28in
Depth 22cm / 9in
Weight 4kg / 9lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM
(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE


Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E14 Max 40W

110-120V 50Hz-60hZ
Max Power Consumption 80W
Light Sources
2 x E12 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

SERIP

Lines Crotchet Right

REFERENCE AP1508/2



DESCRIPTION

Delicate and with overflowing motion, this collection is inspired by musical notes and its conceptual graphic visualization. The inspiring twist and turn of the structure bronze lines represent melodies, music and symphonies, complete with the trembling pattern of the glass which represents the vibration of sound by itself. Ideal for singular light points in common rooms of classic and contemporary interiors.

Finish shown here Metal FO | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 55cm / 22in

Height 80cm / 31in

Depth 22cm / 9in

Weight 5kg / 11lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM

(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE


Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E14 Max 40W

110-120V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x E12 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

METAL FINISHES



Copper
(CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP