

SERIP

Outono Fagus Large

REFERENCE PL302/14



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FP | Glass 06


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 130cm / 51in
Height 30cm / 12in
Length 220cm / 87in
Weight 27kg / 60lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.45cm x 0.67cm x 2.30cm
=2.23CBM
(in)Package 1/2 0.57in x 0.26in x 0.91in
=78.90US GAL

ELECTRIC FEATURE

Installation Ceiling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 560W
Light Sources
14 x G9 Max 40W

Included Sources

Light Sources
14 x G9 LED 2W
Lumens 3220lm
Kelvin 3000
CRI 80


Optional Sources

Light Sources
14 x G9 LED 3W
Lumens 4200lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 350W
Light Sources
14 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP


OPTIONAL FINISHES

GLASS FINISHES



Clear (10) Bright Gold (06)

METAL FINISHES



Copper (CO) Silver (FP) Silver/White Patina (FP/PB) Lead (CH) Palladium (PL) Black (PR) Gold/White Patina (FO/PB) Gold (FO)



Talha (TA)

SERIP

SERIP

Outono Fagus Large

REFERENCE PL302/14



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FP | Glass 06


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 130cm / 51in

Height 30cm / 12in

Length 220cm / 87in

Weight 27kg / 60lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.45cm x 0.67cm x 2.30cm
=2.23CBM

(in)Package 1/2 0.57in x 0.26in x 0.91in
=78.90US GAL

ELECTRIC FEATURE

Installation Ceiling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 560W
Light Sources
14 x G9 Max 40W

Included Sources

Light Sources
14 x G9 LED 2W
Lumens 3220lm
Kelvin 3000
CRI 80


Optional Sources

Light Sources
14 x G9 LED 3W
Lumens 4200lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 350W
Light Sources
14 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP


OPTIONAL FINISHES

GLASS FINISHES



Clear (10) Bright Gold (06)

METAL FINISHES



Copper (CO) Silver (FP) Silver/White Patina (FP/PB) Lead (CH) Palladium (PL) Black (PR) Gold/White Patina (FO/PB) Gold (FO)



Talha (TA)

SERIP

Outono Poplar Medium

REFERENCE AP1366/1



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FO/PB | Glass 06


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 25cm / 10in

Height 35cm / 14in

Depth 8cm / 3in

Weight 2kg / 4lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM

(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE

Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 40W
Light Sources
1 x G9 Max 40W

Included Sources

Light Sources
1 x G9 LED 2W
Lumens 230lm
Kelvin 3000
CRI 80


Optional Sources

Light Sources
1 x G9 LED 3W
Lumens 300lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 25W
Light Sources
1 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP


OPTIONAL FINISHES

GLASS FINISHES



Clear (10) Bright Gold
(06)

METAL FINISHES



Copper (CO) Silver (FP) Silver/White
Patina
(FP/PB) Lead (CH) Palladium
(PL) Black (PR) Gold/White
Patina
(FO/PB) Gold (FO)



Talha (TA)

SERIP

Outono Hamamelis

REFERENCE 5972



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FO | Glass 07


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 22cm / 9in
Height 37cm / 15in
Depth 15cm / 6in
Weight 3kg / 7lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM
(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE

Installation Table Lamp
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 40W
Light Sources
1 x G9 Max 40W


Included Sources

Light Sources
1 x G9 LED 2W
Lumens 230lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 40W
Light Sources
1 x G9 Max 40W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

Bright Gold
(06)

METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

SERIP

Outono Holly

REFERENCE PL298/2



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FO/PB | Glass O6


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 25cm / 10in
Height 15cm / 6in
Length 65cm / 26in
Weight 3kg / 7lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM
(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE

Installation Ceiling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x G9 Max 40W

Included Sources

Light Sources
2 x G9 LED 2W
Lumens 460lm
Kelvin 3000
CRI 80


Optional Sources

Light Sources
2 x G9 LED 3W
Lumens 600lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 50W
Light Sources
2 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

Bright Gold
(06)

METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

Outono Holmoak

REFERENCE PL277/6



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FO/PB | Glass 06


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

Height 35cm / 14in

Weight 11kg / 24lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.94cm x 0.90cm x 0.93cm
=0.79CBM

(in)Package 1/2 0.37in x 0.35in x 0.37in
=27.78US GAL

ELECTRIC FEATURE

Installation Ceiling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 240W
Light Sources
6 x G9 Max 40W

Included Sources

Light Sources
6 x G9 LED 2W
Lumens 1380lm
Kelvin 3000
CRI 80


Optional Sources

Light Sources
6 x G9 LED 3W
Lumens 1800lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 150W
Light Sources
6 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP


OPTIONAL FINISHES

GLASS FINISHES



Clear (10) Bright Gold (06)

METAL FINISHES



Copper (CO) Silver (FP) Silver/White Patina (FP/PB) Lead (CH) Palladium (PL) Black (PR) Gold/White Patina (FO/PB) Gold (FO)



Talha (TA)

SERIP

SERIP

Outono Magnolia

REFERENCE PL276/15



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

Height 35cm / 14in

Weight 34kg / 75lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.98cm x 0.59cm x 1.86cm
=2.17CBM

(in)Package 1/2 0.78in x 0.23in x 0.73in
=76.72US GAL

ELECTRIC FEATURE

Installation Ceilling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 600W

Light Sources
15 x G9 Max 40W

Included Sources

Light Sources
15 x G9 LED 2W

Lumens 3450lm

Kelvin 3000

CRI 80

Optional Sources

Light Sources
15 x G9 LED 3W

Lumens 4500lm

Kelvin 3000

CRI 80

110-120V 50Hz-60Hz

Max Power Consumption 375W

Light Sources
15 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP


OPTIONAL FINISHES

GLASS FINISHES



Clear (10) Bright Gold
(06)

METAL FINISHES



Copper (CO) Silver (FP) Silver/White
Patina
(FP/PB) Lead (CH) Palladium
(PL) Black (PR) Gold/White
Patina
(FO/PB) Gold (FO)



Talha (TA)

SERIP

SERIP

Outono Oak

REFERENCE PL290/10



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal TA | Glass 06

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

Height 40cm / 16in

Weight 24kg / 53lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.18cm x 1.00cm x 1.20cm
=1.42CBM

(in)Package 1/2 0.46in x 0.39in x 0.47in
=50.00US GAL

ELECTRIC FEATURE

Installation Ceiling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 400W

Light Sources
10 x G9 Max 40W

Included Sources

Light Sources
10 x G9 LED 2W

Lumens 2300lm

Kelvin 3000

CRI 80

Optional Sources

Light Sources
10 x G9 LED 3W

Lumens 3000lm

Kelvin 3000

CRI 80

110-120V 50Hz-60Hz

Max Power Consumption 250W

Light Sources
10 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

Bright Gold
(06)

METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)




Talha (TA)

SERIP

Outono Ficus Left

REFERENCE AP1377/2



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FO/PB | Glass 06


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 45cm / 18in

Height 50cm / 20in

Depth 20cm / 8in

Weight 4kg / 9lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.64cm x 0.46cm x 0.64cm
=0.19CBM

(in)Package 1/2 0.25in x 0.18in x 0.25in
=6.65US GAL

ELECTRIC FEATURE

Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 80W
Light Sources
2 x G9 Max 40W

Included Sources

Light Sources
2 x G9 LED 2W
Lumens 460lm
Kelvin 3000
CRI 80


Optional Sources

Light Sources
2 x G9 LED 3W
Lumens 600lm
Kelvin 3000
CRI 80

110-120V 50Hz-60Hz
Max Power Consumption 50W
Light Sources
2 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

Bright Gold
(06)

METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP

SERIP

Outono Carpinus

REFERENCE PA615/4



DESCRIPTION

Inspired by the nostalgic and dramatic autumn season. The mysterious and melodramatic Outono collection was one of the first collections to embrace the Serip organic style. Designed with a random disposition of glass leaves that look like floating lights embraced by branches. The clear glass gives the collection a totally contemporary look. Ideal for classic and contemporary areas. The flat solutions of the Outono collection are ideal for not very high spaces.

Finish shown here Metal FO | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 65cm / 26in

Height 170cm / 67in

Depth 20cm / 8in

Weight 8kg / 18lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.85cm x 1.00cm x 2.03cm
=1.73CBM

(in)Package 1/2 0.33in x 0.39in x 0.80in
=60.93US GAL

ELECTRIC FEATURE

Installation Wall
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 160W
Light Sources
4 x G9 Max 40W


Included Sources

Light Sources
4 x G9 LED 3,5W
Lumens 1400lm
Kelvin 2700
CRI 80

110-120V 50Hz-60hZ
Max Power Consumption 100W
Light Sources
4 x G9 Max 25W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

GLASS FINISHES



Clear (10)

Bright Gold
(06)

METAL FINISHES



Copper (CO)



Silver (FP)



Silver/White
Patina
(FP/PB)



Lead (CH)



Palladium
(PL)



Black (PR)



Gold/White
Patina
(FO/PB)



Gold (FO)



Talha (TA)

SERIP