

G 7160 SCVi AutoDos  
Fully integrated dishwashers  
with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Innovative design and maximum convenience – 3D MultiFlex Tray
- Communication with the machine could not be easier – Miele@home
- Perfect results in less than one hour – QuickPowerWash
- Fresh water dishwashers – from 6.0 l litres in the Automatic programme
- Very easy door opening and closing – ComfortClose



EAN: 4002516440642 / Material number: 11788090 / Old Material Number: 21716062GB

|   |                           |
|---|---------------------------|
| <b>Construction type</b>  |                           |
| Fully integrated dishwasher   | •                         |
| 60 cm dishwasher  | •                         |
| <b>Design</b>   |                           |
| Control panel colour  | Stainless Steel.          |
| Control panel version   | Fully integrated fascia   |
| Control type  | Programme selector button |
| Display   | 1-line text display       |
| Display colour  | White                     |
| MultiLingua   | •                         |
| <b>Convenience</b>  |                           |
| Networking with Miele@home  | •                         |
| Automatic dispensing with PowerDisk                                       | •                         |
| Door closing aid  | ComfortClose              |
| Time left display   | •                         |
| Delay start up to 24 hours  | •                         |
| In-operation indicator light  | optical and acoustic      |
| Display language selection  | •                         |
| <b>Efficiency and sustainability</b>                                      |                           |
| Energy efficiency class (A–G)   | B                         |
| Water consumption in the Automatic programme in l from                    | 6.0                       |
| Water consumption of the ECO programme in litres per programme cycle      | 8.4                       |
| Electricity consumption in the ECO programme in kWh                       | 0.64                      |
| Energy consumption of the ECO programme in kWh after 100 programme cycles | 64                        |
| Consumption value in kWh in the ECO programme with hot water connection   | 0.40                      |
| Duration of ECO programme in minutes                                      | 199                       |
| Noise emission class  | B                         |
| Noise emissions in dB(A)  | 43                        |
| EcoFeedback   | •                         |
| EcoPower Technology   | •                         |
| Proven hygiene  | •                         |
| Hot water connection  | •                         |
| Half load   | •                         |
| <b>Quality of results</b>   |                           |
| Fresh water dishwasher  | •                         |
| AutoOpen drying   | •                         |
| SensorDry   | •                         |
| Recirculation Turbothermic drying   | •                         |
| BrilliantGlassCare  | •                         |
| <b>Wash programmes</b>  |                           |
| QuickPowerWash  | •                         |
| ECO   | •                         |
| Automatic   | •                         |
| Intensive 75 °C   | •                         |
| PowerWash   | •                         |
| Gentle  | •                         |
| ExtraQuiet 40 dB(A)   | •                         |
| Appliance care  | •                         |

G 7160 SCVi AutoDos  
Fully integrated dishwashers  
with automatic dispensing thanks to AutoDos with integrated PowerDisk.




EAN: 4002516440642 / Material number: 11788090 / Old Material Number: 21716062GB

| Dishwashing options                             |   |
|---|---|
| AutoDos   | •   |
| Express   | •   |
| Extra Clean                                     | •   |
| Extra dry                                       | •   |
| Basket design                                   |   |
| Cutlery loading                                 | 3D MultiFlex tray                                     |
| FlexCare cup rack                               | 1   |
| Basket design                                   | ComfortPlus 60 cm                                     |
| Number of place settings                        | 14  |
| Safety  |   |
| Waterproof system                               | •   |
| Filter indicator light                          | •   |
| Technical data                                  |   |
| Niche width minimal in mm                       | 600   |
| Niche width max in mm                           | 600   |
| Niche height minimal in mm                      | 805   |
| Niche height maximal in mm                      | 870   |
| Niche depth in mm                               | 550   |
| Appliance width in mm                           | 598   |
| Appliance height in mm                          | 805   |
| Appliance depth in mm                           | 570   |
| Depth with door open in cm                      | 116.5   |
| Net weight in kg                                | 47.0  |
| Total rated load in kW                          | 2.00  |
| Voltage in V                                    | 230   |
| Fuse rating in A                                | 10  |
| Number of phases                                | 1   |
| Electrical frequency standard                   | 50  |
| Length of water inlet hose in m                 | 1.50  |
| Length of water drain hose in m                 | 1.50  |
| Length of supply lead in m                      | 1.80  |
| Min. front panel weight in kg                   | 4.0   |
| Max. front panel weight in kg                   | 11.0  |
| [can be retrofitted by Service to min.]         | 7.0   |
| [can be retrofitted by Service to max.]         | 14.0  |
| Available display languages                     |   |
| Available display languages through MultiLingua | bahasa malaysia, deutsch, english (AU), english (GB), |

## G 7160 SCVi AutoDos


Fully integrated dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



G7000, fully integrated dishwasher, 60cm (installation drawing)

- 1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm,
- 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),



G7000, fully integrated dishwasher, 60cm (installation drawing)