


37 Cube semi-recessed 8W - 3000K - 14°

Carlotta de Bevilacqua
Paola di Arianello



IP20  



LUMINAIRE

- Power Supply: **electronic power supply included**
- Watt: **8W**
- Voltage: **230-240V**
- Delivered lumens output: **483lm**
- CCT: **3000K**
- Efficiency: **92%**
- Efficacy: **60.37lm/W**
- CRI: **80**

Notes

LED 6W (4x1,5W) 3000K 2x7° non dimmable CRI > 80

DESCRIPTION

37 Cube is a Led spotlight with extremely small dimensions (37x37x37mm) featuring a perfect balance between size and luminous flux: the device is visually out of the way, whilst all the attention is aimed at the lighting effects in the room. The body in extruded aluminium is completed by a translucent shell that receives the interchangeable lenses (2x7° / 2x10° / 2x16°) and provides a diffused lighting effect. The minimalistic volumes breathe light into a new quality, from both the architectural and technical lighting standpoint as well as in terms of sustainability and savings. Adjustable by 358° along the vertical axis and by 90° along the horizontal axis, they provide accurate and effective accent lighting with only 7 Watts of used power. The extremely compact size of 37 Cube allows it to be installed semi-recessed into the ceiling, and together with the Algoritmo product line, as it can be completely housed inside the modules. Materials: body in extruded aluminium, screen / lens holder in satin-finish polycarbonate. Complies with EN62471, EN60598 and other specific standards.

PRODUCT CODE: M028504

FEATURES

- Article Code: **M028504**
- Colour: **Bright polished aluminium**
- Installation: **Ceiling**
- Material: **Extruded Aluminium, Translucent polycarbonate**
- Series: **Architectural Indoor**
- Area contract: **Hospitality, Retail, Culture, Residential**
- design by: **Carlotta de Bevilacqua, Paola di Arianello**

DIMENSIONS

- Length: **cm 3.7**
- Width: **cm 3.7**
- Height: **cm 7.9**
- Cutout diameter: **cm 3**
- Inclination: **cm 90**
- Rotation: **360°**
- Cutout shape: **Rounded**
- Weight: **kg 0.2**
- Impact Resistance: **650°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumens output: **528lm**
- Color Rendering: **>80**
- Color temperature (K): **3000K**
- CRI: **=80 (typ.)**
- Color Tolerance: **MacAdam 4SDCM**
- Efficacy: **75lm/W**
- Service Life: **L70(6K) > 50000h**

37 Cube semi-recessed 8W - 3000K - 18°

Carlotta de Bevilacqua
Paola di Arianello



IP20  



LUMINAIRE

- Power Supply: **electronic power supply included**
- Watt: **8W**
- Voltage: **230-240V**
- Delivered lumens output: **463lm**
- CCT: **3000K**
- Efficiency: **88%**
- Efficacy: **57.87lm/W**
- CRI: **80**

Notes

LED 6W (4x1,5W) 3000K 2x9° non dimmable CRI > 80

DESCRIPTION

37 Cube is a Led spotlight with extremely small dimensions (37x37x37mm) featuring a perfect balance between size and luminous flux: the device is visually out of the way, whilst all the attention is aimed at the lighting effects in the room. The body in extruded aluminium is completed by a translucent shell that receives the interchangeable lenses (2x7° / 2x9° / 2x14°) and provides a diffused lighting effect. The minimalistic volumes breathe light into a new quality, from both the architectural and technical lighting standpoint as well as in terms of sustainability and savings. Adjustable by 358° along the vertical axis and by 90° along the horizontal axis, they provide accurate and effective accent lighting with only 7 Watts of used power. The extremely compact size of 37 Cube allows it to be installed semi-recessed into the ceiling, and together with the Algoritmo product line, as it can be completely housed inside the modules. Materials: body in extruded aluminium, screen / lens holder in satin-finish polycarbonate. Complies with EN62471, EN60598 and other specific standards.

PRODUCT CODE: M028704

FEATURES

- Article Code: **M028704**
- Colour: **Bright polished aluminium**
- Installation: **Ceiling**
- Material: **Extruded Aluminium, Translucent polycarbonate**
- Series: **Architectural Indoor**
- Area contract: **Hospitality, Retail, Culture, Residential**
- design by: **Carlotta de Bevilacqua, Paola di Arianello**

DIMENSIONS

- Length: **cm 3.7**
- Width: **cm 3.7**
- Height: **cm 7.9**
- Cutout diameter: **cm 3**
- Inclination: **cm 90**
- Rotation: **360°**
- Cutout shape: **Rounded**
- Weight: **kg 0.2**
- Glow Wire Test: **650°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumens output: **528lm**
- Color Rendering: **>80**
- Color temperature (K): **3000K**
- CRI: **=80 (typ.)**
- Color Tolerance: **MacAdam 4SDCM**
- Efficacy: **75lm/W**
- Service Life: **L70(6K) > 50000h**

37 Cube semi-recessed 8W - 3000K - 30°

Carlotta de Bevilacqua
Paola di Arianello



IP20  



LUMINAIRE

- Power Supply: **electronic power supply included**
- Watt: **8W**
- Voltage: **230-240V**
- Delivered lumens output: **468lm**
- CCT: **3000K**
- Efficiency: **89%**
- Efficacy: **58.5lm/W**
- CRI: **80**

Notes

LED 6,5W (4x1,5W) 3000K 2x14° non dimmable CRI > 80

DESCRIPTION

37 Cube is a Led spotlight with extremely small dimensions (37x37x37mm) featuring a perfect balance between size and luminous flux: the device is visually out of the way, whilst all the attention is aimed at the lighting effects in the room. The body in extruded aluminium is completed by a translucent shell that receives the interchangeable lenses (2x7° / 2x9° / 2x14°) and provides a diffused lighting effect. The minimalistic volumes breathe light into a new quality, from both the architectural and technical lighting standpoint as well as in terms of sustainability and savings. Adjustable by 358° along the vertical axis and by 90° along the horizontal axis, they provide accurate and effective accent lighting with only 7 Watts of used power. The extremely compact size of 37 Cube allows it to be installed semi-recessed into the ceiling, and together with the Algoritmo product line, as it can be completely housed inside the modules. Materials: body in extruded aluminium, screen / lens holder in satin-finish polycarbonate. Complies with EN62471, EN60598 and other specific standards.

PRODUCT CODE: M028904

FEATURES

- Article Code: **M028904**
- Colour: **Bright polished aluminium**
- Installation: **Ceiling**
- Material: **Extruded Aluminium, Translucent polycarbonate**
- Series: **Architectural Indoor**
- Area contract: **Hospitality, Retail, Culture, Residential**
- design by: **Carlotta de Bevilacqua, Paola di Arianello**

DIMENSIONS

- Length: **cm 3.7**
- Width: **cm 3.7**
- Height: **cm 7.9**
- Cutout diameter: **cm 3**
- Inclination: **cm 90**
- Rotation: **360°**
- Cutout shape: **Rounded**
- Weight: **kg 0.2**
- Glow Wire Test: **650°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumens output: **528lm**
- Color Rendering: **>80**
- Color temperature (K): **3000K**
- CRI: **=80 (typ.)**
- Color Tolerance: **MacAdam 4SDCM**
- Efficacy: **75lm/W**
- Service Life: **L70(6K) > 50000h**

37 Cube semi-recessed 8W - 4000K - 14°

Carlotta de Bevilacqua
Paola di Arianello



IP20  



LUMINAIRE

- Power Supply: **electronic power supply included**
- Watt: **8W**
- Voltage: **230-240V**
- Delivered lumens output: **517lm**
- CCT: **4000K**
- Efficiency: **92%**
- Efficacy: **64.62lm/W**
- CRI: **80**

Notes

LED 6,5W (4x1,5W) 4000K 2x7° non dimmable CRI > 80

DESCRIPTION

37 Cube is a Led spotlight with extremely small dimensions (37x37x37mm) featuring a perfect balance between size and luminous flux: the device is visually out of the way, whilst all the attention is aimed at the lighting effects in the room. The body in extruded aluminium is completed by a translucent shell that receives the interchangeable lenses (2x7° / 2x9° / 2x14°) and provides a diffused lighting effect. The minimalistic volumes breathe light into a new quality, from both the architectural and technical lighting standpoint as well as in terms of sustainability and savings. Adjustable by 358° along the vertical axis and by 90° along the horizontal axis, they provide accurate and effective accent lighting with only 7 Watts of used power. The extremely compact size of 37 Cube allows it to be installed semi-recessed into the ceiling, and together with the Algoritmo product line, as it can be completely housed inside the modules. Materials: body in extruded aluminium, screen / lens holder in satin-finish polycarbonate. Complies with EN62471, EN60598 and other specific standards.

PRODUCT CODE: M028604

FEATURES

- Article Code: **M028604**
- Colour: **Bright polished aluminium**
- Installation: **Ceiling**
- Material: **Extruded Aluminium, Translucent polycarbonate**
- Series: **Architectural Indoor**
- Area contract: **Hospitality, Retail, Culture, Residential**
- design by: **Carlotta de Bevilacqua, Paola di Arianello**

DIMENSIONS

- Length: **cm 3.7**
- Width: **cm 3.7**
- Height: **cm 7.9**
- Cutout diameter: **cm 3**
- Inclination: **cm 90**
- Rotation: **360°**
- Cutout shape: **Rounded**
- Weight: **kg 0.2**
- Glow Wire Test: **650°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumens output: **565lm**
- Color Rendering: **>80**
- Color temperature (K): **4000K**
- CRI: **=80 (typ)**
- Color Tolerance: **4SDCM**
- Efficacy: **81lm/W**
- Service Life: **L70(6K) > 50000h**

37 Cube semi-recessed 8W - 4000K - 18°

Carlotta de Bevilacqua
Paola di Arianello



IP20  



LUMINAIRE

- Power Supply: **electronic power supply included**
- Watt: **8W**
- Voltage: **230-240V**
- Delivered lumens output: **495lm**
- CCT: **4000K**
- Efficiency: **88%**
- Efficacy: **61.87lm/W**
- CRI: **80**

Notes

LED 6,5W (4x1,5W) 4000K 2x9° non dimmable CRI > 80

DESCRIPTION

37 Cube is a Led spotlight with extremely small dimensions (37x37x37mm) featuring a perfect balance between size and luminous flux: the device is visually out of the way, whilst all the attention is aimed at the lighting effects in the room. The body in extruded aluminium is completed by a translucent shell that receives the interchangeable lenses (2x7° / 2x9° / 2x14°) and provides a diffused lighting effect. The minimalistic volumes breathe light into a new quality, from both the architectural and technical lighting standpoint as well as in terms of sustainability and savings. Adjustable by 358° along the vertical axis and by 90° along the horizontal axis, they provide accurate and effective accent lighting with only 7 Watts of used power. The extremely compact size of 37 Cube allows it to be installed semi-recessed into the ceiling, and together with the Algoritmo product line, as it can be completely housed inside the modules. Materials: body in extruded aluminium, screen / lens holder in satin-finish polycarbonate. Complies with EN62471, EN60598 and other specific standards.

PRODUCT CODE: M028804

FEATURES

- Article Code: **M028804**
- Colour: **Bright polished aluminium**
- Installation: **Ceiling**
- Material: **Extruded Aluminium, Translucent polycarbonate**
- Series: **Architectural Indoor**
- Area contract: **Hospitality, Retail, Culture, Residential**
- design by: **Carlotta de Bevilacqua, Paola di Arianello**

DIMENSIONS

- Length: **cm 3.7**
- Width: **cm 3.7**
- Height: **cm 7.9**
- Cutout diameter: **cm 3**
- Inclination: **cm 90**
- Rotation: **360°**
- Cutout shape: **Rounded**
- Weight: **kg 0.2**
- Glow Wire Test: **650°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumens output: **565lm**
- Color Rendering: **>80**
- Color temperature (K): **4000K**
- CRI: **=80 (typ)**
- Color Tolerance: **4SDCM**
- Efficacy: **81lm/W**
- Service Life: **L70(6K) > 50000h**

37 Cube semi-recessed 8W - 4000K - 30°

Carlotta de Bevilacqua
Paola di Arianello



IP20  



LUMINAIRE

- Power Supply: **electronic power supply included**
- Watt: **8W**
- Voltage: **230-240V**
- Delivered lumens output: **501lm**
- CCT: **4000K**
- Efficiency: **89%**
- Efficacy: **62.62lm/W**
- CRI: **80**

Notes

LED 6,5W (4x1,5W) 4000K 2x14° non dimmable CRI > 80

DESCRIPTION

37 Cube is a Led spotlight with extremely small dimensions (37x37x37mm) featuring a perfect balance between size and luminous flux: the device is visually out of the way, whilst all the attention is aimed at the lighting effects in the room. The body in extruded aluminium is completed by a translucent shell that receives the interchangeable lenses (2x7° / 2x9° / 2x14°) and provides a diffused lighting effect. The minimalistic volumes breathe light into a new quality, from both the architectural and technical lighting standpoint as well as in terms of sustainability and savings. Adjustable by 358° along the vertical axis and by 90° along the horizontal axis, they provide accurate and effective accent lighting with only 7 Watts of used power. The extremely compact size of 37 Cube allows it to be installed semi-recessed into the ceiling, and together with the Algoritmo product line, as it can be completely housed inside the modules. Materials: body in extruded aluminium, screen / lens holder in satin-finish polycarbonate. Complies with EN62471, EN60598 and other specific standards.

PRODUCT CODE: M029004

FEATURES

- Article Code: **M029004**
- Colour: **Bright polished aluminium**
- Installation: **Ceiling**
- Material: **Extruded Aluminium, Translucent polycarbonate**
- Series: **Architectural Indoor**
- Area contract: **Hospitality, Retail, Culture, Residential**
- design by: **Carlotta de Bevilacqua, Paola di Arianello**

DIMENSIONS

- Length: **cm 3.7**
- Width: **cm 3.7**
- Height: **cm 7.9**
- Cutout diameter: **cm 3**
- Inclination: **cm 90**
- Rotation: **360°**
- Cutout shape: **Rounded**
- Weight: **kg 0.2**
- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **7W**
- Delivered lumens output: **565lm**
- Color Rendering: **>80**
- Color temperature (K): **4000K**
- CRI: **=80 (typ)**
- Color Tolerance: **4SDCM**
- Efficacy: **81lm/W**
- Service Life: **L70(6K) > 50000h**