


Chilone Up Floor Anthracite gray

Ernesto Gismondi



LUMINAIRE

- Watt: **16W**
- Voltage: **220V-240V**
- Delivered lumens output: **515lm**
- CCT: **3000K**
- Efficiency: **78%**
- Efficacy: **32.19lm/W**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

PRODUCT CODE: T082320

FEATURES

- Article Code: **T082320**
- Colour: **Anthracite gray**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **cm 16**
- Width: **cm 16.8**
- Height: **cm 49**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Pole 250 Gray/white

Ernesto Gismondi



IP65   EAC 



LUMINAIRE

- Watt: **16W**
- Voltage: **220V-240V**
- Delivered lumens output: **310lm**
- CCT: **3000K**
- Efficiency: **47%**
- Efficacy: **19.37lm/W**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

PRODUCT CODE: T082000

FEATURES

- Article Code: **T082000**
- Colour: **Gray/white**
- Installation: **PoleFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS


- Length: **cm 21**
- Width: **cm 16.8**
- Height: **cm 250**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

Chilone Floor 90 Rust

Ernesto Gismondi



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumens output: **194lm**
- CCT: **3000K**
- Efficiency: **47%**
- Efficacy: **24.25lm/W**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

PRODUCT CODE: T082110

FEATURES

- Article Code: **T082110**
- Colour: **Rust**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **cm 17.5**
- Width: **cm 16.8**
- Height: **cm 90**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

Chilone Floor 45 Gray/white

Ernesto Gismondi



IP65    



LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumens output: **194lm**
- CCT: **3000K**
- Efficiency: **47%**
- Efficacy: **24.25lm/W**

Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

PRODUCT CODE: T082200

FEATURES

- Article Code: **T082200**
- Colour: **Gray/white**
- Installation: **BollardFloor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

DIMENSIONS

- Length: **cm 17.5**
- Width: **cm 16.8**
- Height: **cm 45**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**