


Ego 6 Spot - 24Vdc - 10° 3000K

Studio Artemide



IP65  



LUMINAIRE

- Power Supply: **Electronic supplied separately**
- Watt: **12W**
- Voltage: **24Vdc**
- Delivered lumens output: **755lm**
- CCT: **3000K**
- Efficiency: **96%**
- Efficacy: **62.88lm/W**
- CRI: **80**

Notes

Spot optic: concentrated luminous flow to highlight details avoiding unwanted light dispersion. 9° optic.

DESCRIPTION

Floor/ wall /Celing adjustable spotlight, with LED sources.
Materials: floor/ wall support and body in painted aluminium, screen in tempered glass. PMMA lenses - spot optic.
Monochrome white LED, 3000K (warm).

PRODUCT CODE: T7633SPW00

FEATURES

- Article Code: **T7633SPW00**
- Colour: **Silver grey**
- Material: **Aluminium**
- Series: **Architectural Outdoor**
- Area contract: **null, Outdoor**
- design by: **Studio Artemide**

DIMENSIONS

- Height: **cm 8.3**
- Diameter: **cm 11**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **12W**
- Delivered lumens output: **444lm**
- Color temperature (K): **3000K**
- Voltage: **24 Vdc**

Accessories

NO
IMAGE
AVAILABLE

EGO PICCHETTO NL97150

NO
IMAGE
AVAILABLE

ALIMENT. 40W 24Vdc IP67 NL62040

NO
IMAGE
AVAILABLE

ALIMENT. 70W 24Vdc IP67 NL89080

NO
IMAGE
AVAILABLE


ALIMENT. 150W 24Vdc IP67 NL62880

Ego 6 Spot - 24Vdc - 26° 3000K

Studio Artemide



IP65  



LUMINAIRE

- Power Supply: **Electronic supplied separately**
- Watt: **12W**
- Voltage: **24Vdc**
- Delivered lumens output: **711lm**
- CCT: **3000K**
- Efficiency: **90%**
- Efficacy: **59.28lm/W**
- CRI: **80**

Notes

Medium optic: Medium luminous flux to highlight details, large sections of windows. (25°)

DESCRIPTION

Floor/ wall /Ceiling adjustable spotlight, with LED sources.
Materials: floor/ wall support and body in painted aluminium, screen in tempered glass. PMMA lenses - Medium optic.
Monochrome white LED, 3000K (warm).

PRODUCT CODE: T7633FLW00

FEATURES

- Article Code: **T7633FLW00**
- Colour: **Silver grey**
- Material: **Aluminium**
- Series: **Architectural Outdoor**
- Area contract: **null, Outdoor**
- design by: **Studio Artemide**

DIMENSIONS

- Height: **cm 8.3**
- Diameter: **cm 11**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **12W**
- Delivered lumens output: **444lm**
- Color temperature (K): **3000K**
- Voltage: **24 Vdc**

Accessories

NO
IMAGE
AVAILABLE

EGO PICCHETTO NL97150

NO
IMAGE
AVAILABLE

ALIMENT. 40W 24Vdc IP67 NL62040

NO
IMAGE
AVAILABLE

ALIMENT. 70W 24Vdc IP67 NL89080

NO
IMAGE
AVAILABLE


ALIMENT. 150W 24Vdc IP67 NL62880

Ego 6 Spot - 24Vdc - EL 3000K

Studio Artemide



IP65  



LUMINAIRE

- Power Supply: **Electronic supplied separately**
- Watt: **12W**
- Voltage: **24Vdc**
- Delivered lumens output: **723lm**
- CCT: **3000K**
- Efficiency: **92%**
- Efficacy: **60.26lm/W**
- CRI: **80**

Notes

Medium optic:
Medium luminous flux to highlight details, large sections of windows. (25°)

DESCRIPTION

Floor/ wall /Ceiling adjustable spotlight, with LED sources.
Materials: floor/ wall support and body in painted aluminium, screen in tempered glass. PMMA lenses - Medium optic.
Monochrome white LED, 3000K (warm).

PRODUCT CODE: T7633ELPTW00

FEATURES

- Article Code: **T7633ELPTW00**
- Colour: **Silver grey**
- Material: **Aluminium**
- Series: **Architectural Outdoor**
- Area contract: **null, Outdoor**
- design by: **Studio Artemide**

DIMENSIONS

- Height: **cm 8.3**
- Diameter: **cm 11**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **12W**
- Delivered lumens output: **444lm**
- Color temperature (K): **3000K**
- Voltage: **24 Vdc**

Accessories

NO
IMAGE
AVAILABLE

EGO PICCHETTO NL97150

NO
IMAGE
AVAILABLE

ALIMENT. 40W 24Vdc IP67 NL62040

NO
IMAGE
AVAILABLE

ALIMENT. 70W 24Vdc IP67 NL89080

NO
IMAGE
AVAILABLE

ALIMENT. 150W 24Vdc IP67 NL62880