



Altrove 600 Suspension LED Direct/Indirect emission

Carlotta de Bevilacqua



IP20 



LUMINAIRE

- Watt: **80W**
- Delivered lumens output: **3140lm**
- CCT: **3000K**
- Efficiency: **36%**
- Efficacy: **39.25lm/W**
- CRI: **90**

PRODUCT CODE: 1540110A

FEATURES

- Article Code: **1540110A**
- Colour: **Aluminium**
- Installation: **Suspension**
- Material: **Methacrylate, aluminium**
- Series: **Design Collection**
- Environment: **Indoor**
- design by: **Carlotta de Bevilacqua**

DIMENSIONS

- Length: **cm 60**
- Width: **cm 60**
- Height: **cm 8**
- Max Height from ceiling: **cm 200**


SOURCES INCLUDED


- Category: **Led**
- Number: **4**
- Watt: **16.8W**
- Delivered lumens output: **3024lm**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Efficacy: **180lm/W**
- Service Life: **50000-L70**

Altrove Suspension LED Direct/Indirect emission - App Compatible

Carlotta de Bevilacqua



IP20 



LUMINAIRE

- Watt: **138W**
- Delivered lumens output: **4772lm**
- CCT: **3000K**
- Efficiency: **42%**
- Efficacy: **34.58lm/W**
- CRI: **0**

PRODUCT CODE: 1340150app

FEATURES

- Article Code: **1340150app**
- Colour: **Aluminium**
- Installation: **Suspension**
- Material: **Methacrylate, aluminium**
- Series: **Design Collection**
- Environment: **Indoor**
- design by: **Carlotta de Bevilacqua**

DIMENSIONS

- Length: **cm 100**
- Width: **cm 100**
- Height: **cm 10**
- Max Height from ceiling: **cm 200**

SOURCES INCLUDED

- Category: **Led RGB**
- Number: **1**
- Watt: **80W**
- Category: **Led**
- Number: **1**
- Watt: **90W**
- Color temperature (K): **3000K**

Accessories

Device for switching and controlling Artemide App products. Max N.3 inputs for external push buttons. Mains power supply required. To be installed inside flush mounting boxes or junction boxes. DV1080APP

NO
IMAGE
AVAILABLE

ALTROVE MWL KIT SOSP/ALIMENT. 1339010A