
# Logico Suspension - Fumè Diffuser

### Michele De Lucchi Gerhard Reichert



IP20 🚖 🔣 [Ⅲ 🔍 • Dimmerable: •**①**-



### LUMINAIRE

- Watt: **13W**
- Voltage: 220V-240V
- Delivered lumens output: 1312Im

### Notes

Available in four sizes and in four configurations: single, on line, 3x120° and 4x90°. Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project. Logico nano track is available with track adapter.

### DESCRIPTION

### PRODUCT CODE: 0453010A

### FEATURES

- Article Code: 0453010A
- Colour: Fumè
- Installation: Suspension
- Material: Blown glass, aluminium
- Series: Design Collection
- Environment: Indoor
- Area contract: Hospitality, Office
- Emission: Diffused And Direct
- design by: Michele De Lucchi, Gerhard Reichert

### DIMENSIONS

- Width: cm 40
- Height: cm 31
- Base Diameter: cm 18
- Max Height from ceiling: cm 200

- Category: LED RETROFIT
- Number: **1**
- Watt: 15W
- Socket: **E27**




# Logico Suspension - Silk Diffuser

### Michele De Lucchi Gerhard Reichert



### IP20 (≟) 🔣 [∭ (((() ● Dimmerable: +①-



### LUMINAIRE

- Watt: **13W**
- Voltage: 220V-240V
- Delivered lumens output: 1312Im
- Efficiency: 86%
- Efficacy: 100.92lm/W
- CRI: 80

### Notes

Available in four sizes and in four configurations: single, on line, 3x120° and 4x90°. Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project. Logico nano track is available with track adapter.

### PRODUCT CODE: 0453020A

### FEATURES

- Article Code: 0453020A
- Colour: Silk
- Installation: Suspension
- Material: Blown glass, aluminium
- Series: Design Collection
- Environment: Indoor
- Area contract: Hospitality, Office
- Emission: Diffused And Direct
- design by: Michele De Lucchi, Gerhard Reichert

### DIMENSIONS

- Width: cm 40
- Height: cm 31
- Base Diameter: cm 18
- Max Height from ceiling: cm 200

- Category: LED RETROFIT
- Number: **1**
- Watt: 15W
- Socket: **E27**




## Logico Suspension 3 In Linea - Fumè Diffuser

Michele De Lucchi Gerhard Reichert



IP20 🛓 🔣 📶 🔍 ● Dimmerable: +①-



### LUMINAIRE

- Watt: 39W
- Voltage: 220V-240V
- Delivered lumens output: 3936lm

#### Notes

Available in four sizes and in four configurations: single, on line, 3x120° and 4x90°. Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project. Logico nano track is available with track adapter.

### DESCRIPTION

### PRODUCT CODE: 0455010A

### FEATURES

- Article Code: 0455010A
- Colour: Fumè
- Installation: Suspension
- Material: Blown glass, aluminium
- Series: Design Collection
- Environment: Indoor
- Area contract: Hospitality, null, Office
- Emission: Diffused And Direct
- design by: Michele De Lucchi, Gerhard Reichert

### DIMENSIONS

- Length: cm 100
- Width: cm 40
- Height: cm 31
- Base Diameter: cm 18
- Max Height from ceiling: cm 200

- Category: LED RETROFIT
- Number: **3**
- Watt: **15W**
- Socket: **E27**




## Logico Suspension 3 In Linea - Silk Diffuser

### Michele De Lucchi Gerhard Reichert



IP20 🚖 🔣 📶 🔍 ● Dimmerable: +**0**-



### LUMINAIRE

- Watt: 39W
- Voltage: 220V-240V
- Delivered lumens output: 3936lm
- Efficiency: 86%
- Efficacy: 100.92lm/W
- CRI: 80

### Notes

Available in four sizes and in four configurations: single, on line, 3x120° and 4x90°. Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project. Logico nano track is available with track adapter.

### PRODUCT CODE: 0455020A

### FEATURES

- Article Code: 0455020A
- Colour: Silk
- Installation: Suspension
- Material: Blown glass, aluminium
- Series: Design Collection
- Environment: Indoor
- Area contract: Hospitality, null, Office
- Emission: Diffused And Direct
- design by: Michele De Lucchi, Gerhard Reichert

### DIMENSIONS

- Length: cm 100
- Width: **cm 40**
- Height: cm 31
- Base Diameter: cm 18
- Max Height from ceiling: cm 200

- Category: LED RETROFIT
- Number: **3**
- Watt: 15W
- Socket: **E27**




## Logico Suspension 3x120° - Fumè Diffuser

Michele De Lucchi Gerhard Reichert



IP20 🖶 🔣 🔠 🧰 🗰 Dimmerable: +❶-



### LUMINAIRE

- Watt: 39W
- Voltage: 220V-240V
- Delivered lumens output: 3936lm

### Notes

Available in four sizes and in four configurations: single, on line, 3x120° and 4x90°. Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project.

### DESCRIPTION

PRODUCT CODE: 0454010A

### FEATURES

- Article Code: 0454010A
- Colour: Fumè
- Installation: Suspension
- Material: Blown glass, aluminium
- Series: Design Collection
- Environment: Indoor
- Area contract: Hospitality, null, Office
- Emission: Diffused And Direct
- design by: Michele De Lucchi, Gerhard Reichert

### DIMENSIONS

- Length: cm 66
- Width: cm 66
- Height: cm 31
- Base Diameter: cm 18
- Max Height from ceiling: cm 200

- Category: LED RETROFIT
- Number: 3
- Watt: **15W**
- Socket: **E27**




## Logico Suspension 3x120° - Silk Diffuser

### Michele De Lucchi Gerhard Reichert



IP20 🚖 🔣 📶 @ ● Dimmerable: +**0**-



### LUMINAIRE

- Watt: 39W
- Voltage: 220V-240V
- Delivered lumens output: 3936lm
- Efficiency: 86%
- Efficacy: 100.92lm/W
- CRI: 80

### Notes

Available in four sizes and in four configurations: single, on line,  $3x120^{\circ}$  and  $4x90^{\circ}$ . Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project.

### PRODUCT CODE: 0454020A

### FEATURES

- Article Code: **0454020A**
- Colour: Silk
- Installation: Suspension
- Material: Blown glass, aluminium
- Series: Design Collection
- Environment: Indoor
- Area contract: Hospitality, null, Office
- Emission: Diffused And Direct
- design by: Michele De Lucchi, Gerhard Reichert

### DIMENSIONS

- Length: cm 66
- Width: **cm 66**
- Height: cm 31
- Base Diameter: cm 18
- Max Height from ceiling: cm 200

- Category: LED RETROFIT
- Number: **3**
- Watt: 15W
- Socket: **E27**

