
# Nuda Recessed Gray/white

## Ernesto Gismondi



## IP65 🔲 礟 [[][ 💌



#### LUMINAIRE

- Watt: 8W

- Voltage: **220V-240 V** 

- Delivered lumens output: 180lm

- CCT: **3000K** - Efficiency: **44%** 

- Efficacy: 22.50lm/W

#### **DESCRIPTION**

Painted aluminium unit, polycarbonate diffuser satin finish impact-resistant, UV protection, aluminum specular reflector.

#### **PRODUCT CODE: T083500**

#### **FEATURES**

Article Code: T083500Colour: Gray/whiteInstallation: Recessed

- Material: Polycarbonate, painted aluminium

- Series: Architectural Outdoor

- Environment: Outdoor

- Emission: **Direct** 

- design by: Ernesto Gismondi

#### **DIMENSIONS**

Length: cm 18Height: cm 23.5Depth: cm 5.5

- Cutout shape: Rectangular
- Impact Resistance: IK06
- Glow Wire Test: 650°

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 8W

- Color temperature (K): 3000K



#### **Accessories**



NUDA PARETE CASSAFORMA X
INCASSO T083400



## Nuda 50 Monolateral Rust


## Ernesto Gismondi



#### **DESCRIPTION**

Painted aluminium unit; satin finish methacrylate diffuser.

### IP65 🔲 礟 [fil 💌



#### LUMINAIRE

- Watt: 8W

- Voltage: **220V-240 V** 

- Delivered lumens output: 180lm

- CCT: **3000K** - Efficiency: **44%** 

- Efficacy: 22.50lm/W

#### Notes

Floor fixing with ground mounting plate

**PRODUCT CODE: T083610** 

#### **FEATURES**

- Article Code: **T083610** 

Colour: RustInstallation: Floor

- Material: Methacrylate, painted aluminium

- Series: Architectural Outdoor

- Environment: **Outdoor** 

- Emission: **Direct** 

- design by: Ernesto Gismondi

#### **DIMENSIONS**

Length: cm 16.8Width: cm 4.8Height: cm 50

Impact Resistance: **IK06**Glow Wire Test: **650°** 

#### **SOURCES INCLUDED**

Category: **Led**Number: **1** 

- Watt: 8W

- Color temperature (K): 3000K



# Nuda 50 Bilateral Anthracite gray


## Ernesto Gismondi



#### **DESCRIPTION**

Painted aluminium unit; satin finish methacrylate diffuser.

## IP65 🔲 🌃 [H] 💌



#### LUMINAIRE

- Watt: 8W

- Voltage: **220V-240 V** 

- Delivered lumens output: 147Im

- CCT: **3000K**- Efficiency: **36%** 

- Efficacy: 18.37lm/W

#### Notes

Floor fixing with ground mounting plate.

**PRODUCT CODE: T083720** 

#### **FEATURES**

Article Code: **T083720**Colour: **Anthracite gray** 

- Installation: **Floor** 

- Material: Methacrylate, painted aluminium

- Series: Architectural Outdoor

- Environment: **Outdoor** 

- Emission: **Direct** 

- design by: Ernesto Gismondi

#### **DIMENSIONS**

Length: cm 16.8Width: cm 4.8Height: cm 50

Impact Resistance: **IK06**Glow Wire Test: **650°** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1

- Watt: 8W

- Color temperature (K): 3000K




# Nuda 100 Monolateral Gray/white

## Ernesto Gismondi



## IP65 🔲 🌃 [H] 💌



#### LUMINAIRE

- Watt: **17W** 

- Voltage: 220V-240 V

- Delivered lumens output: 306lm

- CCT: **3000K**- Efficiency: **44%** 

- Efficacy: 18.00lm/W

#### Notes

Floor fixing with ground mounting plate.

#### **DESCRIPTION**

Painted aluminium unit; satin finish methacrylate diffuser.

#### **PRODUCT CODE: T083800**

#### **FEATURES**

Article Code: T083800Colour: Gray/whiteInstallation: Floor

- Material: Methacrylate, painted aluminium

- Series: Architectural Outdoor

- Environment: **Outdoor** 

- Emission: **Direct** 

- design by: Ernesto Gismondi

#### **DIMENSIONS**

Length: cm 16.8Width: cm 4.8Height: cm 100

Impact Resistance: **IK06**Glow Wire Test: **650°** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1Watt: 17W

Delivered lumens output: 515ImColor temperature (K): 3000K




## Nuda 100 Bilateral Rust

## Ernesto Gismondi



## IP65 🔲 礟 [H[ 📐



#### LUMINAIRE

- Watt: **17W** 

- Voltage: 220V-240 V

- Delivered lumens output: 250lm

- CCT: **3000K**- Efficiency: **36%** 

- Efficacy: 14.71lm/W

#### Notes

Floor fixing with ground mounting plate.

#### **DESCRIPTION**

Painted aluminium unit; satin finish methacrylate diffuser.

#### **PRODUCT CODE: T083910**

#### **FEATURES**

- Article Code: **T083910** 

Colour: RustInstallation: Floor

- Material: Methacrylate, painted aluminium

- Series: Architectural Outdoor

- Environment: **Outdoor** 

- Emission: **Direct** 

- design by: Ernesto Gismondi

#### **DIMENSIONS**

Length: cm 16.8Width: cm 4.8Height: cm 100

Impact Resistance: **IK06**Glow Wire Test: **650°** 

#### **SOURCES INCLUDED**

Category: LedNumber: 1

- Watt: **17W** 

Delivered lumens output: 515lmColor temperature (K): 3000K

