Sol spot - 30°

Marco Zanuso Jr
Christophe Mathieu

DESCRIPTION

Sol is a system entirely based on innovative optical computing principles and LED technology, made of transparent materials and characterized by simple features.Sol consists of three elements that are essential for its functioning: a lens, a mixing chamber and a heat sink.The cone-shaped light determined by the lens is large and soft, yet controlled. The mixing chamber avoids glaring that would otherwise arise from the LED left exposed behind the lens. The mixing chamber hides the LED in which is inserted due to its geometry, reflecting all the light that lands on its surfaces and redirecting it into the lens. Its radial shaped perforated face facilitates dissipation.

IP20



LUMINAIRE

- Watt: **13W**
- Delivered lumens output: **775lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **59.62lm/W**
- CRI: **80**

PRODUCT CODE: SCENARIOS

FEATURES

- Article Code: **DMZ2357C00A1**
- Colour: **Bright anodized**
- Installation: **Projector**
- Material: **Aluminium, PMMA**
- Series: **Scenarios**
- Environment: **Indoor**
- design by: **Marco Zanuso Jr, Christophe Mathieu**

DIMENSIONS

- Height: **cm 19.3**
- Diameter: **cm 10.5**
- Base Diameter: **cm 10.6**
- Weight: **kg 0.9**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) > 50000h**

We reserve the right to change our product specifications. — February 2022
Please visit www.artemide.com for the latest product information

Artemide

Sol spot - 30°

Marco Zanuso Jr
Christophe Mathieu

DESCRIPTION

Sol is a system entirely based on innovative optical computing principles and LED technology, made of transparent materials and characterized by simple features.Sol consists of three elements that are essential for its functioning: a lens, a mixing chamber and a heat sink.The cone-shaped light determined by the lens is large and soft, yet controlled. The mixing chamber avoids glaring that would otherwise arise from the LED left exposed behind the lens. The mixing chamber hides the LED in which is inserted due to its geometry, reflecting all the light that lands on its surfaces and redirecting it into the lens. Its radial shaped perforated face facilitates dissipation.

IP20



LUMINAIRE

- Watt: **13W**
- Delivered lumens output: **775lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **59.62lm/W**
- CRI: **80**

PRODUCT CODE: SCENARIOS

FEATURES

- Article Code: **DMZ2357C00A1**
- Colour: **Bright anodized**
- Installation: **Projector**
- Material: **Aluminium, PMMA**
- Series: **Scenarios**
- Environment: **Indoor**
- design by: **Marco Zanuso Jr, Christophe Mathieu**

DIMENSIONS

- Height: **cm 19.3**
- Diameter: **cm 10.5**
- Base Diameter: **cm 10.6**
- Weight: **kg 0.9**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) > 50000h**

We reserve the right to change our product specifications. — February 2022
Please visit www.artemide.com for the latest product information

Artemide

Sol spot - 45°

Marco Zanuso Jr
Christophe Mathieu

DESCRIPTION

Sol is a system entirely based on innovative optical computing principles and LED technology, made of transparent materials and characterized by simple features.Sol consists of three elements that are essential for its functioning: a lens, a mixing chamber and a heat sink.The cone-shaped light determined by the lens is large and soft, yet controlled. The mixing chamber avoids glaring that would otherwise arise from the LED left exposed behind the lens. The mixing chamber hides the LED in which is inserted due to its geometry, reflecting all the light that lands on its surfaces and redirecting it into the lens. Its radial shaped perforated face facilitates dissipation.

IP20



LUMINAIRE

- Watt: **13W**
- Delivered lumens output: **760lm**
- CCT: **3000K**
- Efficiency: **64%**
- Efficacy: **58.46lm/W**
- CRI: **80**

PRODUCT CODE: SCENARIOS

FEATURES

- Article Code: **DMZ2357C00A2**
- Colour: **Bright anodized**
- Installation: **Projector**
- Material: **Aluminium, PMMA**
- Series: **Scenarios**
- Environment: **Indoor**
- design by: **Marco Zanuso Jr, Christophe Mathieu**

DIMENSIONS

- Height: **cm 19.3**
- Diameter: **cm 10.5**
- Base Diameter: **cm 10.6**
- Weight: **kg 0.9**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) > 50000h**

We reserve the right to change our product specifications. — February 2022
Please visit www.artemide.com for the latest product information

Artemide

Sol spot - 90°

Marco Zanuso Jr
Christophe Mathieu

DESCRIPTION

Sol is a system entirely based on innovative optical computing principles and LED technology, made of transparent materials and characterized by simple features.Sol consists of three elements that are essential for its functioning: a lens, a mixing chamber and a heat sink.The cone-shaped light determined by the lens is large and soft, yet controlled. The mixing chamber avoids glaring that would otherwise arise from the LED left exposed behind the lens. The mixing chamber hides the LED in which is inserted due to its geometry, reflecting all the light that lands on its surfaces and redirecting it into the lens. Its radial shaped perforated face facilitates dissipation.

IP20



LUMINAIRE

- Watt: **13W**
- Delivered lumens output: **740lm**
- CCT: **3000K**
- Efficiency: **63%**
- Efficacy: **56.92lm/W**
- CRI: **80**

PRODUCT CODE: SCENARIOS

FEATURES

- Article Code: **DMZ2357C00A3**
- Colour: **Bright anodized**
- Installation: **Projector**
- Material: **Aluminium, PMMA**
- Series: **Scenarios**
- Environment: **Indoor**
- design by: **Marco Zanuso Jr, Christophe Mathieu**

DIMENSIONS

- Height: **cm 19.3**
- Diameter: **cm 10.5**
- Base Diameter: **cm 10.6**
- Weight: **kg 0.9**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **26W**
- Color temperature (K): **3000K**
- CRI: **90**
- Color Tolerance: **MacAdam 3SDCM**
- Service Life: **L80 (9K) > 50000h**

We reserve the right to change our product specifications. — February 2022
Please visit www.artemide.com for the latest product information

Artemide