Talo sospensione LED 120 Dimmable - Silver

Neil Poulton

IP20 ⏚ ⚡ EHC CCC CE ■ Dimmerable: +◑-

PRODUCT CODE: 1924020A

FEATURES

– Article Code: **1924020A**
– Colour: **Silver**
– Installation: **Suspension**
– Material: **Aluminium, methacrylate, polycarbonate**
– Series: **Design Collection**
– Environment: **Indoor**
– Area contract: **Hospitality, null, Retail, Office**
– Emission: **Indirect Flood/direct Dark Light**
– design by: **Neil Poulton**

DIMENSIONS

– Length: **cm 120**
– Width: **cm 7**
– Height: **cm 100**
– Base Length: **cm 49**
– Max Height from ceiling: **cm 160**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **6**
– Watt: **6.72W**
– Delivered lumens output: **1014lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **151lm/W**
– Service Life: **50000-L70**
– Category: **Led**
– Number: **1**
– Watt: **6.72W**
– Delivered lumens output: **1019lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **152lm/W**
– Service Life: **50000-L70**

LUMINAIRE

– Power Supply: **Electronic Dimmable Dsi Integrated**
– Watt: **51W**
– Voltage: **220-240V**
– Delivered lumens output: **5772lm**
– CCT: **3000K**
– Efficiency: **79%**
– Efficacy: **113.18lm/W**
– CRI: **80**
– Dimmable Typology: **Push**

Notes

Lamp included. Available mono or double tube (on the same line), in different lengths according to the power of the light source. The suspension cables are also feed cables.

We reserve the right to change our product specifications. — March 2022
Please visit www.artemide.com for the latest product information

Artemide

Talo sospensione LED 150 Dimmable - Matte Black

Neil Poulton

IP20 ⏚ ⊠ 〔EAC〕 ⓒⓒⓒ CE ◼ Dimmerable: +◑-

490
min 1000 - max 1600
70
1505

LUMINAIRE

– Power Supply: **Electronic Dimmable Dsi Integrated**
– Watt: **63W**
– Voltage: **220-240V**
– Delivered lumens output: **6711lm**
– CCT: **3000K**
– Efficiency: **79%**
– Efficacy: **106.52lm/W**
– CRI: **80**
– Dimmable Typology: **Push**

Notes

Lamp included. Available mono or double tube (on the same line), in
different lengths according to the power of the light source. The
suspension cables are also feed cables.

PRODUCT CODE: 1926080A

FEATURES

– Article Code: **1926080A**
– Colour: **Matte Black**
– Installation: **Suspension**
– Material: **Aluminium, methacrylate, polycarbonate**
– Series: **Design Collection**
– Environment: **Indoor**
– Area contract: **Hospitality, null, Retail, Office**
– Emission: **Indirect Flood/direct Dark Light**
– design by: **Neil Poulton**

DIMENSIONS

– Length: **cm 150**
– Width: **cm 7**
– Height: **cm 100**
– Base Length: **cm 49**
– Max Height from ceiling: **cm 160**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **9**
– Watt: **6.22W**
– Delivered lumens output: **951lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **153lm/W**
– Service Life: **50000-L70**

We reserve the right to change our product specifications. — March 2022
Please visit www.artemide.com for the latest product information

Artemide

Talo sospensione LED 90 Dimmable - Silver

Neil Poulton

IP20 ⏚ ⚡ EHC CCC CE ● Dimmerable: +◐-

490
min 1000 - max 1600
905
70

PRODUCT CODE: 1922020A

FEATURES

– Article Code: **1922020A**
– Colour: **Silver**
– Installation: **Suspension**
– Material: **Aluminium, methacrylate, polycarbonate**
– Series: **Design Collection**
– Environment: **Indoor**
– Area contract: **Hospitality, null, Retail, Office**
– Emission: **Indirect Flood/direct Dark Light**
– design by: **Neil Poulton**

DIMENSIONS

– Length: **cm 90**
– Width: **cm 7**
– Height: **cm 100**
– Base Length: **cm 49**
– Max Height from ceiling: **cm 160**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **5**
– Watt: **6W**
– Delivered lumens output: **914lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **153lm/W**
– Service Life: **50000-L70**

LUMINAIRE

– Power Supply: **Electronic Dimmable Dsi Integrated**
– Watt: **32W**
– Voltage: **220-240V**
– Delivered lumens output: **3707lm**
– CCT: **3000K**
– Efficiency: **79%**
– Efficacy: **115.84lm/W**
– CRI: **80**
– Dimmable Typology: **Push**

Notes

Lamp included. Available mono or double tube (on the same line), in different lengths according to the power of the light source. The suspension cables are also feed cables.

We reserve the right to change our product specifications. — March 2022
Please visit www.artemide.com for the latest product information

Artemide

Talo sospensione LED 120 - Matte Black

Neil Poulton

IP20 ⏚ ⬦ EHI ⓒⓒⓒ CE ◨

PRODUCT CODE: 1923080A

FEATURES

– Article Code: **1923080A**
– Colour: **Matte Black**
– Installation: **Suspension**
– Material: **Aluminium, methacrylate, polycarbonate**
– Series: **Design Collection**
– Environment: **Indoor**
– Area contract: **Hospitality, null, Retail, Office**
– Emission: **Indirect Flood/direct Dark Light**
– design by: **Neil Poulton**

DIMENSIONS

– Length: **cm 120**
– Width: **cm 7**
– Height: **cm 100**
– Base Length: **cm 49**
– Max Height from ceiling: **cm 160**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **7**
– Watt: **6.72W**
– Delivered lumens output: **1014lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **151lm/W**
– Service Life: **50000-L70**

490
min 1000 - max 1600
1205
70

LUMINAIRE

– Watt: **51W**
– Voltage: **220-240V**
– Delivered lumens output: **5772lm**
– CCT: **3000K**
– Efficiency: **79%**
– Efficacy: **113.18lm/W**
– CRI: **80**

Notes

Lamp included. Available mono or double tube (on the same line), in different lengths according to the power of the light source. The suspension cables are also feed cables.

Artemide

Talo sospensione LED 150 - Silver

Neil Poulton

IP20 ⏚ ⚡ EHI CCC CE ▣

490
min 1000 - max 1600
70
1505

LUMINAIRE

– Watt: **60W**
– Voltage: **220-240V**
– Delivered lumens output: **6711lm**
– CCT: **3000K**
– Efficiency: **79%**
– Efficacy: **111.84lm/W**
– CRI: **80**

Notes

Lamp included. Available mono or double tube (on the same line), in different lengths according to the power of the light source. The suspension cables are also feed cables.

PRODUCT CODE: 1925020A

FEATURES

– Article Code: **1925020A**
– Colour: **Silver**
– Installation: **Suspension**
– Material: **Aluminium, methacrylate, polycarbonate**
– Series: **Design Collection**
– Environment: **Indoor**
– Area contract: **Hospitality, null, Retail, Office**
– Emission: **Indirect Flood/direct Dark Light**
– design by: **Neil Poulton**

DIMENSIONS

– Length: **cm 150**
– Width: **cm 7**
– Height: **cm 100**
– Base Length: **cm 49**
– Max Height from ceiling: **cm 160**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **9**
– Watt: **6.22W**
– Delivered lumens output: **951lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **153lm/W**
– Service Life: **50000-L70**

We reserve the right to change our product specifications. — March 2022
Please visit www.artemide.com for the latest product information

Artemide

Talo sospensione LED 90 - Matte Black

Neil Poulton

IP20

PRODUCT CODE: 1921080A

FEATURES

– Article Code: **1921080A**
– Colour: **Matte Black**
– Installation: **Suspension**
– Material: **Aluminium, methacrylate, polycarbonate**
– Series: **Design Collection**
– Environment: **Indoor**
– Area contract: **Hospitality, null, Retail, Office**
– Emission: **Indirect Flood/direct Dark Light**
– design by: **Neil Poulton**

DIMENSIONS

– Length: **cm 90**
– Width: **cm 7**
– Height: **cm 100**
– Base Length: **cm 49**
– Max Height from ceiling: **cm 160**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **5**
– Watt: **6W**
– Delivered lumens output: **909lm**
– Color temperature (K): **3000K**
– CRI: **80**
– Color Tolerance: **MacAdam 3SDCM**
– Efficacy: **152lm/W**
– Service Life: **50000-L70**

LUMINAIRE

– Watt: **32W**
– Voltage: **220-240V**
– Delivered lumens output: **3707lm**
– CCT: **3000K**
– Efficiency: **79%**
– Efficacy: **115.84lm/W**
– CRI: **80**

Notes

Lamp included. Available mono or double tube (on the same line), in different lengths according to the power of the light source. The suspension cables are also feed cables.

We reserve the right to change our product specifications. — March 2022
Please visit www.artemide.com for the latest product information

Artemide