

## Product Information

# VARIUS HIGH CHAIR

Design Prof. Matthias Rexforth



### **VARIUS | Model 1370 – 1371 bar stool**

VARIUS – clear outlines characterize the range designed by Prof. Matthias Rexforth. The elegance of the design allows the discreet integration of the bar stool into different architectural environments, completing and elegantly complementing the VARIUS model range.

## Areas of use

---

**SEMINARS | MEETINGS | CONGRESSES | CAFETERIAS | RESTAURANTS + BANQUET |  
MULTIFUNCTIONAL USE | LIVING |**

VARIUS implements a wide range of material and colour concepts with equal amounts of ease and style. Its wide colour range, in combination with partial upholstery and full upholstery options, creates a virtually unlimited number of possibilities.

## Frame

---

4-foot frame made from Ø 16 x 2 mm tubular steel (Zste420). The upper sections of the rear legs are formed (bent) with a R 27 mm interior curvature. 25 x 8 mm flat-steel frame ribs have been equipped with drill holes to accommodate the seat shell. Frame and foot support made from Ø 16 x 2 mm tubular steel (Zste420). The Ø 12 mm lateral connecting bars have been welded to the frame (through metal active gas welding).

## Frame surfaces

---

Base standard chromium-plated, if desired powder-coated according BRUNE collection.

We wish you to point out that the powder-coated of the foot support can be damage by utilization, these are excluded from any warranty.

## Seat shell

---

Ergonomically shaped, one-piece shell made from beech plywood, approx. 9 mm thick, with multiple layers of glue. Fastened to the plywood shell at the lower frame with flat-head screws and threaded nuts (concealed). The standard version of the back support is approx. 200 mm high.

## Wooden surfaces

---

Wooden elements made from beech wood, with natural varnish (low-solvent water varnish) in the standard version. Optionally stained according to the BRUNE® collection.

## Upholstery

---

Seats are optionally available with partial upholstery or fully upholstered shell, fabric cover according to the BRUNE® collection, fabric categories 3, 4, 6, 7 or 8.

Seat cushion foam: SG/CH 35/50 approx. 15 mm thick

SG = specific gravity, weight per m<sup>3</sup>. CH = compression hardness (e.g.: 50 ± approx. 50 g/cm<sup>2</sup> at a compression level of 40 %)

## Gliders


---

Standard version: Plastic gliders  
Optionally: Felt gliders

## Dimensions | 1370 without armrests

---

Dimensions:            B            55 cm  
                              T            57 cm  
                              H            96 cm  
                              SH          77 cm



Weights:                                7,5 kg  
    8,0 kg (incl. seat cushion)  
    8,0 kg (incl. fully upholstered seat shell)

## Stackability

---

Stacking type:                        front stacking, 5 stackable chairs  
Required floor space:  
Length:                                 70 cm  
Width:                                  55 cm  
Height:                                 120 cm

## Certificates

---



Quality management in  
accordance with  
DIN EN ISO 9001



Environmental management  
system in accordance with  
DIN EN ISO 14001