

LASVIT Technical Sheet


CRYSTAL ROCKS COLLECTION

DESIGNER: Arik Levy

YEAR OF DESIGN: 2014

MATERIAL: Hand Blown Bohemian Crystal Glass

Not from the Stone Age but closer to Kryptonite, Crystal Rock appears in the cave of the future as an ambassador of the fusion between nature and man, light and reflection, transparency and mass.



PACKAGING

Crystal rock single

Size: 340 × 220 × 200 mm

Total weight: 5 kg

Pallet 1200 × 800 × 1200 mm: 60 pcs

Crystal rock 3

Size: 460 × 320 × 200 mm

Total weight: 9 kg

Pallet 1200 × 800 × 1200 mm: 25 pcs

Crystal rock 5

Size: 550 × 420 × 200 mm

Total weight: 15 kg

Pallet 1200 × 800 × 1200 mm:
20 pcs



LASVIT Technical Sheet

CRYSTAL ROCKS COLLECTION

TECHNICAL DETAILS

C.R. SINGLE PENDANT, RAW

Type	CE	UL
Light source	G4 LED, 2W, 2700K Lm 200 CRI 80 no dimmable	G4 LED, 2,5W, 2700K Lm 230 CRI 80 no dimmable
Input voltage	230V AC, 50Hz	100–120V AC, 50–60Hz
Rated power	2W	2,3W
Ballast	trailing edge	
Cord color	coaxial cable 2 × 0,75 mm ² silicone, braiding tinned	
Cord length	2500mm/98½" adjustable	
Canopy color	white matt	
Prot. rating	IP 20	
Safety class	CLASS I	

LASVIT Technical Sheet

CRYSTAL ROCKS COLLECTION

TECHNICAL DETAILS C. R. 3, RAW

Type	CE	UL
Light source	3 × G4 LED, 2W, 2700K Lm 200 CRI 80 dimmable	3 × G4 LED, 2,5W, 2700K Lm 230 CRI 80 dimmable
Input voltage	230VAC	100–120V AC, 50–60Hz
Rated power	6W	7,5W
Ballast	trailing edge	
Cord color	coaxial cable 2 × 0,75 mm ² silicone, braiding tinned	
Cord length	2500mm/98½" adjustable	
Canopy color	white matt	
Prot. rating	IP 20	
Safety class	CLASS I	

LASVIT Technical Sheet

CRYSTAL ROCKS COLLECTION


TECHNICAL DETAILS C. R. 5, RAW

Type	CE	UL
Light source	5 × G4 LED, 2W, 2700K Lm 200 CRI 80 dimmable	5 × G4 LED, 2,3W, 2700K Lm 230 CRI 80 dimmable
Input voltage	230V AC	100–120V AC, 50–60Hz
Rated power	10W	12,5W
Ballast	trailing edge	
Cord color	coaxial cable 2 × 0,75 mm ² silicone, braiding tinned	
Cord length	2500mm/98½" adjustable	
Canopy color	white matt	
Prot. rating	IP 20	
Safety class	CLASS I	

LASVIT Technical Sheet

CRYSTAL ROCKS COLLECTION

TECHNICAL DRAWING



Name	Dia (mm/inch)	H / +L (mm/inch)	Z (mm/inch)	V (mm/inch)
CR 1	130/5 $\frac{1}{8}$ "	180/7 $\frac{1}{16}$ "	177/7" × 157/6 $\frac{3}{16}$ "	36/1 $\frac{7}{16}$ "
CR 3	260/10 $\frac{1}{4}$ "	180/7 $\frac{1}{16}$ "	260/10 $\frac{1}{4}$ " × 240/9 $\frac{7}{16}$ "	36/1 $\frac{7}{16}$ "
CR 5	360/14 $\frac{3}{16}$ "	180/7 $\frac{1}{16}$ "	357/14 $\frac{1}{16}$ " × 313/12 $\frac{5}{16}$ "	36/1 $\frac{7}{16}$ "

LASVIT Technical Sheet

Name	Glass color	Item ID – CE	Item ID – UL	Weight (approx.)
CR Pendant Single	clear	CL017PA-1CE00-0110S1	CL017PA-1UL00-0110S1	3kg/6,6lb
CR Pendant Single	opal	CL017PA-1CE00-0210S1	CL017PA-1UL00-0210S1	3kg/6,6lb
CR Pendant Single	amber	CL017PA-1CE00-0410S1	CL017PA-1UL00-0410S1	3kg/6,6lb
CR Pendant Single	red	CL017PA-1CE00-0710S1	CL017PA-1UL00-0710S1	3kg/6,6lb
CR Pendant Single	blue	CL017PA-1CE00-0810S1	CL017PA-1UL00-0810S1	3kg/6,6lb
CR Pendant Cluster of 3	–	CL017PB-1CE00-0010C1	CL017PB-1UL00-0010C1	7kg/15,4lb
CR Pendant Cluster of 5	–	CL017PC-1CE00-0010C1	CL017PC-1UL00-0010C1	10kg/22lb
CR Pendant Single Raw	clear	CL017PD-1CE00-0110S1	CL017PD-1UL00-0110S1	3kg/6,6lb
CR Pendant Single Raw	opal	CL017PD-1CE00-0210S1	CL017PD-1UL00-0210S1	3kg/6,6lb
CR Pendant Single Raw	light amber	CL017PD-1CE00-0410S1	CL017PD-1UL00-0410S1	3kg/6,6lb
CR Pendant Single Raw	red	CL017PD-1CE00-0710S1	CL017PD-1UL00-0710S1	3kg/6,6lb

LASVIT Technical Sheet

Name	Glass color	Item ID – CE	Item ID – UL	Weight (approx.)
CR Pendant Single Raw	blue	CL017PD-1CE00-0810S1	CL017PD-1UL00-0810S1	3kg/6,6lb
CR Pendant Cluster of 3 Raw	–	CL017PE-1CE00-0010C1	CL017PE-1UL00-0010C1	7kg/15,4lb
CR Pendant Cluster of 5 Raw	–	CL017PF-1CE00-0010C1	CL017PF-1UL00-0010C1	10kg/22lb

**EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED.
TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE
OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE**