


LASVIT Technical Sheet

UOVO COLLECTION

DESIGNER: Rony Plesl

YEAR OF DESIGN: 2011

Like something from a fairytale, Uovos – eggs – sparkle like a radiant and mystical gem in a faraway land. These reflective art glass lighting sculptures shine like a mountain of precious rounded mirrors, capturing nearby objects and multiplying them to infinity. Uovos exudes matchless charm and creativity due to the fact that it's been designed in two pieces with exceptional technique. One of the sculptures, Uovo d'argento, comprises silver eggs, handcrafted by silvering clear blown-glass components from the inside. The matching piece, Uovo d'oro, features golden eggs, with the colouring achieved by silvering the insides of amber glass components. At the large version the finished designs are nearly two meters high, 1.2 metres wide, and 130 kilograms in weight. There is also smaller version of the Uovo designs available



PACKAGING

Uovo S

Pallet 970 × 970 × 660 mm: 81 kg

Pallet 1200 × 80 × 950 mm: 96 kg

Uovo L

Pallet 1280 × 800 × 1350 mm: 97 kg

Wooden box for metal frame:

1320 × 720 × 520 mm: 100 kg

LASVIT Technical Sheet

UOVO COLLECTION

TECHNICAL DETAILS UOVO S

| Type | CE | UL |
|----------------------------------|--|--|
| Light source | 5 × LED GU10 7,5W 2700K or 4000K + 4 × LED G9 2,3W 2700K | 5 × LED GU10 7,5W 2700K or 4000K + 4 × LED G9 4,5W 2700K |
| Input voltage | 230V AC | 110V AC |
| Rated power | 47W | 55,5W |
| Surface finish of metal frame | st.steel, golden mirror, black mirror | |
| Dimming | trailing edge | |
| Prot. rating | IP 20 | |
| Safety class | CLASS I | |

LASVIT Technical Sheet

UOVO COLLECTION

TECHNICAL DETAILS UOVO L

| Type | CE | UL |
|----------------------------------|---|---|
| Light source | 10 × LED GU10 7,5W 2700K or 4000K + 4 × LED G9 2,3W 2700K | 10 × LED GU10 7,5W 2700K or 4000K + 4 × LED G9 4,5W 2700K |
| Input voltage | 230V AC | 110V AC |
| Rated power | 84W | 93W |
| Surface finish of metal frame | st.steel, golden mirror, black mirror | |
| Dimming | trailing edge | |
| Prot. rating | IP 20 | |
| Safety class | CLASS I | |



LASVIT Technical Sheet

UOVO COLLECTION

TECHNICAL DRAWING

Uovo S

Uovo L



| Name | Dia (mm/inch) | H/OH (mm/inch) | Z (mm/inch) | V (mm/inch) |
|---------------|---------------------------------------|--|---------------------------------------|------------------------------------|
| Uovo S | 880/34 ⁵ / ₈ " | H 1200/47 ¹ / ₄ " OH 1500/59 ¹ / ₁₆ " | 800/31 ¹ / ₂ " | 80/3 ¹ / ₈ " |
| Uovo L | 1200/47 ¹ / ₄ " | H 1637/64 ⁷ / ₁₆ " OH 3900/153 ⁹ / ₁₆ " | 1200/47 ¹ / ₄ " | 80/3 ¹ / ₈ " |

LASVIT Technical Sheet

| Name | Glass color | Item ID – CE | Item ID – UL | Weight (approx.) |
|---------------|--------------------|--------------------------|--------------------------|-------------------------|
| Uovo S | gold | CL002SA- 1CE00-2306S1 | CL002SA- 1CE00-2403S1 | 100kg/220lb |
| Uovo S | silver | CL002SA- 1CE00-2403S1 | CL002SA- 1UL00-2403S1 | 100kg/220lb |
| Uovo S | perla nera | CL002SA- 1CE00-2507S1 | CL002SA- 1UL00-2507S1 | 100kg/220lb |
| Uovo L | gold | CL002SB- 1CE00-2306S1 | CL002SB- 1UL00-2306S1 | 150kg/330lbc |
| Uovo L | silver | CL002SB- 1CE00-2403S1 | CL002SB- 1UL00-2403S1 | 150kg/330lbc |
| Uovo L | perla nera | CL002SB- 1CE00-2507S1 | CL002SB- 1UL00-2507S1 | 150kg/330lbc |

**EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED.
TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE
OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE**