

Handleless compact combi steam oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.



- Large touch display with proximity sensor – M Touch + MotionReact
- Perfect results DualSteam technology
- Crispy outside, succulent inside combination cooking
- Miele@home network-enabled WiFi appliance + Mix & Match
- Easy cleaning PerfectClean stainless steel oven compartment

EAN: 4002516137535 / Material number: 11094670 / Old Material Number: 23784552GB

Construction type and design	
Combination steam oven	•
ArtLine	•
Handleless	<u>•</u>
Appliance Colour	Brilliant whit
Convenience features	
Rapid heat-up	
Pre-heating	<u> </u>
External steam generation	<u>•</u>
Oxygen sensor	<u>•</u>
Individual humidity settings in combination cooking	•
Menu cooking without transfer of taste	
Prepare plated meals with "Mix & Match"	•
Automatic programmes with programmable settings for cooking results	•
Keeping warm	•
Crisp function	•
Operating modes	
Defrosting	•
Automatic programmes	•
Country-specific automatic programmes	•
Combination cooking	•
Combination cooking with Fan plus	•
Combination cooking with Conventional heat	•
Combination cooking with grill	•
Steam cooking	•
Reheat	•
Roast with moisture	•
Grill operating modes	•
Grill	•
Economy grill	•
Fan plus	•
Intensive bake	•
Cake plus	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Eco fan heat	•
Eco steam cooking	•
Plate warming	•
Special applications	•
User convenience	
Networking with Miele@home	•
Display	M Touch
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	



Handleless compact combi steam oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.



EAN: 4002516137535 / Material number: 11094670 / Old Material Number: 23784552GB

SoftOpen	•
Touch2Open	•
MultiLingua	•
MyMiele	•
Help function	•
Motorised lift-up control panel with SoftClose	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking	•
Steam reduction before end of programme	•
Polyphonic buzzers	•
Timer functions	•
Time of day display	•
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
	•
Target temperature display Buzzer when desired temperature is reached	•
	•
Recommended temperature	•
User programmes	•
Individual settings	<u>-</u>
MotionReact proximity/movement sensor DG	•
Efficiency and sustainability	0.5
Power rating in off mode in W	0.5
Power rating in standby mode in W	1.0
Power rating in networked standby in W	2.0
Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20
Time until automatic switch to off mode in min	20
Cleaning convenience	
Stainless-steel oven compartment with linen structure and	•
PerfectClean	•
Hinged grill element	
External steam generator	•
Floor heater for condensate reduction	•
Maintenance programmes	·
Soak programme	•
Rinse programme	- <u>•</u>
Oven compartment drying programme	•
	•
Quick-release side racks	
Removable stainless-steel side racks	•
Removable stainless-steel side racks Descaling	•
Removable stainless-steel side racks Descaling CleanGlass door	-
Removable stainless-steel side racks Descaling CleanGlass door Steam technology and Water supply	•
Removable stainless-steel side racks Descaling CleanGlass door Steam technology and Water supply DualSteam	•
Removable stainless-steel side racks Descaling CleanGlass door Steam technology and Water supply	•



Handleless compact combi steam oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.

EAN: 4002516137535 / Material number: 11094670 / Old Material Number: 23784552GB

Safety		
Appliance cooling system and touch-cool front	•	
Safety switch-off	•	
System lock	•	
Vapour cooling system	•	
Sensor lock	•	
Technical data		
XL oven compartment	•	
Oven compartment volume in I	48	
No. of shelf levels	3	
Dimensions (W x H x D) in mm	595 x 456 x 569	
Numbered shelf levels	•	
Door hinge	Bottom	
Oven light	BrilliantLight	
Oven temperature regulation min. in °C	30	
Oven temperature regulation max. in °C	225	
Electronic steam oven temperature regulation min. in °C	40	
Electronic steam oven temperature regulation max. in °C	100	
Niche width min. in mm	560	
Niche width max. in mm	568	
Niche height min. in mm	450	
Niche height max. in mm	452	
Niche depth in mm	555	
Appliance width in mm	595	
Appliance height in mm	456	
Appliance depth in mm	569	
Dimensions (W x H x D) in mm	595 x 456 x 569	
Weight in kg	39.7	
Total rated load in kW	3.40	
Voltage in V	230	
Frequency in Hz	50-60	
Number of phases	1	
Fuse rating in A	16	
Mains cable with plug	•	
Length of supply lead in m	2	
Length of water inlet hose in m	2.0	
Length of water drain hose in m	3.0	
Replacing lamps	Customer Service	
Accessories supplied		
Universal tray with PerfectClean	1	
Baking and roasting rack with PerfectClean	1	
FlexiClip runners with PerfectClean	1	
Removable PerfectClean side runners (pair)	1	
No. of perforated stainless-steel cooking container	2	
No. of solid stainless-steel cooking containers	1	
Descaling tablets	2	



Handleless compact combi steam oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.



EAN: 4002516137535 / Material number: 11094670 / Old Material Number: 23784552GB

Available display languages

Available display languages through MultiLingua


bahasa malaysia, dansk, deutsch, english, español, français, hrvatski, italiano, magyar, nederlands, norsk, polski, português, pycский, română, slovenčina, slovenščina, srpski, suomi, svenska, türkçe, українська, čeština, ελληνικά, , , , ,


,


Míele

DGC 7845X

Handleless compact combi steam oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.









ESW7x20, DGC7x4xHCPro, DGC7x4xHCXPro installation drawings

ESW7x10, DGC7x4xHCPro, DGC7x4xHCXPro, installation drawings


DG7x4x, DGM7x4x, DGC7x4x, DGC7x4xX, DGC7x4xHCPro, DGC7x4xHCXPro installation drawings




DGC7x4x, DGC7x4xX, DGC7x4xHCPro, DGC7x4xHCXPro installation drawings




DGC7x4x, DGC7x4xX installation drawings



DGC7x4x, DGC7x4x-55, DGC7xxx, DGC7x4xHCPro, DGC7x4xHCXPro installation drawings





DGC7x4x, DGC7x4xX, DGC7x4xHCPro, DGC7x4xHCXPro installation drawings

DGC7445, DGC7645, DGC7845, DGC7845X – installation drawing – GB, AU

1) Front view, 2) Mains connection cable, L=2,000 mm, 3) Water inlet hose (stainless steel), L=2,000 mm, 4) Water drain hose (plastic), L=3,000 mm, The ascending end of the water drain hose up to the connection to the siphon must not be higher than 500 mm., 5) Ventilation cut-out min. 180 cm²., 6) aeration and deaeration, 7) no connection in this area