

DA 7378 D Aura 4.0 Ambient Island cooker hood

With smart control exclusively via Con@ctivity 3.0 and Miele@mobile app.



- Elegant design like the shape of a ceiling lamp w. motorised fins
- Customisable colour lighting – MyAmbientLight
- Unique moisture removal function – HumidityBalance
- Exclusive fragrance function – AmbientFragrance
- Special suspended mounting on chic cables & built-in power supply

A⁺

EAN: 4002516305972 / Material number: 11409230 / Old Material Number: 28737835GB

Construction type	
Island cooker hood	•
Operating modes	
Type of air guide	Recirculation
Design	
Colour	Brilliant white
Variable height available as customisation on request	•
User convenience	
Miele@home	•
Automatic function Con@ctivity 3.0 (WiFi)	•
Electronic controls	•
Miele@mobile app	•
Power levels (number without Booster level)	3
Run-on time 5/15 min.	•
Programmable Booster level switch-off	•
Grease filter saturation indicator	•
Grease filter saturation indicator programmable	•
Active charcoal filter saturation indicator programmable	•
Motor-operated cooker hoods	•
AmbientFragrance	•
HumidityBalance	•
Efficiency and sustainability	
Energy efficiency class (A+++ to D)	A+
Annual energy consumption in kWh/year	31.6
Fluid dynamic efficiency class	A
Lighting efficiency class	A
Grease filtering efficiency class	A
ECO motor	•
PowerManagement system	•
Cleaning convenience	
Easy-to-clean canopy interior – CleanCover	•
Filter system	
Number of dishwasher-safe stainless steel grease filters (10-ply)	1
Lighting	
LED	•
Number x W	2x5 W / 2x7,7 W
Light intensity in Lx	350 lx
Colour temperature in K	3500 Kelvin
Dimmer function	•
Ambient lighting colour	•
Blower	
Dual-action blower	•
DC motor	•
Recirculation	
Air throughput in Level 1 (m ³ /h) according to EN 61591	240
Air throughput in Level 2 (m ³ /h) according to EN 61591	380
Air throughput in Level 3 (m ³ /h) according to EN 61591	440
Air throughput in Booster level (m ³ /h) according to EN 61591	600

DA 7378 D Aura 4.0 Ambient Island cooker hood

With smart control exclusively via Con@ctivity 3.0 and Miele@mobile app.




EAN: 4002516305972 / Material number: 11409230 / Old Material Number: 28737835GB

Sound power in Level 1 (dB(A) re 1 pW) according to EN 60704-3	53.0
Sound power in Level 2 (dB(A) re 1 pW) according to EN 60704-3	63.0
Sound power in Level 3 (dB(A) re 1 pW) according to EN 60704-3	66.0
Sound power in Booster level (dB(A) re 1 pW) acc. to EN 60704-3	73.0
Sound pressure in Level 1 (dB(A) re 20 µPa) according to EN 60704-2-13	39.0
Sound pressure in Level 2 (dB(A) re 20 µPa) according to EN 60704-2-13	49.0
Sound pressure in Level 3 (dB(A) re 20 µPa) according to EN 60704-2-13	52.0
Sound power in Booster level (dB(A) re 20 µPa) acc. to EN 60704-2-13	59.0
Safety	
Safety switch-off	•
Technical data	
Canopy width in mm	700
Overall height for recirculation in in. (mm)	700
Overall height for recirculation mode cooker hoods in mm	1000
Canopy height in mm	440
Canopy depth in mm	500
Canopy height of round cooker hoods in mm	440
Net weight in kg	24.6
Canopy diameter in mm	500
Minimum height above electric hobs in mm	450
Total rated load in kW	0.13
Hard-wired connection	•
Voltage in V	230
Fuse rating in A	10
Frequency in Hz	50
Number of phases	1
Installation notes	
Fitting template	•
Combination with WiFi-enabled Miele hob	required
Accessories supplied	
Fragrance flacon	•
Active charcoal filter, can be reactivated	•
Dehumidifying filter	•
Optional accessories	
Active charcoal filter	Nein
Active charcoal filter, can be reactivated	DKF 28-R
SummerGarden fragrance flacon	•
MintyFields fragrance flacon	•
FrenchBakery fragrance flacon	•

DA 7378 D Aura 4.0 Ambient

Island cooker hood

With smart control exclusively via Con@ctivity 3.0 and Miele@mobile app.



DA 7378 D – (installation drawings)

1) Cut-out for feeding through the mains cable