

KD 4172 E Active Freestanding fridge-freezer with DailyFresh, DuplexCool & ComfortFrost for an affordable entry-level price.



- Spacious drawer with moisture control – DailyFresh
- Two separate air circuits for optimum cooling – DuplexCool
- Less frequent defrosting thanks to ComfortFrost
- More space for particularly large frozen food – XXL box
- Handle-less design thanks to an integrated handle design



Appliance category Fridge-freezer Construction type Freestanding appliance Door hinge Right convertible Convertible door hinging Design Casing colour White Front colour White Refrigeration section lighting LED User convenience Freshness system DailyFresh ComfortFrost VarioRoom Controls Operating concept EasyControl Kühltemperatur Precise adjustment Independent temperature regulation of fridge and freezer No zones SuperFreeze No. of temperature zones 2 Fridge/Fridge section No. of shelves 4 Chrome-plated metal bottle rack No. of crisper drawers 1 Number of inner door racks for tinned food 2 Door rack for bottles 1 Door shelves 3 Freezer/Freezer section Number of freezer drawers 3 including XXL box 1 Efficiency and sustainability Energy efficiency class (A-G) Annual energy consumption in kWh 233.00 Energy consumption in 24 h in kWh 0.63 Safety Acoustic door alarm Technical data Niche depth in mm 550 Appliance width in mm 600 Appliance height in mm 1860 Appliance depth in mm 650 Weight in kg 68.8 SN-T Climate class Refrigerator compartment in I 214 4* freezer compartment in I 94 Total usable capacity in I 308 Storage time in case of fault in h 17 Freezer capacity in kg/24 h 4.50 Noise class (A-D) С

EAN: 4002516572398 / Material number: 12057230 / Old Material Number: 38417254GB



KD 4172 E Active Freestanding fridge-freezer with DailyFresh, DuplexCool & ComfortFrost for an affordable entry-level price.




EAN: 4002516572398 / Material number: 12057230 / Old Material Number: 38417254GB

Sound power in dB(A) re 1 pW	39
Current consumption (mA)	900
Voltage in V	220-240
Fuse rating in A	13
Number of phases	1
Frequency in Hz	50
Length of supply lead in m	2.4
Replacing lamps	Customer Service
Accessories supplied	
Egg tray	•
Ice cube trav	•




KD 4172 E Active Freestanding fridge-freezer


with DailyFresh, DuplexCool & ComfortFrost for an affordable entry-level price.



KF4372CD, KD4172E Active, KD4072E Active, installation sketch (installation drawings)



KF4372CD, KF4392CD, KD4050E Active, KD4052E Active, KD4072E Active, KD4172E Active, top view (installation drawings)



KDN4071E, KDN4074E, KDN4174E, KD4050E, KD4052E, KD4072E, KD4172E, connection sketch (footnote*) (installation drawings)

 $^{\star}1.$ View from the front, 2. Mains connection cable, L 2400 mm