

F 32202 i Built-in freezer with VarioRoom and four freezer drawers for maximum convenience.



- Freezer compartment can be increased in size with-VarioRoom
- Rapid and gentle freezing of food Super freeze
- Acoustic alarm for the freezer section audible alert



EAN: 4002515203132 / Material number: 09430570 / Old Material Number: 37322020EU1

A P	
Appliance category	
Freezer	•
Construction type	
Built-in appliance	<u>•</u>
Integrated appliance	•
Door hinge	right
Convertible door hinging	•
User convenience	
ComfortFrost	
VarioRoom	•
Controls	
Operating concept	PicTronic
Independent temperature regulation of fridge and freezer zones	No
SuperFreeze	•
No. of temperature zones	1
Freezer/Freezer section	
Number of freezer drawers	4
Efficiency and sustainability	
Energy efficiency class (A-G)	E
Annual energy consumption in kWh	178.44
Energy consumption in 24 h in kWh	0.48
Safety	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm	•
Optical temperature alarm	•
Optical temperature alarm Technical data	•
Technical data	560
Technical data Niche width in mm min.	560 570
Technical data Niche width in mm min. Niche width in mm max.	570
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min.	570 874
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max.	570 874 890
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm	570 874 890 550
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm	570 874 890 550 559
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm	570 874 890 550 559 872
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm	570 874 890 550 559 872 544
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg	570 874 890 550 559 872 544 37.1
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology	570 874 890 550 559 872 544 37.1 Fixed door
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg	570 874 890 550 559 872 544 37.1 Fixed door
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 4.80
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h Noise class (A–D)	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 4.80 B
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h Noise class (A–D) Sound power in dB(A) re 1 pW	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 4.80 B 35
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h Noise class (A–D) Sound power in dB(A) re 1 pW Current consumption (mA)	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 4.80 B 35 1300
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h Noise class (A–D) Sound power in dB(A) re 1 pW Current consumption (mA)	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 10 4.80 B 35 1300 220-240
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h Noise class (A–D) Sound power in dB(A) re 1 pW Current consumption (mA) Voltage in V Fuse rating in A	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 10 4.80 B 35 1300 220-240 10
Technical data Niche width in mm min. Niche width in mm max. Niche height in mm min. Niche height in mm max. Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Weight in kg Door hinge technology Max. door front weight – freezer, in kg Climate class 4* freezer compartment in I Total usable capacity in I Storage time in case of fault in h Freezer capacity in kg/24 h Noise class (A–D) Sound power in dB(A) re 1 pW Current consumption (mA)	570 874 890 550 559 872 544 37.1 Fixed door 16 SN-T 100 100 10 4.80 B 35 1300 220-240



F 32202 i Built-in freezer with VarioRoom and four freezer drawers for maximum convenience.




EAN: 4002515203132 / Material number: 09430570 / Old Material Number: 37322020EU1

Frequency in Hz	50
Length of supply lead in m	2.1
Replacing lamps	Customer Service
Accessories supplied	
Ice cube tray	•



F 32202 i Built-in freezer with VarioRoom and four freezer drawers for maximum convenience.



K32443iF, K32423i, K32242iF, K32243iF, K32222i, K32223i, K32232i, F32202i, FN32402i