

G 7380 SCVi FF Fully integrated dishwashers for perfect gaps and joints in the kitchen thanks to FrontFit



- Best energy efficiency class A energy-saving and eco-friendly
- Completely dry Miele AutoOpen drying
- Fresh water dishwashers as little as ?? water consumed in Automatic programme
- Very easy door opening and closing ComfortClose
- Convenient, great results and perfect for everyday use ExtraComfort baskets



| Available display languages | | |
|---|---|--|
| Available display languages via MultiLingua | bahasa malaysia, deutsch, english (AU), english (GB), ???????, ???? | |
| Model | | |
| Fully integrated dishwasher | • | |
| 60 cm dishwasher | • | |
| Design | | |
| Control panel colour | Stainless Steel. | |
| Control panel version | Fully integrated fascia | |
| Control type | Softkeys | |
| Display | 1-line text display | |
| Display colour | White | |
| MultiLingua | • | |
| Convenience | | |
| Door closing aid | AutoClose | |
| Time left display | * | |
| Delay start up to 24 hours | • | |
| In-operation indicator light | optical and acoustic | |
| Display language selection | • Optical and acoustic | |
| Efficiency and sustainability | | |
| Energy efficiency class (A-G) | A | |
| Water consumption in the Automatic programme in I from | 6.0 | |
| Water consumption of the ECO programme in litres per programme cycle | 8.4 | |
| Electricity consumption in the ECO programme in kWh | 0.54 | |
| Energy consumption of the ECO programme in kWh after 100 programme cycles | 54 | |
| Consumption value in kWh in the ECO programme with hot water connection | 0.29 | |
| Duration of ECO programme in minutes | 230 | |
| Noise emission class | В | |
| Noise emissions in dB(A) | 43 | |
| EcoFeedback | • | |
| EcoPower Technology | • | |
| Proven hygiene | • | |
| Hot water connection | * | |
| Half load | • | |
| Quality of results | | |
| Fresh water dishwasher | • | |
| SensorDry | + | |
| Active condensation drying | • | |
| BrilliantGlassCare | • | |
| Wash programmes | | |
| QuickPowerWash | • | |
| ECO | • | |
| Automatic | • | |
| ComfortWash 45 °C | + | |
| Intensive 75 °C | • | |



G 7380 SCVi FF Fully integrated dishwashers for perfect gaps and joints in the kitchen thanks to FrontFit



EAN: 4002516738404 / Material number: 12423920 / Old Material Number: 21738062GB PowerWash ComfortWash+ 55 °C Gentle ExtraQuiet 39 dB(A) Appliance care Rinse out salt Dishwashing options BottleClean Quick IntenseZone Extra Clean Extra dry Basket design Cutlery loading 3D MultiFlex tray FlexCare glass holder FlexCare cup rack ExtraComfort Basket design Number of place settings 14 MultiClip FlexCare Glass & Bottle XL Assist Safety Waterproof system Filter indicator light Technical data Niche width minimal in mm 600 Niche width max in mm 600 Niche height minimal in mm 805 Niche height maximal in mm 870 550 Niche depth in mm 598 Appliance width in mm Appliance height in mm 805 550 Appliance depth in mm Depth with door open in cm 116.5 48.0 Net weight in kg Total rated load in kW 2.00 Voltage in V 230 Fuse rating in A 10 Number of phases Electrical frequency standard 50 1.50 Length of water inlet hose in m 1.50 Length of water drain hose in m Length of supply lead in m 1.80 Min. front panel weight in kg 4.0 Max. front panel weight in kg 10.0 [can be retrofitted by Service to min.] 8.0 16.0 [can be retrofitted by Service to max.]



G 7380 SCVi FF Fully integrated dishwashers for perfect gaps and joints in the kitchen thanks to FrontFit




EAN: 4002516738404 / Material number: 12423920 / Old Material Number: 217280626 P.

| Old Material Number: 21738062GB | | |
|--|---|--|
| Accessories included | | |
| 1 x UltraTabs box (20 tabs) | • | |
| Voucher for 1 x box of UltraTabs (20 tabs) or 3 boxes (60 tabs in each) at a reduced price | • | |



G 7380 SCVi FF

Fully integrated dishwashers for perfect gaps and joints in the kitchen thanks to FrontFit



G7000, fully integrated dishwasher, 60cm (installation drawing), FrontFit

1) Plinth height 20-125 mm, 2) Plinth height 85-190 mm, 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),