

# ILIUM PENDANT

*Foster + Partners*

Pendant lamps with a diffused and dimmable light output.

Fluorescent, halogen and LED sources, according to versions.

Structure with inner diffuser in opal polymeric (pendant LED version excluded) and outer diffuser in transparent barrel glass.



## 30 E26 HALO

### LAMPING

Source	E26 HALO PAR20 BULB
Total power	50W
Emission	DOWNLIGHT, FLOOD
Switching	dimmable, according to bulb
Tension	120V
IP class	20
Dimensions	Ø3.9" x 30.3" H
Materials	glass + pc
Notes	cable length 9.8'
Accessories	Lipari ring,
Net lamp weight	7,7 lbs

### Codes

ILI HHC 51


### Structure/Diffuser

chrome/white

### PACKAGE

Package 01

Dimension: 8.7" x 8.7" x 38.6" inches / Gross weight: 9,3 lbs



# PENDANT LED

## LAMPING

Source	LED BOARD
Total power	6W
Emission	DOWNLIGHT
Tension	120V
Color temperature	3000K
Luminous flux	345lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	Ø 2" x 29.5" H
Materials	glass + pc
Notes	cabl length 9.8'
Accessories	Lipari ring,
Net lamp weight	7,7 lbs

## Codes

ILI LHC 51

## Structure/Diffuser

chrome/white

## PACKAGE

Package 01

Dimension: 8.7" x 8.7" x 38.6" inches / Gross weight: 9,3 lbs

