

# IN THE WIND PENDANT VERTICAL

*Arihiro Miyake*

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminum extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminum. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.



# LED

## LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	72" x 7.5" x 7.5"
Materials	aluminum + pc
Notes	cabl length 9.8'
Accessories	Lipari ring,
Net lamp weight	8,8 lbs

## Codes

ITW LWW 55  
ITW LNW 55  
ITW LGW 55  
ITW LDW 55

## Structure/Diffuser

white/white  
black/white  
gold/white  
titan grey/white

## PACKAGE

Package 01

Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

## Certificazioni



# IN THE WIND PENDANT HORIZONTAL

*Arihiro Miyake*

Pendant lamp for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminum extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminum.

Diffusers are in opal metacrylate. The lamp is available in matt white, matt black, titan grey or matt gold.



# LED

## LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	72" x 7.5" x 7.5"
Materials	aluminum + pc
Notes	metal cable length 9.8', electric cable length 16.4'
Accessories	Lipari ring,
Net lamp weight	8,8 lbs

## Codes

ITW LWW 56  
ITW LNW 56  
ITW LGW 56  
ITW LDW 56

## Structure/Diffuser

white/white  
black/white  
gold/white  
titan grey/white

## PACKAGE

Package 01 Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

## Certificazioni

