

JANEIRO K

The Janeiro K offers the same triplex glass features as the Janeiro series except the glass twists and locks into place. The Janeiro K also has an additional 21.5 inch option and is available in LED for all sizes. Janeiro K Emergency has an electronic ballast, high power factor, class 120/277V battery back up included with test switch and LED indicator light.



12" INCANDESCENT

LAMPING

Source	1 X 100W E26
Total power	1 X 100W
Emission	DIFFUSED
Switching	dimmable
Tension	120V
IP class	20
Dimensions	Ø 12" x 4.3" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10122

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 16" x 16" x 7" inches / Gross weight: 4 lbs

Certificazioni



8.5" INCANDESCENT

LAMPING

Source	1 X 60W E26
Total power	1 X 60W
Emission	DIFFUSED
Switching	dimmable
Tension	120V
IP class	20
Dimensions	Ø 8.5" x 4.2" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10120

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 13" x 13" x 9" inches / Gross weight: 4 lbs

Certificazioni



12" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 12" x 4.3" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10122LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01 Dimension: 16" x 16" x 7" inches / Gross weight: 4 lbs

Certificazioni



14.5" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 14.5" x 5" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10123LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01	Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs
------------	--

Certificazioni



LAMPING

Codes	Structure/Diffuser
M10120LED	White/Opal White Glass

Package 01 Dimension: 13" x 13" x 9" inches / Gross weight: 5 lbs



14.5" INCANDESCENT

LAMPING

Source	2 X 75W E26
Total power	2 X 75W
Emission	DIFFUSED
Switching	dimmable
Tension	120V
IP class	20
Dimensions	Ø 14.5" x 5" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10123

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs

Certificazioni



16.5" INCANDESCENT

LAMPING

Source	2 X 75W E26
Total power	2 X75W
Emission	DIFFUSED
Switching	dimmable
Tension	120V
IP class	20
Dimensions	Ø 16.5" x 5" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10124

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs

Certificazioni



18.5" INCANDESCENT

LAMPING

Source	2 X 75W E26
Total power	2 X 75W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 18.5" x 5" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10246

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs


Certificazioni



LAMPING

Codes	Structure/Diffuser
M10124LED	White/Opal White Glass

Package 01 Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs



18.5" LED

LAMPING

Source	25W, 2400 LM, 3045K
Total power	25W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggle C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	2400 LM
Typ CRI	85
IP class	20
Dimensions	Ø 18.5" x 5" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10246LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01 Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs

Certificazioni



21.5" LED

LAMPING

Source	25W, 2400 LM, 3045K
Total power	25W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	2400 LM
Typ CRI	85
IP class	20
Dimensions	Ø 21.5" x 5.4" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10247LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01	Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs
------------	--

Certificazioni



21.5" INCANDESCENT

LAMPING

Source	3 X 60W E26
Total power	3 X60W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 21.5" x 5.4" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M10247

Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01

Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs

Certificazioni

