

NUVOLA WALL/CEILING

Mario Bellini

Wall/ceiling lamps in two sizes with structure in natural opal polyethylene made with rotational molding. Diffused lighting for a widespread and comfortable output. Composed of one of the two blocs (deep or flat). Dimmable.



H7.8" LED

LAMPING

Source	LINEAR LED
Total power	66W
Emission	DIFFUSED
Switching	dimmable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	6000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	60.6" x 34.3" x 7.8"
Materials	pe
Accessories	Lipari ring,
Net lamp weight	24,3 lbs

Codes

NUV LWW 33

Structure/Diffuser


white/white

PACKAGE

Package 01

Dimension: 36.6" x 59" x 25.6" inches / Net weight: 41,9 lbs

Certificazioni



H14.5" LED

LAMPING

Source	LINEAR LED
Total power	66W
Emission	DIFFUSED
Switching	dimmable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	6000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	60.6" x 34.3" x 14.5"
Materials	pe
Accessories	Lipari ring,
Net lamp weight	24,3 lbs

Codes

NUV LWW 34

Structure/Diffuser

white/white

PACKAGE

Package 01

Dimension: 36.6" x 59" x 25.6" inches / Net weight: 41,9 lbs

Certificazioni

