

TANGO

Wall and ceiling lamp, widespread light. Triplex opal white matt or shiny glass with metal base. Mounts to standard 42 octagonal junction box.



10" INCANDESCENT

LAMPING

Source	1 X 75W E26
Total power	1 X 75W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 10" X 4.3"H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M3816
M3816S

Structure/Diffuser


White/Opal White Glass
Shiny White Glass

PACKAGE

Package 01

Dimension: 13" x 13" x 9" inches / Net weight: 5 lbs

Certificazioni



12" INCANDESCENT

LAMPING

Source	2 X 40W E26
Total power	2 X 40W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 12" X 4.7" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M3824
M3824S

Structure/Diffuser


White/Opal White Glass
Shiny White Glass

PACKAGE

Package 01

Dimension: 17" x 17" x 15" inches / Net weight: 8 lbs

Certificazioni



10" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 10" X 4.3" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M3816LED
M3816SLED


Structure/Diffuser

White/Opal White Glass
Shiny White Glass

PACKAGE

Package 01 Dimension: 13" x 13" x 9" inches / Net weight: 5 lbs

Certificazioni



12" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 12" X 4.7" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M3824LED
M3824SLED


Structure/Diffuser

White/Opal White Glass
Shiny White Glass

PACKAGE

Package 01 Dimension: 17" x 17" x 15" inches / Net weight: 8 lbs

Certificazioni



15.5" LED

LAMPING

Source	25W, 2400 LM, 3045K
Total power	25W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	2400 LM
Typ CRI	85
IP class	20
Dimensions	Ø 15.5" X 4.7" H
Materials	glass + metal
Accessories	Lipari ring,

Codes

M3825LED
M3825SLED

Structure/Diffuser

White/Opal White Glass
Shiny White Glass

PACKAGE

Package 01 Dimension: 19" x 19" x 15" inches

Certificazioni

