Niagara Whirlpool Small

REFERENCE CT3386/5



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FO | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS

FIXTURE SIZE & WEIGHT
Width 13cm / 5in
Height 150cm / 59in
Lenght 110cm / 43in

OAH Overall Heigth Min 160cm / 63in OAH Overall Heigth Max 435cm / 171in

Weight 30kg / 66lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.20cm x 0.60cm x 1.80cm = 1.30CBM

(in)Package 1/2 0.47in x 0.24in x 0.71in =45.76US GAL

ELECTRIC FEATURE

Installation Ceilling
IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 250W Light Sources

5 x GU10 Max 50W

110-120V 50Hz-60hZ Max Power Consuption 250W Light Sources 5 x GU10 Max 50W

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

Included Sources
Light Sources
5 x GU10 LED 6W
Lumens 1150Im
Kelvin 3000
CRI 90

CERTIFICATIONS













This luminaire allows lights sources with energy efficiency class







Note The canopy has only the base finish colour. The metal finish is without patina or texture of another tone. Except for Talha and Black finishes.

Niagara Dome Small

REFERENCE CT3410/1



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FP | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS Height 58cm / 23in OAH Overall Heigth Min 80cm / 31in OAH Overall Heigth Max 350cm / 138in Weight 18kg / 40lb

PACKAGE SIZE & WEIGHT
(m)Package 1/2 0.95cm x 0.77cm x 0.95cm
=0.69CBM
(in)Package 1/2 0.37in x 0.30in x 0.37in
=24.54US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consuption 10W
Light Sources
1 x LED

Included Sources
Light Sources
1 x LED
Lumens 1000lm
Kelvin 3000
CRI 80

110-120V 50Hz-60hZ Max Power Consuption 10W Light Sources 1 x LED

Included Sources
Light Sources
1 x LED
Lumens 1000lm
Kelvin 3000
CRI 80

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING


This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS







Niagara Dome Medium

REFERENCE CT3411/1



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FP | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS
Height 55cm / 22in
OAH Overall Heigth Min 80cm / 31in
OAH Overall Heigth Max 350cm / 138in
Weight 23kg / 51lb

PACKAGE SIZE & WEIGHT
(m)Package 1/2 0.95cm x 0.90cm x 0.95cm
=0.81CBM
(in)Package 1/2 0.37in x 0.35in x 0.37in
=28.68US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consuption 10W
Light Sources
1 x LED

Included Sources
Light Sources
1 x LED
Lumens 1000lm
Kelvin 3000
CRI 80

110-120V 50Hz-60hZ Max Power Consuption 10W Light Sources 1 x LED

Included Sources
Light Sources
1 x LED
Lumens 1000lm
Kelvin 3000
CRI 80

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING


This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS







Niagara Dome Large

REFERENCE CT3387/1



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FO | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS Height 75cm / 30in OAH Overall Heigth Min 85cm / 33in OAH Overall Heigth Max 375cm / 148in Weight 27kg / 60lb

PACKAGE SIZE & WEIGHT
(m)Package 1/2 1.18cm x 1.00cm x 1.20cm = 1.42CBM
(in)Package 1/2 0.46in x 0.39in x 0.47in = 50.00US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consuption 10W
Light Sources
1 x LED

Included Sources
Light Sources
1 x LED
Lumens 1000lm
Kelvin 3000
CRI 80

110-120V 50Hz-60hZ Max Power Consuption 10W Light Sources 1 x LED

Included Sources
Light Sources
1 x LED
Lumens 1000lm
Kelvin 3000
CRI 80

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING


This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS







Niagara Meander

REFERENCE CT3378/38/A+A



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.





MEASUREMENTS

FIXTURE SIZE & WEIGHT Width 96cm / 38in Height 105cm / 41in Lenght 181cm / 71in OAH Overall Heigth Min 120cm / 47in

OAH Overall Heigth Max 390cm / 154in Weight 102kg / 225lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.18cm x 1.00cm x 1.20cm =1.42CBM

(in)Package 1/2 0.46in x 0.39in x 0.47in =50.00US GAL

(m)Package 2/2 1.18cm x 1.00cm x 1.20cm =1.20CBM

(in)Package 2/2 0.46in x 0.39in x 0.47in =50.00US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 228W **Light Sources** 38 x G9 Max 6W

Included Sources Light Sources 38 x G9 LED 2W Lumens 8740lm Kelvin 3000 **CRI** 80

Optional Sources Light Sources 38 x G9 LED 3W Lumens 11400lm Kelvin 3000 **CRI** 80

110-120V 50Hz-60hZ **Max Power Consuption 228W Light Sources** 38 x G9 Max 6W

CARE INSTRUCTIONS

CERTIFICATIONS











Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.


Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.


As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING

This luminaire allows lights sources with energy efficiency class








Niagara Cascade

REFERENCE AP1473/4



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FO | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS

FIXTURE SIZE & WEIGHT Width 67cm / 26in Height 67cm / 26in Depth 23cm / 9in Weight 11kg / 24lb

PACKAGE SIZE & WEIGHT
(m)Package 1/2 0.95cm x 0.77cm x 0.95cm
=0.69CBM
(in)Package 1/2 0.37in x 0.30in x 0.37in
=24.54US GAL

ELECTRIC FEATURE

Installation Wall IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 160W Light Sources 4 x G9 Max 40W

Included Sources
Light Sources
4 x G9 LED 2W
Lumens 920Im
Kelvin 3000
CRI 80

Optional Sources Light Sources 4 x G9 LED 3W Lumens 1200lm Kelvin 3000 CRI 80

110-120V 50Hz-60hZ Max Power Consuption 160W Light Sources 4 x G9 Max 40W

CERTIFICATIONS







CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.


Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.


As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING

This luminaire allows lights sources with energy efficiency class







Niagara River

REFERENCE CT3367/6



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FP | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS

FIXTURE SIZE & WEIGHT
Width 30cm / 12in
Height 68cm / 27in
Lenght 105cm / 41in
OAH Overall Heigth Min 110cm / 43in

OAH Overall Heigth Min 110cm / 43in OAH Overall Heigth Max 350cm / 138in

Weight 30kg / 66lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.18cm x 1.00cm x 1.20cm = 1.42CBM

(in)Package 1/2 0.46in x 0.39in x 0.47in =50.00US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 240W Light Sources 6 x G9 Max 40W

Included Sources Light Sources 6 x G9 LED 2W Lumens 1380lm Kelvin 3000 CRI 80

Optional Sources Light Sources 6 x G9 LED 3W Lumens 1800lm Kelvin 3000 CRI 80

110-120V 50Hz-60hZ Max Power Consuption 240W Light Sources 6 x G9 Max 40W

CERTIFICATIONS









CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.


Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.


As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING

This luminaire allows lights sources with energy efficiency class







Niagara Curtain

REFERENCE CT3385/5



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

MEASUREMENTS

FIXTURE SIZE & WEIGHT
Width 9cm / 4in
Height 165cm / 65in
Lenght 108cm / 43in
OAH Overall Height Min 175cm / 6

OAH Overall Heigth Min 175cm / 69in OAH Overall Heigth Max 450cm / 177in

Weight 28kg / 62lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.20cm x 0.60cm x 1.80cm = 1.30CBM

(in)Package 1/2 0.47in x 0.24in x 0.71in =45.76US GAL

ELECTRIC FEATURE

Installation Ceilling
IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 250W Light Sources


5 x GU10 Max 50W

Included Sources
Light Sources
5 x GU10 LED 6W
Lumens 1150lm
Kelvin 3000
CRI 90

110-120V 50Hz-60hZ Max Power Consuption 250W Light Sources 5 x GU10 Max 50W

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS









CARE INSTRUCTIONS


Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.





Note The canopy has only the base finish colour. The metal finish is without patina or texture of another tone. Except for Talha and Black finishes.

Niagara Falls

REFERENCE CT3366/19



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FO | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS

FIXTURE SIZE & WEIGHT
Width 87cm / 34in
Height 80cm / 31in
Lenght 157cm / 62in
OAH Overall Heigth Min 115cm / 45in

OAH Overall Heigth Min 115cm / 45in OAH Overall Heigth Max 375cm / 148in Weight 60kg / 132lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.00cm x 0.90cm x 1.70cm = 1.53CBM

(in)Package 1/2 0.39in x 0.35in x 0.67in =54.02US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 760W Light Sources 19 x G9 Max 40W

Included Sources Light Sources 19 x G9 LED 2W Lumens 4370lm Kelvin 3000 CRI 80

Optional Sources Light Sources 19 x G9 LED 3W Lumens 5700lm Kelvin 3000 CRI 80

110-120V 50Hz-60hZ Max Power Consuption 760W Light Sources 19 x G9 Max 40W

CERTIFICATIONS









CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.


Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.


As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING

This luminaire allows lights sources with energy efficiency class







Niagara Island

REFERENCE CT3352/16



DESCRIPTION

Inspired by the Niagara falls magnificence, this collection embraces the tenacious and raw side of nature, with a very close visual density of its inspirational waterfall through the glass pieces. The solid glass presence represents the untamed motion of water shaped, completed with organic patterns in a game of transparency and opacity, a characteristic that counteracts inertia and enhances movement. The metal structure follows the main concept with vines in a never ending fluid motion. Ideal for horizontal displays of contemporary style interiors.


Finish shown here Metal FO | Glass 10

Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.



MEASUREMENTS Height 80cm / 31in OAH Overall Heigth Min 120cm / 47in OAH Overall Heigth Max 375cm / 148in Weight 54kg / 119lb

PACKAGE SIZE & WEIGHT (m)Package 1/2 1.20cm x 0.90cm x 1.20cm =1.30CBM

(in)Package 1/2 0.47in x 0.35in x 0.47in =45.76US GAL

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 640W **Light Sources** 16 x G9 Max 40W

Included Sources Light Sources 16 x G9 LED 2W Lumens 3680lm Kelvin 3000 **CRI** 80

Optional Sources Light Sources 16 x G9 LED 3W Lumens 4800lm Kelvin 3000 **CRI** 80

110-120V 50Hz-60hZ Max Power Consuption 640W **Light Sources** 16 x G9 Max 40W

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our <u>technical department</u> with any queries.

CERTIFICATIONS









ENERGY RATING

This luminaire allows lights sources with energy efficiency class





