


MELT LARGE CHANDELIER



ON



OFF

A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Large Chandelier, a configuration of seven organic and imperfect orbs which explode from a central hub to create a dynamic lighting sculpture of infinite reflections. Fitted with our new LED module.


MELT LARGE CHANDELIER

CHROME	
Code	MEC02CH-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	7 x MES01CH 1 x LEDC02CHEU
Surface Mount	
Colour/Finish	Chrome, Polished

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	7 x 6W LED Light Source Included, 220 - 240V
Max Wattage	51W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	7 x LEDRING02; 1 x SLD75-24VL-E
Certifications/Electrical Class	



Additionally Certified for NZ/AUS



MELT LARGE CHANDELIER



ON



OFF

A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Large Chandelier, a configuration of seven organic and imperfect orbs which explode from a central hub to create a dynamic lighting sculpture of infinite reflections. Fitted with our new LED module.


MELT LARGE CHANDELIER

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	7 x 6W LED Light Source Included, 220 - 240V
Max Wattage	51W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	7 x LEDRING02; 1 x SLD75-24VL-E
Certifications/Electrical Class	



Additionally Certified for NZ/AUS

COPPER	
Code	MEC02CO-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	7 x MES01CO 1 x LEDC02GOEU
Surface Mount	
Colour/Finish	Gold, Polished



MELT LARGE CHANDELIER



ON



OFF

A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Large Chandelier, a configuration of seven organic and imperfect orbs which explode from a central hub to create a dynamic lighting sculpture of infinite reflections. Fitted with our new LED module.


MELT LARGE CHANDELIER

GOLD Code	MEC02GO-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	7 x MES01G 1 x LEDC02GOEU
Surface Mount Colour/Finish	Gold, Polished

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	7 x 6W LED Light Source Included, 220 - 240V
Max Wattage	51W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	7 x LEDRING02; 1 x SLD75-24VL-E
Certifications/Electrical Class	




Additionally Certified for NZ/AUS



MELT LARGE CHANDELIER



ON



OFF

A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Large Chandelier, a configuration of seven organic and imperfect orbs which explode from a central hub to create a dynamic lighting sculpture of infinite reflections. Fitted with our new LED module.

MELT LARGE CHANDELIER

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	7 x 6W LED Light Source Included, 220 - 240V
Max Wattage	51W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	7 x LEDRING02; 1 x SLD75-24VL-E
Certifications/Electrical Class	



Additionally Certified for NZ/AUS

SMOKE	
Code	MEC02SM-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	7 x MES01SM 1 x LEDC02CHEU
Surface Mount	
Colour/Finish	Chrome, Polished

