## Big

Design by Lievore Altherr Molina.

Reference

0535.

Application

Hanging lamps

Installation type

Surface Canopy

Description

Hanging lamp for indoor use, designed by Lievore, Altherr, Molina. Direct, diffuse and uniform light distribution. Chrome or matt white lacquer body and white opal methacrylate diffuser with an opaque shade which therefore projects more light downwards.

Diffuser

Methacrylate diffuser

Materials

Shade: Aluminum Diffuser: Methacrylate Ring: Steel Ceiling rose: Steel


Finish



0535-01 Chrome (RAL 9016)

0535-93 White (RAL 9010)

Sketch



**Electrical characteristics** 

2 x 2G11 230V 36W AND

2 x 2G11 230V 24W

...

Total 120.0 W







Fixture: 5533 lm 46 lm/W Driver included:  $230V\ 50Hz$ 

Electronic dimming DALI PUSH

**Technical characteristics** 

- Dimmable electronic ballast.
- Easy-to-install and replace bulb system

**Physical characteristics** 

1 Box / 0.38 x 1.35 x 1.35 m. / Vol. 0.6925  $m^3$  / Gross weight 25.6 kg. / Net weight 23.0 kg.

Installation and assembly

Please, see the installation manual

**Light distribution** 

## General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.




Photometric data

Efficiency: 58.86% Isolux: Floor Coordinate system : CG Light position :

Total flux : 9400.00 lm X=0.00m Y=0.00m Z=3.00m

Maximum value : 210.42 cd/klm Light position: C=0.00 G=0.00

Symmetry on the planes: Double symmetrical



Certificates







