

Join

Design by Jordi Vilardell.

Reference

5066.

Application

Table Lamps

Description

Table lamp designed by Jordi Vilardell. It consists of a single piece of borosilicate glass, one light within another. The bulb is concealed inside the inner vessel and the cable comes out of it like a thread.

Diffuser

Borosilicate glass diffuser

Materials


Diffuser: Borosilicate glass

Finish



5066-01 Borosilicate glass (Natural finish)

Sketch



Electrical characteristics

1 x LED DIM G9 230V 4W 2700K OSRAM



Total 0.0 W

VIBIA



Fixture: 526 lm 11 lm/W

Driver included: 230V 50Hz

Technical characteristics

- Switch on the cable

Physical characteristics

1 Box / 0.29 x 0.38 x 0.38 m. / Vol. 0.0418 m³ /

Gross weight 1.9 kg. / Net weight 1.7 kg.

Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency : 83.48%

Coordinate system : CG

Total flux : 630.00 lm

Maximum value : 83.73 cd/klm


Light position : C=60.00 G=35.00

Symmetry on the planes : Double symmetrical

Isolux : Floor

Light position :

X=0.00m Y=0.00m Z=3.00m



Certificates

