

JUBE


Design Favaretto&Partners

JUBE SP G



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.





JUBE SP G

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:



Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut
Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push
Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut
Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME Mc 0,14
GROSS WEIGHT Kg 10
NET WEIGHT Kg 6


download



SHADE FINISHING




FRAME FINISHING



OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



JUBE


Design Favaretto&Partners

JUBE SP G



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.





JUBE SP G

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:




Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut
 Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push
 Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut
 Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME	Mc 0,14
GROSS WEIGHT	Kg 10
NET WEIGHT	Kg 6

download



SHADE FINISHING



AABC CRBC FUBC TBBC VABC


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



JUBE


Design Favaretto&Partners

JUBE SP G



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.





JUBE SP G

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:



Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut
 Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push
 Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut
 Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME	Mc 0,14
GROSS WEIGHT	Kg 10
NET WEIGHT	Kg 6


download



SHADE FINISHING




FRAME FINISHING



OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



JUBE


Design Favaretto&Partners

JUBE SP G



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.





JUBE SP G

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:




Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut
Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push
Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut
Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME Mc 0,14
GROSS WEIGHT Kg 10
NET WEIGHT Kg 6

download



SHADE FINISHING



AABC CRBC FUBC TBBC VABC


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




JUBE

Design Favaretto&Partners

JUBE SP P



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP P

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:



Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut

Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push

Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut

Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME	Mc 0,1
GROSS WEIGHT	Kg 5
NET WEIGHT	Kg 2


download



SHADE FINISHING




FRAME FINISHING



OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




JUBE

Design Favaretto&Partners

JUBE SP P



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP P

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:



Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut

Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push

Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut


Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME	Mc 0,1
GROSS WEIGHT	Kg 5
NET WEIGHT	Kg 4,5

download



SHADE FINISHING



AABC CRBC FUBC TBBC VABC


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




JUBE

Design Favaretto&Partners

JUBE SP P



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP P

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:



Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut

Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push

Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut


Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME	Mc 0,1
GROSS WEIGHT	Kg 5
NET WEIGHT	Kg 4,5

download



SHADE FINISHING



AABC CRBC FUBC TBBC VABC


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




JUBE

Design Favaretto&Partners

JUBE SP P




The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP P

TECHNICAL DATA:



LED 2700K DIM2	1x13 W	37 V
LED 2700K DIM3	1x13 W	37 V
LED 3000K DIM2	1x13 W	37 V
LED 3000K DIM3	1x13 W	37 V

CERTIFICATIONS:



Led 2700 K 13 W 37 V 2000 lm DIM2 Phase Cut

Led 2700 K 13 W 37 V 2000 lm DIM3 0-10V, Push

Led 3000 K 13 W 37 V 2000 lm DIM2 Phase Cut

Led 3000 K 13 W 37 V 2000 lm DIM3 0-10V, Push

VOLUME	Mc 0,1
GROSS WEIGHT	Kg 5
NET WEIGHT	Kg 2


download



SHADE FINISHING




FRAME FINISHING



OTHER VERSION AVAILABLE


Click on the version to go to the web version of the product



JUBE

Design Favaretto&Partners

JUBE SP S



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP S



TECHNICAL DATA:

CERTIFICATIONS:



VOLUME	Mc 0
GROSS WEIGHT	Kg 4
NET WEIGHT	Kg 2

download




SHADE FINISHING



AATR CRTR FUTR TBTR VATR


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




JUBE SP G JUBE SP P JUBE SP 1 G JUBE SP 1 P

JUBE

Design Favaretto&Partners



JUBE SP S



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP S



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

LED 3000K (DIM3)	1x8,5 W 24 V
LED 2700K (DIM3)	1x8,5 W 24 V
LED 3000K (DIM3)	1x8,5 W 24 V

Led 2700 K 8,5 W 24 V 1200 lm DIM2 Phase Cut

Led 2700 K 8,5 W 24 V 1200 lm DIM3 0-10V, Push

Led 3000 K 8,5 W 24 V 1200 lm DIM3 0-10V, Push

VOLUME	Mc 0,05
GROSS WEIGHT	Kg 4
NET WEIGHT	Kg 2

download




SHADE FINISHING



AATR CRTR FUTR TBTR VATR


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




JUBE SP G JUBE SP P JUBE SP 1 G JUBE SP 1 P

JUBE

Design Favaretto&Partners



JUBE SP S



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP S



TECHNICAL DATA:

CERTIFICATIONS:



LIGHT SOURCES

LED 3000K (DIM3)	1x8,5 W 24 V
LED 2700K (DIM3)	1x8,5 W 24 V
LED 3000K (DIM3)	1x8,5 W 24 V

Led 2700 K 8,5 W 24 V 1200 lm DIM2 Phase Cut

Led 2700 K 8,5 W 24 V 1200 lm DIM3 0-10V, Push


Led 3000 K 8,5 W 24 V 1200 lm DIM3 0-10V, Push

VOLUME	Mc 0,05
GROSS WEIGHT	Kg 4
NET WEIGHT	Kg 2

download



SHADE FINISHING




AATR



CRTR



FUTR




TBTR



VATR

FRAME FINISHING



AVS




OS

OTHER VERSION AVAILABLE


Click on the version to go to the web version of the product




JUBE SP G



JUBE SP P



JUBE SP 1 G




JUBE SP 1 P

JUBE

Design Favaretto&Partners



JUBE SP S



The elegant and delicate look of the blown glass finds a new dimension in Jube. Two glass units placed side by side, so perfectly assembled, that they look like a unique piece. A sinuous lamp, with tone-on-tone colours that give it a precious, vintage mood.



JUBE SP S



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

LED 3000K (DIM3)	1x8,5 W 24 V
LED 2700K (DIM3)	1x8,5 W 24 V
LED 3000K (DIM3)	1x8,5 W 24 V

Led 2700 K 8,5 W 24 V 1200 lm DIM2 Phase Cut

Led 2700 K 8,5 W 24 V 1200 lm DIM3 0-10V, Push

Led 3000 K 8,5 W 24 V 1200 lm DIM3 0-10V, Push

VOLUME	Mc 0,05
GROSS WEIGHT	Kg 4
NET WEIGHT	Kg 2

[download](#)




SHADE FINISHING



AATR CRTR FUTR TBTR VATR


FRAME FINISHING



AVS OS

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



JUBE SP G JUBE SP P JUBE SP 1 G JUBE SP 1 P