

ORO


Design Vistosi

ORO SP P



The use of the horizontal inner membrane divides the transparent glass into two halves. The artisanal processing of the membrane makes each piece unique by varying the effect on the surface depending on the curvature of the membrane. Black nickel or glossy brass metal parts.

ORO SP P



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V G9
50/60 Hz

 1x9W 34 V

Led 3000 K 9 W 34 V 1200 lm DIM3 0-10V, Push

VOLUME Mc 0,04
GROSS WEIGHT Kg 3
NET WEIGHT Kg 1,5

[download](#)



SHADE FINISHING



CRBC

CRTR

FRAME FINISHING



NN

OG


ORO

ORO SP P



The use of the horizontal inner membrane divides the transparent glass into two halves. The artisanal processing of the membrane makes each piece unique by varying the effect on the surface depending on the curvature of the membrane. Black nickel or glossy brass metal parts.

ORO SP P



TECHNICAL DATA:



CERTIFICATIONS:



VOLUME	Mc 0,04
GROSS WEIGHT	Kg 3
NET WEIGHT	Kg 1,5

download




SHADE FINISHING



CRBC

CRTR

FRAME FINISHING



NN

OG


ORO

ORO SP P



The use of the horizontal inner membrane divides the transparent glass into two halves. The artisanal processing of the membrane makes each piece unique by varying the effect on the surface depending on the curvature of the membrane. Black nickel or glossy brass metal parts.

ORO SP P



TECHNICAL DATA:



CERTIFICATIONS:



VOLUME	Mc 0,04
GROSS WEIGHT	Kg 3
NET WEIGHT	Kg 1,5

download




SHADE FINISHING



CRBC

CRTR

FRAME FINISHING



NN

OG


ORO

ORO SP P



The use of the horizontal inner membrane divides the transparent glass into two halves. The artisanal processing of the membrane makes each piece unique by varying the effect on the surface depending on the curvature of the membrane. Black nickel or glossy brass metal parts.

ORO SP P



TECHNICAL DATA:



CERTIFICATIONS:



VOLUME	Mc 0,04
GROSS WEIGHT	Kg 3
NET WEIGHT	Kg 1,5

download




SHADE FINISHING



CRBC

CRTR

FRAME FINISHING



NN


OG

ORO

ORO SP P



The use of the horizontal inner membrane divides the transparent glass into two halves. The artisanal processing of the membrane makes each piece unique by varying the effect on the surface depending on the curvature of the membrane. Black nickel or glossy brass metal parts.



ORO SP P

TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V
50/60 Hz G9



1x9W 34 V

Led 3000 K 9 W 34 V 1200 lm DIM3 0-10V, Push

VOLUME Mc 0,04
GROSS WEIGHT Kg 3
NET WEIGHT Kg 1,5

download




SHADE FINISHING



CRBC

CRTR

FRAME FINISHING



NN

OG