


OTO SP 12



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0,01
GROSS WEIGHT Kg 2
NET WEIGHT Kg 1

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING



NI


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO SP SUR

OTO SP 15



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V 50/60 Hz G9

VOLUME Mc 0,02
GROSS WEIGHT Kg 2
NET WEIGHT Kg 1

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI

FRAME FINISHING




NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product

| | | | | | | |
|--------------------|--------------------|--------------------|-------------------|-------------------|-------------------|--------------------|
| <p>OTO SP 12</p> | <p>OTO SP 18</p> | <p>OTO SP CHA</p> | <p>OTO SP CUB</p> | <p>OTO SP FC</p> | <p>OTO SP LIN</p> | <p>OTO SP PEAA</p> |
| <p>OTO SP PEAB</p> | <p>OTO SP PEAC</p> | <p>OTO SP PEAD</p> | <p>OTO SP R55</p> | <p>OTO SP R60</p> | <p>OTO SP RC</p> | <p>OTO SP SPH</p> |
| <p>OTO SP SUR</p> | | | | | | |

OTO SP 18



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0,02
GROSS WEIGHT Kg 5
NET WEIGHT Kg 3

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING



NI

OTHER VERSION AVAILABLE


Click on the version to go to the web version of the product





Spherical blown glass elements available in three sizes and four rigadin colours, with and without lighting source. The special design allows the vertical installation of several glass elements and infinite customized combinations.

OTO SP CHA



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

9x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0
GROSS WEIGHT Kg 140
NET WEIGHT Kg 75

download



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING




AS BC NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO SP CUB



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

16x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0
GROSS WEIGHT Kg 100
NET WEIGHT Kg 60

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING




AS BC NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO SP FC



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

12x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0,71
GROSS WEIGHT Kg 85
NET WEIGHT Kg 60

download



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING




AS BC NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO SP PEA A



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V 50/60 Hz G9

VOLUME Mc 0,07
GROSS WEIGHT Kg 5
NET WEIGHT Kg 3

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI

FRAME FINISHING




NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product

| | | | | | | |
|--|--|---|---|--|--|--|
| <p>max cm 200 max 79" cm 10 4" ø cm 12 ø 5"</p> <p>OTO SP 12</p> | <p>max cm 200 max 79" cm 12 5" ø cm 15 ø 6"</p> <p>OTO SP 15</p> | <p>max cm 200 max 79" cm 16 6" ø cm 18 ø 7"</p> <p>OTO SP 18</p> | <p>max cm 270 max 106" cm 30 12" ø cm 140 ø 55"</p> <p>OTO SP CHA</p> | <p>max cm 120 max 47" cm 80 31" cm 80 x 80 31" x 31"</p> <p>OTO SP CUB</p> | <p>max cm 160 max 59" cm 50 19" cm 169 x 76 66" x 30"</p> <p>OTO SP FC</p> | <p>max cm 140 max 55" cm 60 25" cm 120 x 18 ø 47" x 7"</p> <p>OTO SP LIN</p> |
| <p>max cm 100 max 31" cm 70 27" ø cm 18 ø 7"</p> <p>OTO SP PEAB</p> | <p>max cm 100 max 39" cm 100 max 39" ø cm 18 ø 7"</p> <p>OTO SP PEAC</p> | <p>max cm 130 max 51" cm 70 27" ø cm 15 ø 6"</p> <p>OTO SP PEAD</p> | <p>max cm 80 max 31" cm 120 47" ø cm 55 ø 22"</p> <p>OTO SP R55</p> | <p>max cm 40 max 16" cm 160 63" ø cm 60 ø 24"</p> <p>OTO SP R60</p> | <p>max cm 50 max 19" cm 250 98" ø cm 82 ø 32"</p> <p>OTO SP RC</p> | <p>max cm 100 max 39" cm 100 39" ø cm 100 ø 39"</p> <p>OTO SP SPH</p> |
| <p>max cm 170 max 67" cm 30 12" cm 108 x 108 42" x 42"</p> <p>OTO SP SUR</p> | | | | | | |

OTO SP PEA B



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0
GROSS WEIGHT Kg 5
NET WEIGHT Kg 3

download



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING



NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO


Design Pio e Tito Toso

OTO SP LIN



Spherical blown glass elements available in three sizes and four rigadin colours, with and without lighting source. The special design allows the vertical installation of several glass elements and infinite customized combinations.

OTO SP LIN



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

4x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0,18
GROSS WEIGHT Kg 10
NET WEIGHT Kg 6

download



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING



AS BC NI


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO SP SUR

OTO SP PEA C



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0,07
GROSS WEIGHT Kg 5
NET WEIGHT Kg 3

[download](#)



SHADE FINISHING



AMRI

BCRI

CRRI

FURI


FRAME FINISHING



NI


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO SP SUR

OTO SP PEA D



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

1x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0
GROSS WEIGHT Kg 5
NET WEIGHT Kg 3

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI


FRAME FINISHING



NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



OTO


Design Pio e Tito Toso

OTO SP R55



Spherical blown glass elements available in three sizes and four rigadin colours, with and without lighting source. The special design allows the vertical installation of several glass elements and infinite customized combinations.

OTO SP R55



TECHNICAL DATA:



CERTIFICATIONS:



LIGHT SOURCES

9x60W 220-240 V G9
50/60 Hz

VOLUME Mc 0
GROSS WEIGHT Kg 22
NET WEIGHT Kg 15

[download](#)



SHADE FINISHING



AMRI BCRI CRRI FURI

FRAME FINISHING



AS BC NI

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product

