



POD PL G



TECHNICAL DATA:



CERTIFICATIONS:



LED 2700K DIM2	1x18 W	36,5 V
LED 2700K DIM3	1x18 W	36,5 V
LED 3000K DIM2	1x18 W	36,5 V
LED 3000K DIM3	1x18 W	36,5 V

Led 2700 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 2700 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push
 Led 3000 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 3000 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push

VOLUME Mc 0,13
 GROSS WEIGHT Kg 0
 NET WEIGHT Kg 0

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




POD PP P

POD PL G



TECHNICAL DATA:



CERTIFICATIONS:



LED 2700K DIM2	1x18 W	36,5 V
LED 2700K DIM3	1x18 W	36,5 V
LED 3000K DIM2	1x18 W	36,5 V
LED 3000K DIM3	1x18 W	36,5 V

Led 2700 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 2700 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push
 Led 3000 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 3000 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push

VOLUME Mc 0
 GROSS WEIGHT Kg 0
 NET WEIGHT Kg 0

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




POD PP P

POD PL G



TECHNICAL DATA:



CERTIFICATIONS:



LED 2700K DIM2	1x18 W	36,5 V
LED 2700K DIM3	1x18 W	36,5 V
LED 3000K DIM2	1x18 W	36,5 V
LED 3000K DIM3	1x18 W	36,5 V

Led 2700 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 2700 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push
 Led 3000 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 3000 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push

VOLUME	Mc 0,13
GROSS WEIGHT	Kg 0
NET WEIGHT	Kg 0

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




POD PP P

POD PL G



TECHNICAL DATA:



CERTIFICATIONS:



LED 2700K DIM2	1x18 W	36,5 V
LED 2700K DIM3	1x18 W	36,5 V
LED 3000K DIM2	1x18 W	36,5 V
LED 3000K DIM3	1x18 W	36,5 V

Led 2700 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 2700 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push
 Led 3000 K 18 W 36,5 V 2800 lm DIM2 Phase Cut
 Led 3000 K 18 W 36,5 V 2800 lm DIM3 0-10V, Push

VOLUME	Mc 0,13
GROSS WEIGHT	Kg 10
NET WEIGHT	Kg 6

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



POD PP P

POD PL P



TECHNICAL DATA:



LED 2700K DIM2	1x12 W	24 V
LED 3000K DIM2	1x12 W	24 V
LED 2700K DIM3	1x12 W	24 V
LED 3000K DIM3	1x12 W	24 V

CERTIFICATIONS:



Led 2700 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 2700 K 12 W 24 V 1900 lm DIM3 0-10V, Push
 Led 3000 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 3000 K 12 W 24 V 1900 lm DIM3 0-10V, Push

VOLUME Mc 0,13
 GROSS WEIGHT Kg 0
 NET WEIGHT Kg 6

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




POD PP G

POD PL P



TECHNICAL DATA:



LED 2700K DIM2	1x12 W	24 V
LED 3000K DIM2	1x12 W	24 V
LED 2700K DIM3	1x12 W	24 V
LED 3000K DIM3	1x12 W	24 V

CERTIFICATIONS:



Led 2700 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 2700 K 12 W 24 V 1900 lm DIM3 0-10V, Push
 Led 3000 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 3000 K 12 W 24 V 1900 lm DIM3 0-10V, Push

VOLUME Mc 0
 GROSS WEIGHT Kg 0
 NET WEIGHT Kg 6

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product




POD PP G

POD PL P



TECHNICAL DATA:



LED 2700K DIM2	1x12 W	24 V
LED 3000K DIM2	1x12 W	24 V
LED 2700K DIM3	1x12 W	24 V
LED 3000K DIM3	1x12 W	24 V

CERTIFICATIONS:



Led 2700 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 2700 K 12 W 24 V 1900 lm DIM3 0-10V, Push
 Led 3000 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 3000 K 12 W 24 V 1900 lm DIM3 0-10V, Push

VOLUME Mc 0
 GROSS WEIGHT Kg 0
 NET WEIGHT Kg 6

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC


OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



POD PP G

POD PL P



TECHNICAL DATA:



LED 2700K DIM2	1x12 W	24 V
LED 3000K DIM2	1x12 W	24 V
LED 2700K DIM3	1x12 W	24 V
LED 3000K DIM3	1x12 W	24 V

CERTIFICATIONS:



Led 2700 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 2700 K 12 W 24 V 1900 lm DIM3 0-10V, Push
 Led 3000 K 12 W 24 V 1900 lm DIM2 Phase Cut
 Led 3000 K 12 W 24 V 1900 lm DIM3 0-10V, Push

VOLUME Mc 0,13
 GROSS WEIGHT Kg 0
 NET WEIGHT Kg 6

download



SHADE FINISHING



BCLU


FRAME FINISHING



BC

OTHER VERSION AVAILABLE

Click on the version to go to the web version of the product



POD PP G